

# ST AN4310 Sampling Capacitor Selection Guide for Touch Sensing Applications User Guide


[Home](#) » [ST](#) » ST AN4310 Sampling Capacitor Selection Guide for Touch Sensing Applications User Guide 

## Contents

- [1 ST AN4310 Sampling Capacitor Selection Guide for Touch Sensing Applications](#)
- [2 Product Information](#)
- [3 Product Usage Instructions](#)
- [4 Capacitor Characteristics](#)
- [5 Introduction](#)
- [6 Capacitor comparison](#)
- [7 Revision history](#)
- [8 Documents / Resources](#)
  - [8.1 References](#)
- [9 Related Posts](#)



ST AN4310 Sampling Capacitor Selection Guide for Touch Sensing Applications



## Product Information

Product Name: AN4310 – Sampling capacitor selection guide for touch sensing applications on MCUs

Product Type: Application note

Manufacturer: STMicroelectronics

## Applicable Products

Product Series
STM32F0 series
STM32F3 series
STM32L0 series
STM32L1 series
STM32L4 series
STM32L4+ series
STM32L5 series
STM32U5 series
STM32WB series
STM32WBA series

## Product Usage Instructions

### Charge Transfer Acquisition Principle Overview

The product utilizes the charge transfer acquisition principle for touch sensing applications. This principle is explained in detail in the user manual.

## Capacitor Characteristics

### Dielectric Absorption or Soakage

Dielectric absorption, also known as soakage, can impact the operation and accuracy of capacitive sensors. It is caused by charge trapped in the dielectric material, leading to a voltage offset on the sampling capacitor (CS). This offset voltage affects the sensitivity and may result in false proximity detections. To mitigate this, it is recommended to choose a capacitor with a low dielectric absorption factor. Refer to Table 2 for a comparison of

dielectric absorption factors for different types of capacitor dielectrics.

### Nonzero Temperature Coefficient

To ensure trouble-free operation across the application's temperature range, it is important to select a capacitor with a stable temperature coefficient. Capacitors with dielectrics like PET, PEN, PPS, and NPO are recommended as they have lower temperature characteristics compared to normal ceramic capacitors.

Sampling capacitor selection guide for touch sensing applications on MCUs

## Introduction

Capacitors feature some non-ideal characteristics that unfortunately limit their use in some applications. The objective of this document is to help designers in selecting the right sampling capacitor (CS) for their touch sensing applications by investigating the most important undesirable characteristics.

STMicroelectronics is providing free STMTouch touch sensing firmware libraries, directly integrated into the corresponding STM32Cube package (such as STM32CubeL4).

**Table 1.** Applicable products

Type	Product series
Microcontrollers	STM32F0 series, STM32F3 series, STM32L0 series, STM32L1 series, STM32L4 series, STM32L4+ series, STM32L5 series, STM32U5 series, STM32WB series, STM32WBA series.

### Charge transfer acquisition principle overview

An MCU-based touch sensing applications may use the charge transfer acquisition principle, supported by STMTouch touch sensing libraries, to sense changes in capacitance. The electrode capacitance (CX) is charged to a stable reference voltage (VDD for general purpose Arm®-based STM32 microcontrollers). The charge is then transferred to a known capacitor referred to as the sampling capacitor CS. This sequence is repeated until the voltage on CS reaches the internal reference voltage VIH. The number of transfers required to reach the threshold depends on the size of the electrode capacitance and represents its value.

To ensure stable operation of the solution, the number of transfers needed to reach the threshold is adjusted by an infinite impulse response (IIR) filter that compensates for environmental changes such as temperature, power supply, moisture, and surrounding conductive objects.

Since CS is an integral part of the design, the non-ideal effects of capacitors must be considered.

**Note:** Arm is a registered trademark of Arm Limited (or its subsidiaries) in the US and/or elsewhere.

### Capacitor characteristics

The most common shortcomings of capacitors are the following:


- Series resistance
- Series inductance
- Parallel resistance (leakage current)
- Non-zero temperature coefficient
- Dielectric absorption (DA) or soakage
- Dissipation factor

The three most important characteristics that need to be examined are non-zero temperature coefficient, dissipation factor and dielectric absorption (DA). The effect of these non-ideal characteristics on the operation of

the system is briefly examined in the following sections.

**Dielectric absorption or soakage**

DA or soakage can be detrimental to the operation and accuracy of capacitive sensors that rely on a stable reference capacitor. DA is caused by the charge that is soaked-up in the dielectric and remains there during the discharge period. The charge then trickles back out of the dielectric during the relaxation period and cause a voltage to appear on the CS capacitor. This phenomenon effectively creates a memory effect in the capacitor. The size of the offset voltage is dependent on the relaxation time between transfers and the discharge time of the CS capacitor. This phenomenon is illustrated in the figure below.



The residual charge bleeds back ( $I_{RESIDUAL}$ ) through the insulation resistor ( $IR$ ) to cause a voltage offset on the CS capacitor. This offset voltage influences the sensitivity of the system by reducing the number of transfers needed to reach the internal reference voltage threshold and may cause false proximity detections to occur. By choosing a capacitor with a low dielectric absorption factor, a higher sensitivity level can be selected, ensuring a more stable and reliable design with improved proximity detections. Refer to Table 2 for a comparison of dielectric absorption factors for the different types of capacitor dielectrics.

**Nonzero temperature coefficient**

To ensure trouble free operation over the final application operating temperature range, the selected capacitor must feature a stable temperature coefficient. Dielectrics like PET, PEN, PPS, and NPO usually have higher temperature characteristics than normal ceramic capacitors and are thus recommended.

**Dissipation factor**

The dissipation factor is an indication of the energy loss, usually in the form of heat. Capacitors with a high dissipation factor cause self-heating that lay affect the capacitance. This change in capacitance in turn affects the number of charge transfers needed to reach the internal reference voltage threshold. This also emphasizes the need to choose a dielectric with a stable temperature coefficient. Refer to Table 2 for a comparison of the dissipation factors for the various dielectrics.

**Capacitor comparison**

The table below compares the most important characteristics that need to be reviewed when selecting a CS capacitor.

**Table 2.** Characteristics of film SMD capacitors

Characteristic		PET	PEN	PPS	NPO	X7R	Tantalum
Operating temperature (°C)		-55 to 125	-55 to 125	-55 to 140	-55 to 125	-55 to 125	-55 to 125
$\Delta C/C$ with temperature (°C)		±5	±5	±1.5	±1	±1	±10
Dissipation factor (%)	1 kHz	0.8	0.8	0.2	0.1	2.5	8
	10 kHz	1.5	1.5	0.25	0.1	—	—
	100 kHz	3.0	3.0	0.5	0.1	—	—
Dielectric absorption (%)		0.5	1	0.05	0.6	2.5	—
ESR		Low	Low	Very low	Low	Moderate to high	High
Reliability		High	High	High	High	Moderate	Low

The PPS (polyphenylene sulfide) dielectric and the NPO ceramic capacitors perform excellently in all categories. The PET (metalized polyester) and the PEN (metalized polyphenylene naphthalate) capacitors also perform quite well and can be used in all touch sensing applications. Tantalum capacitors must be avoided as they have a very high dissipation factor and a high-effective series resistance (ESR). X7R ceramic capacitors can be used in some applications when a less sensitive level is required.

## Conclusion

As explained, the sampling capacitor characteristics play an important role in the correct and stable operation of a capacitive sensing application. Consequently, it is necessary to select it carefully.

The recommendations for STMTouch touch sensing library-based applications are summarized below:

- If the solution uses an MCU low-power mode to reduce overall power consumption, PET, PEN, PPS, or NPO capacitor types must be used.
- If the solution uses linear or rotary touch sensors, PET, PEN, PPS, or NPO capacitor types must be used.
- If the solution uses only touchkey sensors, all capacitor types except tantalum can be used.

## Revision history

Table 3. Document revision history

Date	Version	Changes
15-Jul-2013	1	Initial release.
11-Jun-2014	2	Added support for STM32L0 Series and STM8AL Series.
20-Oct-2015	3	Updated Table 1. Added support for STM32L4 Series.
23-Jan-2019	4	<b>Updated:</b> <ul style="list-style-type: none"> <li>Title of the document</li> <li>Table 1. Applicable products</li> </ul>
23-Aug-2021	5	<b>Updated:</b> <ol style="list-style-type: none"> <li>The Introduction section.</li> <li>The Applicable products table.</li> <li>The Charge transfer acquisition principle overview section.</li> </ol>
10-Jan-2023	6	Updated <a href="#">Section Introduction</a> in the <a href="#">Table 1. Applicable products</a> to incorporate the STM32WBA series.  Updated the whole document with minor changes.

## IMPORTANT NOTICE – READ CAREFULLY

STMicroelectronics NV and its subsidiaries (“ST”) reserve the right to make changes, corrections, enhancements, modifications, and improvements to ST products and/or to this document at any time without notice. Purchasers should obtain the latest relevant information on ST products before placing orders. ST products are sold pursuant to ST’s terms and conditions of sale in place at the time of order acknowledgment.

Purchasers are solely responsible for the choice, selection, and use of ST products and ST assumes no liability for application assistance or the design of purchasers’ products.

No license, express or implied, to any intellectual property right is granted by ST herein.


Resale of ST products with provisions different from the information set forth herein shall void any warranty granted by ST for such product.

ST and the ST logo are trademarks of ST. For additional information about ST trademarks, refer to [www.st.com/trademarks](http://www.st.com/trademarks). All other product or service names are the property of their respective owners.



Information in this document supersedes and replaces information previously supplied in any prior versions of this document.

© 2023 STMicroelectronics – All rights reserved

## Documents / Resources

	<p><a href="#">ST AN4310 Sampling Capacitor Selection Guide for Touch Sensing Applications</a> [pdf] User Guide</p> <p>AN4310 Sampling Capacitor Selection Guide for Touch Sensing Applications, AN4310, Sampling Capacitor Selection Guide for Touch Sensing Applications, Selection Guide for Touch Sensing Applications, Touch Sensing Applications, Sensing Applications, Applications</p>
---	--

## References

-  [STMicroelectronics: Our technology starts with you](#)
-  [STMicroelectronics Trademark List - STMicroelectronics](#)

Manuals+.