

[Manuals.plus](#) /

› [Pool Patch](#) /

› Pool Patch White Plaster Repair Kit 1.5 lb - Instruction Manual

Pool Patch WPPR1

Pool Patch White Plaster Repair Kit 1.5 lb

Instruction Manual

1. PRODUCT OVERVIEW

The Pool Patch White Plaster Repair Kit 1.5 lb is designed for repairing small cracks and delaminated areas in plastered swimming pools. This kit includes a waterproof pozzolan blended white cement and a liquid cement bonder to ensure a strong, durable repair.

Key features:

- Ideal for DIY pool repairs, addressing small cracks and delaminated areas.
- Easy to mix and apply formula suitable for both professionals and homeowners.
- Fast-curing solution, typically setting in 3 to 4 hours.
- Provides a powerful, extra strong bond with minimal shrinkage.
- Covers approximately 3/4 square feet at a 3/8-inch thickness.
- Manufactured in the United States with quality materials.



WHITE POOL PLASTER REPAIR KIT





LIQUID BONDER INCLUDED



MANUFACTURED BY POOL EXPERTS



MADE IN USA



GREAT FOR CRACKS & DELAMINATION



EASY & FAST TO USE





EASY TO MIX AND APPLY FORMULA



DESIGNED TO BE APPLIED ON A DRY REPAIR SURFACE



TYPICAL CURING TIME OF PATCH IS 3-4 HOURS



COVERS APPROX. 3/4 SQ. FT. AT 3/8 IN. THICKNESS



Image: Overview of the Pool Patch White Plaster Repair Kit, illustrating its main features and benefits.

2. SAFETY INFORMATION

Always read and follow all safety warnings and instructions provided on the product packaging. Wear appropriate personal protective equipment (PPE) including gloves and eye protection when handling and mixing the product. Ensure adequate ventilation in the work area. Keep out of reach of children and pets. Avoid contact with skin and eyes. In case of contact, rinse thoroughly with water and seek medical attention if irritation persists. Do not ingest.


3. COMPONENTS INCLUDED

- 1.5 lb container of White Pool Plaster Mix (Pozzolan blended white cement)
- Liquid Cement Bonder

1 CHIP



2 MIX



3 APPLY




Image: Illustration of the liquid bonder bottle, indicating it is included within the product container.

4. PREPARATION

1. **Lower Water Level:** The repair surface must be dry. Lower the pool's water level below the area to be repaired.
2. **Clean Surface:** Thoroughly clean the damaged area. Remove any loose plaster, debris, algae, or dirt. The surface should be free of contaminants to ensure proper adhesion.
3. **Dry Surface:** Ensure the repair area is completely dry before application.

5. MIXING INSTRUCTIONS

The kit is designed for easy mixing. It is recommended to mix the entire contents of the container for optimal results, especially for medium-sized repairs. If attempting smaller repairs, carefully measure components to maintain the correct ratio.

1. Add 2 oz. of the Liquid Cement Bonder per 1.5 lb of dry Pool Patch Cement Mix.
2. Gradually add water to the mixture while stirring.

3. Mix until a putty-like consistency is achieved. The mixture should be firm enough to hold its shape but pliable enough to work with. Avoid adding too much water, as this can weaken the patch.

Your browser does not support the video tag.

Video: Demonstrates the mixing process for the Pool Patch White Plaster Repair Kit, showing how to combine the liquid bonder and water with the dry mix to achieve the correct consistency.

6. APPLICATION INSTRUCTIONS

1. Once mixed to the correct consistency, apply the plaster to the damaged area using a trowel or similar tool.
2. Press the plaster firmly into the crack or delaminated area, ensuring good contact with the existing surface.
3. Smooth the surface of the applied plaster, making it level with the surrounding area.
4. For best results, work quickly as the product has a fast setting time.



Image: Step-by-step visual guide for chipping, mixing, and applying the plaster repair kit.

7. CURING TIME

The Pool Patch White Plaster Repair Kit typically cures in approximately 3 to 4 hours. After this period, the repair area will be sufficiently cured, and the pool can be refilled with water. Avoid disturbing the patch during the curing process.

8. MAINTENANCE

Once cured, the plaster patch requires no special maintenance beyond regular pool care. Monitor the repaired area periodically for any signs of wear or new damage. Proper water chemistry and regular cleaning will help prolong the life of your pool's plaster, including repaired areas.

9. TROUBLESHOOTING

Problem	Possible Cause	Solution
Patch is too watery/doesn't hold shape.	Too much water added during mixing.	Ensure to add water gradually until a putty-like consistency is achieved. If too watery, it may be difficult to correct; it's best to start with a new batch, adding water slowly.
Patch doesn't adhere properly.	Surface not clean or dry; insufficient pressure during application.	Thoroughly clean and dry the repair area before application. Apply firm pressure when pressing the plaster into place.
Patch cracks after curing.	Improper mixing ratio; surface movement; extreme temperature changes.	Ensure precise mixing of components. Address any structural issues causing movement. Apply in moderate temperatures.
Cannot apply underwater.	Product is designed for dry application.	Lower the pool's water level below the repair area to ensure a dry surface for application.

10. SPECIFICATIONS

- **Brand:** Pool Patch
- **Model Number:** WPPR1
- **Item Weight:** 1.5 pounds (24 ounces)
- **Item Form:** Liquid (Bonder) and Powder (Plaster)
- **Coverage:** Approximately 3/4 square feet at 3/8-inch thickness
- **Curing Time:** 3-4 hours (typical)
- **UPC:** 851008005838
- **ASIN:** B07B8VZSDS

11. WARRANTY

For specific warranty information, please refer to the product packaging or contact Pool Patch directly. Generally, products are warranted against manufacturing defects. Proper application and use according to instructions are essential for warranty validity.

12. CUSTOMER SUPPORT

If you have any questions, require assistance, or encounter issues not covered in this manual, please contact Pool Patch customer support. Refer to the product packaging for the most current contact information or visit the official Pool Patch website.

[Visit the Pool Patch Store on Amazon](#)

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question