承 認 書 SPECIFICATION FOR APPROVAL

客戶名稱 CUSTOMER	:	
客戶料號 CUSTOMER'S P/N	:	
料號 PART NUMBER	:	NWBP5020K2-242MSE3
規格 DESCRIPTION	:	Chip Antenna 5.0x2.1mm, 2.45G, Type E3
版本 VERSION	:	V1.1
曰期 ISSUE DATE	:	2017/06/22

客 戶 承 認				
CUSTOMER APPROVED				

	上 桯 部 R&D CENTER	
承 認 APPROVAL	確認 CHECKED	製作 DRAWN




深圳市天联凌科技有限公司 深圳市宝安71区留仙一路二巷26号L栋5楼5D

电话: 13923483110 传真: 0755-85263741

5020 Chip Antenna

For Bluetooth / WLAN Applications



P/N: NWBP5020K2-242MSE3

	Dimension (mm)				
L	5.02 ± 0.20				
W	2.12 ± 0.20				
T	1.03 ± 0.20				

Part Number Information

Α	Product Series	Antenna		
В	Dimension L x W	5.0X2.0mm (+-0.2mm)		
С	Material	High K material		
D	Working Frequency	2.4 ~ 2.5GHz		
E	Feeding mode	Monopole & Single Feeding		
F	Antenna type	E3		


1.Electrical Specification

Specification						
Part Number	NWBP5020K2-242MSE3					
Central Frequency	2450	MHz				
Bandwidth	100 (Min.)	MHz				
Return Loss	-10 (Max)	dB				
Peak Gain	3.19	dBi				
Impedance	50	Ohm				
Operating Temperature	-40∼+85	$^{\circ}\! \mathbb{C}$				
Maximum Power	4 W					
Resistance to Soldering Heats	10 (@ 260°C)	sec.				
Polarization	Linear					
Azimuth Beamwidth	Omni-directional					
Termination	Ni / Au (Leadless)					


Remark: Bandwidth & Peak Gain was measured under evaluation board of next page

2. Recommended PCB Pattern


Evaluation Board Dimension




Suggested Matching Circuit



Layout Dimensions in Clearance area (Size=7.0*5.0mm)




FootPrint (Unit:mm)




3. Measurement Results

Return Loss




Radiation Pattern



	Efficiency	Peak Gain	Directivity
2400MHz	64.77 %	2.62 dBi	5.15 dBi
2450MHz	75.12 %	3.19 dBi	5.03 dBi
2500MHz	66.18 %	2.64 dBi	5.10 dBi

Chamber Coordinate System




4.Reliability and Test Condictions

ITEM	REQUIREMENTS			TEST CONDITION			
Solderability	1. Wetting shall exceed 90% cover 2. No visible mechanical damage TEMP (°C) 230°C 150°C	4±1 sec.	Pre-heating temperature:150°C/60sec. Solder temperature:230±5°C Duration:4±1sec. Solder:Sn-Ag3.0-Cu0.5 Flux for lead free: rosin				
Solder heat Resistance	1. No visible mechanical damage 2. Central Freq. change :within ± 6 TEMP (°C) 260°C 150°C	10±0.5 se	Pre-heating temperature:150°C/60sec. Solder temperature:260±5°C Duration:10±0.5sec. Solder:Sn-Ag3.0-Cu0.5 Flux for lead free: rosin				
Component Adhesion (Push test)	1. No visible mechanical damage			The device should be reflow soldered(230±5°C for 10sec.) to a tinned copper substrate A dynometer force gauge should be applied the side of the component. The device must with-ST-F 0.5 Kg without failure of the termination attached to component.			
Component Adhesion (Pull test)	1. No visible mechanical dama	ge	Insert 10cm wire into the remaining open eye bend ,the ends of even wire lengths upward and wind together. Terminal shall not be remarkably damaged.				
Thermal shock	1. No visible mechanical damage 2. Central Freq. change :within ±6% Phase Temperature(°C) Time(min) 1 +85±5°C 30±3 2 Room Within Temperature 3sec 3 -40±2°C 30±3 4 Room Within Temperature 3sec			$+85^{\circ}$ C=>30±3min -40° C=>30±3min Test cycle:10 cycles The chip shall be stabilized at normal condition for 2~3 hours before measuring.			
Resistance to High Temperature	No visible mechanical da Central Freq. change :wit No disconnection or short	thin ±6%	Temperature: 85±5°C Duration: 1000±12hrs The chip shall be stabilized at normal condition for 2~3 hours before measuring.				
Resistance to Low Temperature	No visible mechanical da Central Freq. change :wit No disconnection or short	thin ±6%	Temperature:-40±5°C Duration: 1000±12hrs The chip shall be stabilized at normal condition for 2~3 hours before measuring.				
Humidity	No visible mechanical da Central Freq. change :wit No disconnection or short	thin ±6%		Temperature: 40±2°C Humidity: 90% to 95% RH Duration: 1000±12hrs The chip shall be stabilized at normal condition for 2~3 hours before measuring.			

5. Soldering and Mounting

Mildly activated rosin fluxes are preferred. The minimum amount of solder can lead to damage from the stresses caused by the difference in coefficients of expansion between solder, chip and substrate. The terminations are suitable for all wave and re-flow soldering systems. If hand soldering cannot be avoided, the preferred technique is the utilization of hot air soldering tools.




Recommended temperature profiles for re-flow soldering in Figure 1.

Products attachment with a soldering iron is discouraged due to the inherent process control limitations. In the event that a soldering iron must be employed the following precautions are recommended.

- Preheat circuit and products to 150°C
- · Never contact the ceramic with the iron tip
- Use a 20 watt soldering iron with tip diameter of 1.0mm
- 280°C tip temperature (max)
- 1.0mm tip diameter (max)
- Limit soldering time to 3 sec.


6.Packaging Information

Tape Specification:



W	Ao	Во	Ко	Р	F	E	D	Ро	P2	t
16.0	1.30	5.30	1.50	4.00	7.50	1.75	1.50	4.00	2.00	0.30
±0.30	±0.10	±0.10	±0.10	±0.10	±0.10	±0.10	±0.10	±0.10	±0.10	±0.05

Reel Specification: (7", Ф180 mm)



7" x 8 mm

Tape Width(mm)	A(mm)	B(mm)	C(mm)	D(mm)	Chip/Reel(pcs)
12	12±1.0	60±2	13.5±0.5	178±2	3000

7. Storage and Transportation Information

Storage Conditions

To maintain the solderability of terminal electrodes:

- 1. Temperature and humidity conditions: -10~ 40°C and 30~70% RH.
- 2. Recommended products should be used within 6 months from the time of delivery.
- 3. The packaging material should be kept where no chlorine or sulfur exists in the air.

Transportation Conditions

- 1. Products should be handled with care to avoid damage or contamination from perspiration and skin oils.
- 2. The use of tweezers or vacuum pick up is strongly recommended for individual components.
- 3. Bulk handling should ensure that abrasion and mechanical shock are minimized.