

# **3nStar K10 Micro Kiosk Android Based Terminal Owner's Manual**

Home » 3nStar » 3nStar K10 Micro Kiosk Android Based Terminal Owner's Manual



3nStar K10 Micro Kiosk Android Based Terminal Owner's Manual

K10 Series kiosk is a n Android based terminal featuring specialized hardware that provides access to information and applications for communication.

This compact, easy-to-install and affordable device allows retailers to put the power of self-service in every aisle or department. So, no matter where in the store your customers might be, help is never more than a few steps away.

Customers can check price and inventory, check the balance on a gift card, look up a loyalty point balance, determine the location of a product and call for assistance — all with the scan of a barcode or press of a button or touchpad. In addition, the K10 easily connects to mobile printers.







#### **Contents**

- 1 Features
- 2 Applications
- 3 Documents /
- Resources
  4 Related Posts

## **Features**

- 10.1" 10 points Capacitive Touch Screen Monitor
- Android 7.1 Operating System
- Built-in 1D/2D barcode scanner
- NFC Reader
- POE Power Over Ethernet
- Built-in Wi-fi, Bluetooth
- Vesa Compatible

## **Applications**

- · Price Checking
- Self-service
- · Airport Check
- Access Control
- Time Attendance
- Production Control

Physical Construction	Aluminum alloy	
Color	Black	
Dimensions	266mm x 228mm x 40mm	
Weight	2 Kg.	
Performance		
CPU	Rockchip RK3128, Quad Core 2.0Ghz	

Memory	1GB RAM	
Storage	8 GB	
	Connectivity	
Wi-Fi	802.11	
Bluetooth	4.0	
Ethernet	10/100/1000M RJ45 with POE	
USB	1 USB OTG, 1 HOST USB	
Video output	1 HDMI	
Audio output	3.5mm earphone	
Operating system		
Version	Android 7.1	
Touch Panel		
Touchscreen type	10 Points Capacitive	
Transmittance	>95%	
Touch times	>100,000,000	
	Monitor	
Туре	10.1" TFT LCD, LED Backlight	
Resolution	1280 * 800	
Pixel	0.1692 (H) x 0.1692 (V)	
Brightness (Typical)	300 cd/m2	
Contrast Ratio	4000:1(Typical) 3000:1(Min)	
Color Support	16.7M	
Bandwidth	60Hz	
Lifetime	>10,000 hours	
Input Devices		
Barcode Scanner	1D/2D 5mil, USB	
Front Camera	2MP	
NFC Reader	Low frequency 125K, high frequency NFC, 14443A, 13.56	
Power Supply		
Power Consumption	15W	
Adapter Output	DC 12V, 5A	
Adapter Input	AC 100-240V, 50-60HZ	
Environmental		

Operating Temperature	0°C to 50°C	
Operating Humidity	10% to 90%, non-condensing	
Storage Temperature	-10°C to 60°C	
Storage Humidity	10% to 90%, non-condensing	
Packaging		
In the Box	Micro Kiosk, AC Adapter, Power Cable	
Carton Size	345mm x 125mm x 335mm	
Gross Weight	2.12 Kg.	

## **QR Code**





## **Documents / Resources**



3nStar K10 Micro Kiosk Android Based Terminal [pdf] Owner's Manual K10 Micro Kiosk Android Based Terminal, K10, Micro Kiosk Android Based Terminal, Android B ased Terminal, Based Terminal, Terminal

Manuals+,