



8BitDo NG30 NEOGEO Wireless Controller User Manual

[Home](#) » [8Bitdo](#) » 8BitDo NG30 NEOGEO Wireless Controller User Manual 


8BitDo®

User Manual

Contents

- [1 NG30 NEOGEO Wireless Controller](#)
- [2 Windows](#)
- [3 Android](#)
- [4 Battery](#)
- [5 Documents / Resources](#)
 - [5.1 References](#)

NG30 NEOGEO Wireless Controller



- press start button to turn on the controller
- hold start button for 3 seconds to turn off the controller
- hold start button for 8 seconds to force the controller off

NEOGEO mini

- press and hold select + down to switch the button layout. The Power LED will blink once when switching, and it will be saved automatically

wireless connection

1. – connect the 2.4G adapter to the controller port of your NEOGEO mini console
2. – turn the mode switch to 2.4G
3. – press the start button to turn on the controller, the status LED becomes solid when the connection is successful

wired connection

1. – connect the controller to the controller port of the NEOGEO mini via the USB cable

2. – wait till the controller is successfully recognized by your NEOGEO mini to play



Windows

- required system: Windows 10 (1903) or above

wireless connection

1. – connect the 2.4G adapter to the USB port of your Windows device
2. – turn the mode switch to 2.4G
3. – press the start button to turn on the controller, the status LED becomes solid when the connection is successful

wired connection

1. – connect the controller to the USB port of the Windows device via the USB cable
2. – wait till the controller is successfully recognized by your Windows to play



Android

- required system: Android 9.0 or above

Bluetooth connection

1. – turn the mode switch to Bluetooth
2. – press the pair button to enter its pairing mode, the status LED starts to rotate from left to right. (this is required for the very first time only)
3. – go to your Android device's Bluetooth setting, pair with [8BitDo NEOGEO GP], the status LED becomes solid when the connection is successful

D-Pad Switch

- press the button combos below for 5 seconds to switch the D-Pad, the Power LED will blink once when switching
- select + up = D-Pad
- select + left = Left Stick
- select + right = Right Stick
- it will be saved automatically after switching
- this function is not available when connected to NEOGEO mini

Re-pairing with the adapter

- please follow the steps below to re-pair the controller with the adapter

- 1– connect the 2.4G adapter to the NEOGEO mini or Windows device
 - 2– turn the mode switch to 2.4G
 - 3– press start button to turn on the controller
 - 4– hold the pair button to enter its pairing mode, the status LED starts to rotate from left to right
 - 5– put the controller close to the 2.4G adapter, the status LED becomes solid when the connection is successful
- each receiver can only be paired with one controller

Battery

status –	LED indicator –
low battery mode	red LED blinks
low battery mode	red LED stays solid
battery charged	red LED turns off

- 56 hours of play time via Bluetooth and 33 hours via wireless 2.4G with a 300mAh built-in battery pack, rechargeable with 1 hour charging time
- controller will turn off in 1 minute with no connection or 15 minutes of inactivity when connected with Bluetooth or 2.4G
- controller stays on with wired connection

Support

- please visit support.8bitdo.com for further information & additional support

FCC regulatory conformance:

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

1. This device may not cause harmful interference.
2. This device must accept any interference received, including interference that may cause undesired operation.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:


- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help

NOTE: The manufacturer is not responsible for any radio or TV interference caused by unauthorized modifications to this equipment. Such modifications could void the user's authority to operate the equipment.

RF Exposure

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment.

Documents / Resources



[8BitDo NG30 NEOGEO Wireless Controller](#) [pdf] User Manual
NG30 NEOGEO Wireless Controller, NG30, NEOGEO Wireless Controller, Wireless Controller, Controller

References

- [❖](#)
- [❖ Support 8BitDo](#)
- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.