

8BitDo®
NGC-01 Retro
Receiver for NGC



8BitDo NGC-01 Retro Receiver for NGC Instruction Manual

[Home](#) » [8Bitdo](#) » 8BitDo NGC-01 Retro Receiver for NGC Instruction Manual 

Contents

- [1 8BitDo NGC-01 Retro Receiver for NGC](#)
- [2 Product Information](#)
- [3 Product Usage Instructions](#)
- [4 NGC Console](#)
- [5 Windows](#)
- [6 Safety Warnings](#)
- [7 Support](#)
- [8 Documents / Resources](#)
 - [8.1 References](#)
- [9 Related Posts](#)

8BitDo®

8BitDo NGC-01 Retro Receiver for NGC



Product Information

- **Product Name:** Retro Receiver for NGC
- **Compatible with:** NGC Console
- **Controller Compatibility:** Original NGC Controller, Ultimate Bluetooth Controller, Ultimate 2.4G Controller, Ultimate 2C Wireless Controller, Ultimate C Bluetooth Controller, Ultimate 2C Bluetooth Controller

Product Usage Instructions

8BitDo Mod Kit for Original NGC Controller

1. With the controller off, press and hold the B+START buttons for 3 seconds to enter its pairing mode, and the Status LED blinks rapidly. (This is required for the very first time only)
2. Connect the NGC receiver to the controller port of the NGC console.
3. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
4. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.

Ultimate Bluetooth Controller

1. Turn the Mode switch to the BT position.
2. Press the Home button to turn on the controller.
3. Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to blink rapidly. (This is required for the very first time only)
4. Connect the NGC receiver to the controller port of the NGC console.
5. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
6. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.

Ultimate 2.4G Controller

1. Turn the Mode switch to the D position.
2. Press the Home button to turn on the controller.
3. Hold the Profile button for 5 seconds to switch to a Bluetooth connection. (The controller will vibrate once)
4. Hold the Star button for 3 seconds to enter its pairing mode, the Status LED will start to blink rapidly. (This is required for the very first time only)
5. Connect the NGC receiver to the controller port of the NGC console.
6. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
7. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.

Ultimate 2C Wireless Controller

1. Turn the Mode switch to the BT position.
2. Press the Home button to turn on the controller.
3. Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to blink rapidly. (This is required for the very first time only)
4. Connect the NGC receiver to the controller port of the NGC console.
5. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
6. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.

Ultimate C Bluetooth Controller

1. Press the Home button to turn on the controller.
2. Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to blink rapidly. (This is required for the very first time only)
3. Connect the NGC receiver to the controller port of the NGC console.
4. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
5. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.

Ultimate 2C Bluetooth Controller

1. Press the Home button to turn on the controller.
2. Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to blink rapidly.

Frequently Asked Questions (FAQ)


• Q: How do I know if my controller is successfully paired with the Retro Receiver?

A: When both the Status LED of the controller and the Retro Receiver remain solid, it indicates a successful connection between them.

• Q: Do I need to repeat the pairing process every time I use a different controller?

A: Yes, if you switch between different compatible controllers, you need to repeat the pairing process each time you connect a new controller to ensure a stable connection.


NGC Console



Please update the firmware of the controller and the receiver to the latest version.


8BitDo Mod Kit for Original NGC Controller

1. With the controller off, press and hold the B+START buttons for 3 seconds to enter its pairing mode, and the Status LED blinks rapidly. (This is required for the very first time only)
2. Connect the NGC receiver to the controller port of the NGC console.
3. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
4. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




Ultimate 2.4G Controller

1. Turn the Mode switch to the D position.
2. Press the Home button to turn on the controller.
3. Hold the Profile button for 5 seconds to switch to a Bluetooth connection. (The controller will vibrate once)
4. Hold the Star button for 3 seconds to enter its pairing mode, the Status LED will start to blink rapidly. (This is required for the very first time only)
5. Connect the NGC receiver to the controller port of the NGC console.
6. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
7. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




Ultimate 2C Wireless Controller

1. Turn the Mode switch to the BT position.
2. Press the Home button to turn on the controller.
3. Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to blink rapidly. (This is required for the very first time only)
4. Connect the NGC receiver to the controller port of the NGC console.
5. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
6. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




Ultimate 3-mode Controller for Xbox

1. Turn the Mode switch to the BT position.
2. Press the Xbox button to turn on the controller.
3. Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to blink rapidly. (This is required for the very first time only)
4. Connect the NGC receiver to the controller port of the NGC console.
5. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
6. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




SN30 Pro+ Bluetooth Gamepad

1. Press the B+Start buttons to turn on the controller.
2. Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to roll side to side. (This is required for the very first time only)
3. Connect the NGC receiver to the controller port of the NGC console.
4. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
5. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




SN30 Pro for Android

1. Press the Xbox button to turn on the controller.
2. Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to blink rapidly. (This is required for the very first time only)
3. Connect the NGC receiver to the controller port of the NGC console.
4. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
5. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




Lite SE

1. Turn the Mode switch to the D position.
2. Press the Home button to turn on the controller.
3. Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to roll side to side. (This is required for the very first time only)
4. Connect the NGC receiver to the controller port of the NGC console.
5. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
6. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




M30 Bluetooth Controller

1. Press the B+Start buttons to turn on the controller.
2. Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to roll side to side. (This is required for the very first time only)
3. Connect the NGC receiver to the controller port of the NGC console.
4. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
5. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




NEOGEO Wireless Controller

1. Turn the Mode switch to the BT position.
2. Press the Home button to turn on the controller.
3. Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to roll side to side. (This is required for the very first time only)
4. Connect the NGC receiver to the controller port of the NGC console.
5. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
6. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.



8BitDo Mod Kit for Original N64 Controller


1. Turn the Mode switch to the D position.
2. Press the Start button to turn on the controller.
3. Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to blink rapidly. (This is required for the very first time only)
4. Connect the NGC receiver to the controller port of the NGC console.
5. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
6. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.



DualShock 4


1. With the controller off, press and hold the Share+PS buttons for 3 seconds to enter its pairing mode, and the Status LED blinks rapidly. (This is required for the very first time only)
2. Connect the NGC receiver to the controller port of the NGC console.
3. Press the Pair button of the receiver, the Status LED starts to blink rapidly.

4. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




Switch Pro

1. With the controller off, press and hold the Pair button for 3 seconds to enter its pairing mode, and the Status LED will start to roll side to side. (This is required for the very first time only)
2. Connect the NGC receiver to the controller port of the NGC console.
3. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
4. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




Ultimate Bluetooth Controller

1. Turn the Mode switch to the BT position.
2. Press the Home button to turn on the controller.
3. Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to blink rapidly. (This is required for the very first time only)
4. Connect the NGC receiver to the controller port of the NGC console.
5. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
6. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




Ultimate C Bluetooth Controller

1. Press the Home button to turn on the controller.
2. Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to blink rapidly. (This is required for the very first time only)
3. Connect the NGC receiver to the controller port of the NGC console.
4. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
5. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




Ultimate 2C Bluetooth Controller

1. Press the Home button to turn on the controller.
2. Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to blink rapidly. (This is required for the very first time only)
3. Connect the NGC receiver to the controller port of the NGC console.
4. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
5. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




Pro 2 Bluetooth Gamepad

1. Turn the Mode switch to the D position.
2. Press the Start button to turn on the controller.
3. Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to roll side to side. (This is required for the very first time only)
4. Connect the NGC receiver to the controller port of the NGC console.
5. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
6. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




SN30 Pro Bluetooth Gamepad

1. Press the B+Start buttons to turn on the controller.
2. Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to roll side to side. (This is required for the very first time only)
3. Connect the NGC receiver to the controller port of the NGC console.
4. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
5. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




Lite 2

1. Turn the Mode switch to the D position.
2. Press the Home button to turn on the controller.
3. Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to roll side to side. (This is required for the very first time only)
4. Connect the NGC receiver to the controller port of the NGC console.
5. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
6. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




Lite

1. Turn the Mode switch to the X position.
2. Press the Home button to turn on the controller.
3. Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to roll side to side. (This is required for the very first time only)
4. Connect the NGC receiver to the controller port of the NGC console.
5. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
6. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




Micro Bluetooth Gamepad

1. Turn the Mode switch to the D position.
2. Press the Home button to turn on the controller.
3. Hold the Pair button for a second to enter its pairing mode, the Status LED will start to roll side to side. (This is required for the very first time only)
4. Connect the NGC receiver to the controller port of the NGC console.
5. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
6. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




Arcade Stick V3

1. Turn the Mode switch to the X position.
2. Turn the Connection switch to the BT position.
3. Hold the Pair button for 3 seconds to enter its pairing mode, The four LEDs will start to blink clockwise. (This is required for the very first time only)
4. Connect the NGC receiver to the controller port of the NGC console.
5. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
6. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




DualSense/DualSense Edge

1. With the controller off, press and hold the Create+PS buttons for 3 seconds to enter its pairing mode, and the Status LED blinks rapidly. (This is required for the very first time only)
2. Connect the NGC receiver to the controller port of the NGC console.
3. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
4. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




Xbox One/Xbox Series/Xbox Elite Series 2/Xbox Elite Series 2-Core/Xbox Adaptive Controller

1. Press the Xbox button to turn on the controller.
2. Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to blink rapidly. (This is required for the very first time only)
3. Connect the NGC receiver to the controller port of the NGC console.
4. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
5. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




Wii U Pro

1. With the controller off, press and hold the Pair button for 3 seconds to enter its pairing mode, and the Status LED blinks rapidly. (This is required for the very first time only)
2. Connect the NGC receiver to the controller port of the NGC console.
3. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
4. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.



Windows




Windows 10 (1903) or above is required.

8BitDo Mod Kit for Original NGC Controller


1. With the controller off, press and hold the B+START buttons for 3 seconds to enter its pairing mode, and the Status LED blinks rapidly. (This is required for the very first time only)

2. Connect the NGC receiver to the USB port of your Windows device.
3. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
4. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.



Ultimate 2.4G Controller


1. Turn the Mode switch to the D position.
2. Press the Home button to turn on the controller.
3. Hold the Profile button for 5 seconds to switch to a Bluetooth connection. (The controller will vibrate once)
4. Hold the Star button for 3 seconds to enter its pairing mode, the Status LED will start to blink rapidly. (This is required for the very first time only)
5. Connect the NGC receiver to the USB port of your Windows device.
6. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
7. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.



Ultimate 2C Wireless Controller


1. Turn the Mode switch to the BT position.
2. Press the Home button to turn on the controller.
3. Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to blink rapidly. (This is required for the very first time only)
4. Connect the NGC receiver to the USB port of your Windows device.

5. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
6. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




Ultimate 3-mode Controller for Xbox

1. Turn the Mode switch to the BT position.
2. Press the Xbox button to turn on the controller.
3. Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to blink rapidly. (This is required for the very first time only)
4. Connect the NGC receiver to the USB port of your Windows device.
5. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
6. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




SN30 Pro+ Bluetooth Gamepad

1. Press the B+Start buttons to turn on the controller.
2. Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to roll side to side. (This is required for the very first time only)
3. Connect the NGC receiver to the USB port of your Windows device.
4. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
5. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




SN30 Pro for Android

1. Press the Xbox button to turn on the controller.
2. Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to blink rapidly. (This is required for the very first time only)
3. Connect the NGC receiver to the USB port of your Windows device.
4. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
5. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




Lite SE

1. Turn the Mode switch to the D position.
2. Press the Home button to turn on the controller.
3. Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to roll side to side. (This is required for the very first time only)
4. Connect the NGC receiver to the USB port of your Windows device.
5. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
6. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




M30 Bluetooth Controller

1. Press the B+Start buttons to turn on the controller.
2. Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to roll side to side. (This is required for the very first time only)
3. Connect the NGC receiver to the USB port of your Windows device.
4. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
5. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




NEOGEO Wireless Controller

1. Turn the Mode switch to the BT position.
2. Press the Home button to turn on the controller.
3. Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to roll side to side. (This is required for the very first time only)
4. Connect the NGC receiver to the USB port of your Windows device.
5. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
6. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




8BitDo Mod Kit for Original N64 Controller

1. Turn the Mode switch to D position.
2. Press the Start button to turn on the controller.
3. Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to blink rapidly. (This is required for the very first time only)
4. Connect the NGC receiver to the USB port of your Windows device.
5. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
6. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




DualShock 4

1. With the controller off, press and hold the Share+PS buttons for 3 seconds to enter its pairing mode, and the Status LED blinks rapidly. (This is required for the very first time only)
2. Connect the NGC receiver to the USB port of your Windows device.
3. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
4. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




Switch Pro

1. With the controller off, press and hold the Pair button for 3 seconds to enter its pairing mode, and the Status LED will start to roll side to side. (This is required for the very first time only)
2. Connect the NGC receiver to the USB port of your Windows device.
3. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
4. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




Ultimate Bluetooth Controller

1. Turn the Mode switch to the BT position.
2. Press the Home button to turn on the controller.
3. Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to blink rapidly. (This is required for the very first time only)
4. Connect the NGC receiver to the USB port of your Windows device.
5. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
6. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




Ultimate C Bluetooth Controller

1. Press the Home button to turn on the controller.
2. Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to blink rapidly. (This is required for the very first time only)
3. Connect the NGC receiver to the USB port of your Windows device.
4. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
5. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




Ultimate 2C Bluetooth Controller

1. Press the Home button to turn on the controller.
2. Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to blink rapidly. (This is required for the very first time only)
3. Connect the NGC receiver to the USB port of your Windows device.
4. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
5. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




Pro 2 Bluetooth Gamepad

1. Turn the Mode switch to the D position.
2. Press the Start button to turn on the controller.
3. Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to roll side to side. (This is required for the very first time only)
4. Connect the NGC receiver to the USB port of your Windows device.
5. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
6. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




SN30 Pro Bluetooth Gamepad

1. Press the B+Start buttons to turn on the controller.
2. Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to roll side to side. (This is required for the very first time only)
3. Connect the NGC receiver to the USB port of your Windows device.
4. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
5. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




Lite 2

1. Turn the Mode switch to the D position.
2. Press the Home button to turn on the controller.
3. Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to roll side to side. (This is required for the very first time only)
4. Connect the NGC receiver to the USB port of your Windows device.
5. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
6. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




Lite

1. Turn the Mode switch to the X position.
2. Press the Home button to turn on the controller.
3. Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to roll side to side. (This is required for the very first time only)
4. Connect the NGC receiver to the USB port of your Windows device.
5. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
6. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




Micro Bluetooth Gamepad

1. Turn the Mode switch to the D position.
2. Press the Home button to turn on the controller.
3. Hold the Pair button for a second to enter its pairing mode, the Status LED will start to roll side to side. (This is required for the very first time only)
4. Connect the NGC receiver to the USB port of your Windows device.
5. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
6. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




Arcade Stick V3

1. Turn the Mode switch to the X position.
2. Turn the Connection switch to the BT position.
3. Hold the Pair button for 3 seconds to enter its pairing mode, The four LEDs will start to blink clockwise. (This is required for the very first time only)
4. Connect the NGC receiver to the USB port of your Windows device.
5. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
6. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




DualSense/DualSense Edge

1. With the controller off, press and hold the Create+PS buttons for 3 seconds to enter its pairing mode, and the Status LED blinks rapidly. (This is required for the very first time only)
2. Connect the NGC receiver to the USB port of your Windows device.
3. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
4. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




Xbox One/Xbox Series/Xbox Elite Series 2/Xbox Elite Series 2-Core/Xbox Adaptive Controller

1. Press the Xbox button to turn on the controller.
2. Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to blink rapidly. (This is required for the very first time only)
3. Connect the NGC receiver to the USB port of your Windows device.
4. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
5. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.



Wii U Pro

1. With the controller off, press and hold the Pair button for 3 seconds to enter its pairing mode, and the Status LED blinks rapidly. (This is required for the very first time only)
2. Connect the NGC receiver to the USB port of your Windows device.
3. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
4. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




Safety Warnings

- Please always use batteries, chargers, and accessories provided by the manufacturer.
- The manufacturer is not liable for any safety issues arising from the use of non-manufacturer-approved accessories.
- Do not attempt to disassemble, modify, or repair the device yourself. Unauthorized actions may result in serious injury.
- Avoid crushing, disassembling, puncturing, or attempting to modify the device or its battery, as these actions can be dangerous.
- Any unauthorized changes or modifications to the device will void the manufacturer's warranty.

Support

- Please visit support.8bitdo.com for further information & additional support.

Documents / Resources

	8BitDo NGC-01 Retro Receiver for NGC [pdf] Instruction Manual NGC-01, NGC-01 Retro Receiver for NGC, Retro Receiver for NGC, Receiver for NGC, NGC
---	---

References

- [User Manual](#)

[Manuals+.](#) [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.