



Home » 8Bitdo » 8BitDo NGCRR Retro Receiver for NGC Mod Kit For NGC Controller Instruction Manual 75

Contents [hide]

- 1 8BitDo NGCRR Retro Receiver for NGC Mod Kit For NGC Controller
- 2 Safety Warnings:
- 3 Support
- 4 FCC regulatory conformance
- 5 Specifications:
- 6 Frequently Asked Questions (FAQ)
 - 6.1 Q: How do I know if the controller is successfully paired with the NGC receiver?
 - 6.2 Q: Do I need to enter pairing mode every time I use the controller?
- 7 Documents / Resources
 - 7.1 References
- 8 Related Posts

8BitDo NGCRR Retro Receiver for NGC Mod Kit For NGC Controller

INSTRUCTION MANUAL








































8BitDo Mod Kit for Original NGC Controller

- 1. With the controller off, press and hold B+START buttons for 3 seconds to enter its pairing mode, the Status LED blinks rapidly. (This is required for the very first time only)
 2. Connect the NGC receiver to the controller port of NGC console.

- 3. Press the Pair button of the receiver, the Status LED starts to blink rapidly.


 4. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.



Ultimate 2.4G Controller

- 1. Turn the Made switch to Bingsition


- 2. Press the Home button to upsition.
 2. Press the Home button to urm on the controller.
 3. Hold the Profile button for 5 seconds to switch to Bluetooth connection. (The controller will vibrate once)
 4. Hold the Star button for 3 seconds to enter its pairing mode, the Status LED will start to blink rapidly.
 (This is required for the very first time only)
- 5. Connect the NGC receiver to the controller port of NGC console.
 6. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
- 7. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.



Ultimate 2C Wireless Controller

- 1. Turn the Mode switch to BT position
- 2. Press the **Home button** to turn on the controller.
 3. Hold the **Pair button** for 3 seconds to enter its pairing mode, the **Status LED** will start to blink rapidly.

- (This is required for the very first time only)
 4. Connect the NGC receiver to the controller port of NGC console.
 5. Preas the Pair button of the receiver, the Status LED starts to blink repidly.
 6. The Status LED of the controller and the receiver will remain solid to indicate a succe



Ultimate 3-mode Controller for Xbox


- 1 Turn the Mode switch to RT position
- 1. Iom now more switch to 5 ip pastice.

 2. Preas the **Xbox button** to turn on the controller.

 3. Hold the **Pair button** for 3 seconds to enter its pairing mode, the **Status LED** will start to blink rapidly.

 (This is required for the very first time only)

 4. Connect the NGC receiver to the controller port of NGC console.
- 5. Press the Pair button of the receiver, the Status LED starts to blink rapidly
- 6. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.



SN30 Pro+ Bluetooth Gamepad


- 1. Press the B+Start buttons to turn on the controller.
- I. rress tile a visar to utton to curron in the controller.

 And the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to roll side to side. (This is required for the very first time only)

 3. Connect the NGC receiver to the controller port of NGC console.


 4. Press the Pair button of the receiver, the Status LED starts to blinkrapidly.

- 5. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.



Ultimate Bluetooth Controller

- 1. Turn the Mode switch to BT position.
- 1. Lum me **more switch** up to position. 2. Press the **Home button** to furn on the controller. 3. Hold the **Pair button** for 3 seconds to enter its pairing mode, the **Status LED** will start to blink rapidly. (This is required for the very first time only)
 4. Connect the NGC receiver to the controller port of NGC constant to blink rapidly.
 6. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




Ultimate C Bluetooth Controller

- 1 Press the Home button to turn on the controller
- 1. Press the **Pair button** for 3 seconds to enter its pairing mode, the **Status LED** will start to blink rapidly. Chia is required for the very first time only?

 3. Connect the NGC receiver to the controller port of NGC console.


 4. Press the **Pair button** of the receiver, the **Status LED** starts to blink rapidly.

- 5. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




Ultimate 2C Bluetooth Controller

- Hold the Pair button for 3 seconds to enter its pairing mode, the Status LEO will start to blink rapidly. (This is required for the very first time only)
- 3. Connect the NGC receiver to the controller port of NGC console
- 4. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
- 5. The **Status LED** of the controller and the receiver will remain solid to indicate a successful connection.



Pro 2 Bluetooth Gamepad

- 1 Turn the Made switch to Dinesition
- 1. Turn use more swine. Or passions.
 2. Press the Start button to turn on the controller.
 3. Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to roll side to side.
 (This is required for the very first time only)
 4. Connect the NGC receiver to the controller port of NGC console.
- 5. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
- 6. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.



SN30 Pro Bluetooth Gamepad

- 1. Press the B+ Start buttons to turn on the controller.
- 1. Press the 8-bath quaturous to turn on the controller.


 2. Hold the Pair button for 3 seconds to enter it a paining mode, the Status LED will start to roll side to side.

 (This is required for the very first time only)

 3. Connect the NGC receiver to the controller port of NGC console.

 4. Press the Pair button of the receiver, the Status LED starts to blink rapidly.


- 5. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.



SN30 Pro for Android

- Press the Xbox button to turn on the controller.
 Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to blink rapidly.
 Connect the NGC receiver to the controller port of NGC console.


- 4. Press the Pair button of the receiver, the Status LED starts to blink rapidly 5. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.



Lite SE

- 1. Turn the Mode switch to D position.
- 1. Lurr the Mode switch to D position.
 2. Press the Home button to turn on the controller.
 3. Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to roll side to side. (This is required for the very first time only)
 4. Connect the NGC receiver to the controller port of NGC console.
 5. Press the Pair button of the receiver, the Status LED starts to blink rapidly.

- 6. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.



M30 Bluetooth Controller

- 1. Press the B+Start buttons to turn on the controller.
- 1. Fress the B+Start button is a turn on the controller.


 2. Hold the Paintuton for 3 seconds to enter its pairing mode, the Status LED will start to roll side to side.

 (This is required for the very first time only)

 3. Connect the NGC receiver to the controller port of NGC console.

 4. Fress the Paintutton of the receiver, the Status LED starts to blinkrepidly.


 5. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.



NEOGEO Wireless Controller

- 1. Turn the Mode switch to BT position
- Turn the Mode switch to BT position.
 Press the Home button to turn on the controller.
 Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to roll side to side. (This is required for the very first time only)
 Connect the NGC receiver to the controller port of NGC consoile.
 Press the Pair button of the receiver, the Status LED starts to blink rapidly.

- 6. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.



8BitDo Mod Kit for Original N64 Controller

- 1 Turn the Mode switch to Diposition
- 1.1urn the Mode switch to II position.
 2.Press the Start button to turn on the controller.
 3.Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to blink rapidly.
 (This is required for the very first time only)
 4. Connect the MCG receiver to the controller port of NGC console.
 5.Press the Pair button of the receiver, the Status LED starts to blink rapidly.


- 6.The Status LED of the controller and the receiver will remain solid to indicate a successful connection.



Lite 2

- 1. Turn the **Mode switch** to **D** position.
 2. Press the **Home button** to turn on the controller.
 3. Hold the **Pair button** for 3 seconds to enter its pairing mode, the **Status LED** will start to roll side to side. (This is required for the very first time only)
- 4. Connect the NGC receiver to the controller port of NGC console.


 5. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
- 6. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.



Lite


- 1. Turn the Mode switch to X position.
- I. Iurn the Mode switch to X position.
 Poses the Home button to turn on the controller.
 Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to roll side to side. (This is required for the very first time only)
 Connect the NGC receiver to the controller port of NGC console.
 Press the Pair button of the receiver, the Status LED starts to blinkrapidly.

- 6. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.



Micro Bluetooth Gamepad

- 1. Turn the **Mode switch** to **D** position.
 2. Press the **Home button** to turn on the controller.
 3. Hold the **Pair button** for a second to enter its pairing mode, the **Status LED** will start to roll side to side. (This is required for the very first time only]
 4. Connect the NGC receiver to the controller port of NGC console.
 5. Preas the Pair button of the receiver, the Status LED starts to blink rapidly.
 6. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.



Arcade Stick V3


- Turn the Mode switch to X position
- 2. Turn the **Connection switch** to **BT** position.

 3. Hold the **Pair button** for 3 seconds to enter its pairing mode. The four **LEDs** will start to blink clockwise. (This is required for the very first time only!

 4. Connect the NGC receiver to the controller port of NGC console.

 5. Press the Pair button of the receiver, the Status LED starts to blink rapidly.

 6. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.



DualSense / DualSense Edge

- 1. With the controller off, press and hold Create+PS buttons for 3 seconds to enter its pairing mode

- 1. With the controller oil, press a min out entereers of activations of seconds to enter its pairing mode, the Status LED blinks rapidly. (This is required for the very first time only)
 2. Connect the NGC receiver to the controller port of NGC console.
 3. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
 4. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.



- 1. With the controller off, press and hold Shars+PS buttons for 3 seconds to enter its pairing mode, the Status LED blinks rapidly. (This is required for the very first time only)
 2. Connect the NGC receiver to the controller port of NGC console.
 3. Press the Pair button of the receiver, the Status LED starts to blink rapidly.

- 4. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.



Switch Pro

- With the controller off, press and hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to roll side to side. (This is required for the very first time only)
 Connect the NGC receiver to the controller part of NGC console.
 Press the Pair button of the receiver, the Status LED starts to blink rapidly.

- 4. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.



Series 2-Core / Xbox Adaptive Controller

- Press the Xbox button to turn on the controller.
 Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to blink rapidly. (This is required for the very first time only)
 Connect the NGC receiver to the controller port of NGC console.
- 4. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
- 5. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




Wii U Pro

- 1. With the controller off, press and hold the Pair button for 3 seconds to enter its pairing mode, the Status LED blinks rapidly. (This is required for the very first time only)
 2. Connect the NGC receiver to the controller port of NGC console.
 3. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
 4. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.



8BitDo Mod Kit for Original NGC Controller


- 1. With the controller off, press and hold B+START buttons for 3 seconds to enter its pairing mode, the
- Status LED blinks rapidly. (This is required for the very first time only)
 2. Connect the NGC receiver to the USB port of your Windows device.
 3. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
- 4. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.



Ultimate 2.4G Controller

- 1. Turn the **Mode switch** to **D** position. 2. Press the **Home button** to turn on the controller.
- 3. Hold the Profile button for 5 seconds to switch to Bluetooth connection. (The controller will vibrate once)
- Hold the Star button for 3 seconds to enter its pairing mode, the Status LED will start to blink rapidly. (This is required for the very first time only)
 Connect the NGC receiver to the USB port of your Windows device.

- 6. Press the **Pair button** of the receiver, the **Status LED** starts to blink rapidly.
 7. The **Status LED** of the controller and the receiver will remain solid to indicate a successful connection.




Ultimate 2C Wireless Controller

- 1. Turn the Mode switch to BT position.
- 2. Press the Home button to turn on the controller
- 3. Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to blink rapidly. (This is required for the very first time only)
 4. Connect the NGC receiver to the USB port of your Windows device.
- 5. Press the Pair button of the receiver, the Status LED starts to blink rapidly.

Ultimate Bluetooth Controller

- .Turn the Mode switch to BT position.
- 2. Press the Home button to turn on the controller.
- 3. Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to blink rapidly. (This is required for the very first time only)
 4. Connect the NGC receiver to the USB port of your Windows device.
- 5. Press the Pair button of the receiver, the Status LED starts to blink rapidly
- 6. The **Status LED** of the controller and the receiver will remain solid to indicate a successful connection.




Ultimate C Bluetooth Controller

- 1. Press the Home button to turn on the controller
- 2. Hold the **Pair button** for 3 seconds to enter its pairing mode, the **Status LED** will start to blink rapidly. (This is required for the very first time only)

- a. Connect the NGC receiver to the USB port of your Windows device.

 4. Press the Pair button of the receiver, the Status LED starts to blink rapidly.

 5. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




Ultimate 2C Bluetooth Controller

- 1. Press the **Home button** to turn on the controller
- 2. Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to blink rapidly. (This
- is required for the very first time only)


 3. Connect the NGC receiver to the USB port of your Windows device.

 4. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
- 5. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.



Ultimate 3-mode Controller for Xbox

- 1. Turn the Mode switch to BT position.
- Press the Xbox button to turn on the controller.
 Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to blink rapidly. (This is required for the very first time only)
- 4. Connect the NGC receiver to the USB part of your Windows device
- 5. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
 6. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




SN30 Pro+ Bluetooth Gamepad

- 1 Press the R+Start buttons to turn on the controller
- Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to roll side to side (This is required for the very first time only)

- 3. Connect the NGC receiver to the USB port of your Windows device.

 4. Press the Pair button of the receiver, the Status LED starts to blink rapidly.


 5. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.



SN30 Pro for Android

- 1. Press the Xbox button to turn on the controller
- The same Note that the Control of Control of the Co

- 4. Press the **Pair button** of the receiver, the **Status LED** starts to blink rapidly.
 5. The **Status LED** of the controller and the receiver will remain solid to indicate a successful connection.




Lite SE


- 1. Turn the Mode switch to Diposition
- 2. Press the **Home button** to turn on the controller.
 3. Hold the **Pair button** for 3 seconds to enter its pairing mode, the **Status LED** will start to roll side to side (This is required for the very first time only)

- 4. Connect the NGC receiver to the USB port of your Windows device.

 5. Press the Pair button of the receiver, the Status LED starts to blink rapidly.

 6. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.





Pro 2 Bluetooth Gamepad


- 1. Turn the Mode switch to D position.
- 2. Press the **Start button** to turn on the controller.

 3. Hold the **Pair button** for 3 seconds to enter its pairing mode, the **Status LED** will start to roll side to side. (This is required for the very first time only)

- 4. Connect the NGC receiver to the USB port of your Windows device.

 5. Press the Pair button of the receiver, the Status LED starts to blink rapidly.

 6. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




SN30 Pro Bluetooth Gamepad

- 1. Press the **B+Start buttons** to turn on the controller.
 2. Hold the **Pair button** for 3 seconds to enter its pairing mode, the **Status LED** will start to roll side to side. (This is required for the very first time only)

- 3. Connect the NGC receiver to the USB port of your Windows device.

 4. Press the Pair button of the receiver, the Status LED starts to blink rapidly.

 5. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.



Lite 2


- 1. Turn the Made switch to Diposition.
- 2. Press the Home button to turn on the controller.

 3. Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to roll side to side. (This is required for the very first time only)

- 4. Connect the NGC receiver to the USB port of your Windows device.

 5. Press the Pair button of the receiver, the Status LED starts to blink rapidly.

 6. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




Lite

- Turn the Mode switch to X position.
- 2. Press the **Home button** to turn on the controller.
 3. Hold the **Pair button** for 3 seconds to enter its pairing mode, the **Status LED** will start to roll side to side. (This is required for the very first time only)

- 4. Connect the NGC receiver to the USB port of your Windows device.

 5. Press the Pair button of the receiver, the Status LED starts to blink rapidly.

 6. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




M30 Bluetooth Controller

- 1. Press the B+Start buttons to turn on the controller.
- 2. Hold the **Pair button** for 3 seconds to enter its pairing mode, the **Status LED** will start to roll side to side. (This is required for the very first time only)

 3. Connect the NGC receiver to the USB port of your Windows device.


- 4. Press the **Pair button** of the receiver, the **Status LED** starts to blinkrapidly.

 5. The **Status LED** of the controller and the receiver will remain solid to indicate a successful connection




NEOGEO Wireless Controller

- urn the **Mode switch** to **BT** position.
- 2. Press the Home button to turn on the controller
- 3. Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to roll side to side. (This is required for the very first time only)
 4. Connect the NGC receiver to the USB port of your Windows device
- 5. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
- 6. The Status LED of the controller and the receiver will remain solid to indicate a successful connection



8BitDo Mod Kit for Original N64 Controller


- 1.Turn the Mode switch to D position
- Press the Start button to turn on the controller.
 Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to blink rapidly. (This is required for the very first time only)
- 4.Connect the NGC receiver to the USB port of your Windows device
- 5.Press the Pair button of the receiver, the Status LED starts to blinkrapidly.
 6.The Status LED of the controller and the receiver will remain solid to indicate a successful connection.



DualShock 4

- 1. With the controller off, press and hold **Share+PS buttons** for 3 seconds to enter its pairing mode, the **Status LED** blinks rapidly. (This is required for the very first time only)
- 2. Connect the NGC receiver to the USB part of your Windows device
- 3. Press the Pair button of the receiver, the Status LED starts to blink rapidly.

 4. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.



Switch Pro

- 1. With the controller off, press and hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to roll side to side. (This is required for the very first time only)
- 2. Connect the NGC receiver to the USB part of your Windows device
- 3. Press the Pair button of the receiver, the Status LED starts to blink rapidly.

 4. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




Micro Bluetooth Gamepad

- 1. Turn the Mode switch to D position
- 2. Press the **Home button** to turn on the controller.
 3. Hold the **Pair button** for a second to enter its pairing mode, the **Status LED** will start to roll side to side. (This is required for the very first time only)

- 4. Connect the NGC receiver to the USB port of your Windows device.

 5. Press the Pair button of the receiver, the Status LED starts to blink rapidly.

 6. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.




Arcade Stick V3

- .Turn the **Mode switch** to **X** position.
- 2. Turn the **Connection switch** to BT position.
 3. Hold the **Pair button** for 3 seconds to enter its pairing mode, The four **LEOs** will start to blink clockwise. (This is required for the very first time only)

 4. Connect the NGC receiver to the USB port of your Windows device.

 5. Press the Pair button of the receiver, the Status LED starts to blink rapidly.


- 6. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.



DualSense / DualSense Edge

- 1. With the controller off, press and hold Create+PS buttons for 3 seconds to enter its pairing mode,
- the **Status** LED blinks rapidly. (This is required for the very first time only) 2. Connect the NGC receiver to the USB port of your Windows device.

 3. Press the **Pair button** of the receiver, the **Status** LED starts to blink rapidly.
- 4. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.



Xbox One / Xbox Series / Xbox Elite Series 2 / Xbox Elite Series 2-Core / Xbox Adaptive Controller

- 1. Press the Xbox button to turn on the controller.
 2. Hold the Pair button for 3 seconds to enter its pairing mode, the Status LED will start to blink rapidly. (This is required for the very first time only)

- 3. Connect the NGC receiver to the USB port of your Windows device.


 4. Preas the Pair button of the receiver, the Status LED starts to blink rapidly.


 5. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.



Wii U Pro

- With the controller off, press and hold the Pair button for 3 seconds to enter its pairing mode, the Status LED blinks rapidly. (This is required for the very first time only)
- 2. Connect the NGC receiver to the USB part of your Windows device
- 3. Press the Pair button of the receiver, the Status LED starts to blink rapidly.
 4. The Status LED of the controller and the receiver will remain solid to indicate a successful connection.







Safety Warnings:

- Please always use batteries, chargers, and accessories provided by the manufacturer.
- The manufacturer is not liable for any safety issues arising from the use of nonmanufacturer-approved accessories.
- Do not attempt to disassemble, modify, or repair the device yourself. Unauthorized actions may result in serious injury.
- Avoid crushing, disassembling, puncturing, or attempting to modify the device or its battery, as these actions can be dangerous.
- Any unauthorized changes or modifications to the device will void the manufacturer's warranty.

Support

Please visit support.8bitdo.com for further information & additional support.

FCC regulatory conformance

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference.
- (2) This device must accept any interference received, including interference that may cause undesired operation.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- -Consult the dealer or an experienced radio/TV technician for help

NOTE: The manufacturer is not responsible for any radio or TV interference caused by unauthorized modifications to this equipment. Such modifications could void the user's authority to operate the equipment.

RF Exposure

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment.

IC regulatory conformance

This device complies with CAN ICES-003 (B)/NMB-003(B).

This device complies with Industry Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions:

- (1) this device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

Cet appareil est conforme à la norme CAN ICES-003 (B)/NMB-003 (B).

RF Exposure

This equipment complies with IC radiation exposure limits set forth for an uncontrolled environment.

Cet équipement est conforme aux limites d'exposition aux radiations de la IC définies pour un environnement non contrôlé.

Specifications:

Product Name: Retro Receiver for NGC

• Compatible with: NGC Console

Controller Compatibility: 8BitDo Mod Kit for Original NGC

Controller, Ultimate Bluetooth Controller, Ultimate 2.4G

Controller, Ultimate 2C Wireless Controller, Ultimate C Bluetooth

Controller, Ultimate 2C Bluetooth Controller

Frequently Asked Questions (FAQ)

Q: How do I know if the controller is successfully paired with the NGC receiver?

A: The Status LED of both the controller and the receiver will remain solid once they are successfully connected.

Q: Do I need to enter pairing mode every time I use the controller?

A: Pairing mode is only required for the very first time or when connecting to a new device. Once paired, subsequent connections should be automatic.

Documents / Resources



8BitDo NGCRR Retro Receiver for NGC Mod Kit For NGC Controller [pdf]

Instruction Manual

NGCRR, NGCRR Retro Receiver for NGC Mod Kit For NGC Controller, R etro Receiver for NGC Mod Kit For NGC Controller, Receiver for NGC Mod Kit For NGC Controller, NGC Mod Kit For NGC Controller, NGC Controller, NGC Mod Kit For NGC Controller, NGC Controller, NGC Mod Kit For NGC Mod Kit F

References

Related Posts



8BitDo PCB Mod Kit for NGC Controller Instruction Manual

8BitDo PCB Mod Kit for NGC Controller INSTALLATION Please handle with care. 8BitDo is not liable for any...



8BitDo NGC Controller Bluetooth Kit Instruction Manual

8BitDo NGC Controller Bluetooth Kit Mod Kit for NGC Controller Please handle it with care. 8BitDo is not...



8BitDo Dogbone Mod Kit Nintendo Dogbone Controller Instructions

8BitDo Dogbone Mod Kit Nintendo Dogbone Controller Instructions I nstru cti O ns- Dogbone Mod Kit * Please...



8BitDo M30 Mod Kit for MD Controller Instruction Manual

8BitDo M30 Mod Kit for MD Controller InstructionS-M30Modkit Please handle it with care. We are not responsible for...

- 8Bitdo
- ♦ 8Bitdo, NGC Controller, NGC Mod Kit For NGC Controller, NGCRR, NGCRR Retro Receiver for NGC Mod Kit For NGC Controller, Receiver for NGC Mod Kit For NGC Controller
 - —Previous Post

8BitDo Ultimate 2 Wireless Controller User Manual

Next Post—

8BitDO 24GULT2C Ultimate 2C Wireless Controller Instruction Manual

Leave a comment

Comment *
Name
Email
Website
Save my name, email, and website in this browser for the next time I comment.
Post Comment
Search:
e.g. whirlpool wrf535swhz

Manuals+ | Upload | Deep Search | Privacy Policy | @manuals.plus | YouTube

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.