

8BitDo PS1 Retro Receiver Instruction Manual

Home » 8Bitdo » 8BitDo PS1 Retro Receiver Instruction Manual

8BitDo PS1 Retro Receiver



Contents

- 1 Models
- 2 PS1/PS2 console
- 3 Dual Sense/Dual Sense Edge
- 4 DuaL Shock 4
- 5 Xbox One Wireless Controller/Xbox Series Wireless Controller/ Xbox Elite Wireless Series 2/Xbox Elite Wireless Series 2-Core/ Xbox Adaptive Controller
- **6 Switch Pro Controller**
- 7 Wii U Pro
- **8 Ultimate Bluetooth Controller**
- 9 Pro 2 Bluetooth Controller
- 10 SN30 Pro+ Bluetooth Controller
- 11 SN30 Pro Bluetooth Controller
- 12 SN30 Pro for Android
- 13 Lite 2/Lite SE
- 14 Lite
- 15 PS1 Mod Kit/PS1 Classic Mod Kit
- 16 Arcade Stick
 - 16.1 Windows
 - 16.2 Dual Sense/Dual Sense Edge
 - 16.3 DuaL Shock 4
 - 16.4 Xbox One Wireless Controller/Xbox Series Wireless Controller/ Xbox Elite Wireless Series 2/Xbox
 - Elite Wireless Series 2-Core/ Xbox Adaptive Controller
 - **16.5 Switch Pro Controller**
 - 16.6 Wii U Pro
 - 16.7 Ultimate Bluetooth Controller
 - 16.8 Pro 2 Bluetooth Controller
 - 16.9 SN30 Pro+ Bluetooth Controller
 - 16.10 SN30 Pro Bluetooth Controller
 - 16.11 SN30 Pro for Android
 - 16.12 Lite 2/Lite SE
 - 16.13 Lite
 - 16.14 PS1 Mod Kit/PS1 Classic Mod Kit
 - 16.15 Arcade Stick
- 17 Documents / Resources
 - 17.1 References
- **18 Related Posts**

Models































PS1/PS2 console

• Please update the firmware of the PS receiver to the latest version




Dual Sense/Dual Sense Edge

Please update your DualSense/DualSense Edge to the latest version

Motion control, touch pad, adaptive triggers, haptic feedback, microphone, speaker, 3.5mm audio jack are not supported

- 1. With the controller off, press and hold **Create** + **PS** for 3 seconds to enter its pairing mode, the **status LED** blinks rapidly (This is required for the very first time only)
- 2. Connect the receiver to the controller port of the PS1/ PS2 console
- 3. Press the Pair button on the receiver, status LED starts to blink rapidly
- 4. LEDs will become solid when connection is successful

Button mapping (PS1 / PS2 Controller)




Dual Shock 4

• Motion control, touch pad, speaker, 3.5mm audio jack are not supported


- 1. With the controller off, press and hold **Share+PS** for 3 seconds to enter its pairing mode, the **status LED** blinks rapidly (This is required for the very first time only)
- 2. Connect the receiver to the controller port of the PS1/PS2 console
- 3. Press the Pair button of the PS receiver, status LED starts to blink rapidly
- 4. LEDs will become solid when connection is successful

Button mapping (PS1 / PS2 Controller)




Xbox One Wireless Controller/Xbox Series Wireless Controller/ Xbox Elite Wireless Series 2/Xbox Elite Wireless Series 2-Core/ Xbox Adaptive Controller

- Please update your Xbox Wireless Controller to the latest version
- Impulse triggers, 3.5mm audio jack are not supported
- 1. Press the **Xbox button** to turn on the controller, then hold the Pair button for 3 seconds to enter its pairing mode, the **status LED** blinks rapidly (This is required for the very first time only)
- 2. Connect the receiver to the controller port of the PS1/ PS2 console
- 3. Press the Pair button on the receiver, status LED starts to blink rapidly
- 4. LEDs will become solid when the connection is successful




Switch Pro Controller

- Please update your Switch Pro Controller to the latest version
- 1. With the controller off, press and hold the Pair button for 3 seconds to enter its pairing mode, the status LED rotates from left to right (This is required for the very first time only)
- 2. Connect the receiver to the controller port of the PS1/PS2 console
- 3. Press the Pair button on the receiver, status LED starts to blink rapidly
- 4. LEDs will become solid when the connection is successful




Wii U Pro

- 1. With the controller off, press and hold the **Pair button** to enter its pairing mode, the **status LED** blinks rapidly (This is required for the very first time only)
- 2. Connect the receiver to the controller port of the PS1/PS2 console
- 3. Press the Pair button on the receiver, status LED starts to blink rapidly
- 4. LEDs will become solid when the connection is successful




Ultimate Bluetooth Controller

- Please update your Ultimate Bluetooth Controller to the latest version
- 1. Turn the mode switch to Bluetooth
- 2. Press the **home button** to turn on the controller, then hold the Pair button for 3 seconds to enter its pairing mode, the status
- 3. LED blinks rapidly (This is required for the very first time only)
- 4. Connect the PS receiver to the controller port of the PS1/PS2 console
- 5. Press the Pair button on the receiver, status LED starts to blink rapidly
- 6. LEDs will become solid when the connection is successful




Pro 2 Bluetooth Controller

- Please update your Pro 2 Bluetooth Controller to the latest version
- 1. Turn the mode switch to **D**
- 2. Press the Start button to turn on the controller, then hold the **Pair button** for 3 seconds to enter its pairing mode, the status LED rotates from left to right (This is required for the very first time only)
- 3. Connect the receiver to the controller port of the PS1/ PS2 console
- 4. Press the Pair button on the receiver, status LED starts to blink rapidly
- 5. LEDs will become solid when the connection is successful




SN30 Pro+ Bluetooth Controller

- Please update your SN30 Pro+ Bluetooth Controller to the latest version
- 1. With the controller off, press and hold **B** + Start buttons to turn on the controller, then hold the Pair button forseconds to enter its pairing mode, the status LED rotates from left to right. (This is required for the very first time only)
- 2. Connect the receiver to the controller port of the PS1/PS2 console
- 3. Press the Pair button of the PS receiver, status LED starts to blink rapidly
- 4. LEDs will become solid when the connection is successful



SN30 Pro Bluetooth Controller


- Please update your SN30 Pro Bluetooth Controller to the latest version
- 1. With the controller off, press and hold B + Start to turn on the controller, then hold the Pair button for 3 seconds to enter its **pairing mode**, the status LED rotates from left to right. (This is required for the very first time only)
- 2. Connect the receiver to the controller port of the PS1/PS2 console
- 3. Press the Pair button on the receiver, status LED starts to blink rapidly
- 4. LEDs will become solid when the connection is successful



SN30 Pro for Android


- Please update your SN30 Pro for Android to the latest version
- 1. Press the Xbox button to turn on the controller, then hold the Pair button for 3 seconds to enter its pairing mode, the **status LED** blinks rapidly (This is required for the very first time only)
- 2. Connect the receiver to the controller port of the PS1/PS2 console
- 3. Press the **Pair button** on the receiver, **status LED** starts to blink rapidly
- 4. LEDs will become solid when the connection is successful

Button mapping (PS1 / PS2 Controller)



Lite 2/Lite SE


- Please update your Lite 2/Lite SE to the latest version
- 1. Turn the mode switch to **D**
- 2. Press the home button to turn on the controller, then hold the **Pair button** for 3 seconds to enter its pairing mode, the **status LED** rotates from left to right (This is required for the very first time only)
- 3. Connect the receiver to the controller port of the PS1/PS2 console
- 4. Press the Pair button on the receiver, status LED starts to blink rapidly
- 5. LEDs will become solid when the connection is successful



Lite


- Please update the firmware of your Lite to the latest version
- 1. Turn the mode switch to X
- 2. Press the home button to turn on the controller, then hold the Pair button for 3 seconds to enter its pairing mode, the **status LED** rotates from left to right (This is required for the very first time only)
- 3. Connect the receiver to the controller port of the PS1/PS2 console
- 4. Press the Pair button on the receiver, status LED starts to blink rapidly
- 5. LEDs will become solid when the connection is successful

Button mapping (PS1 / PS2 Controller)




PS1 Mod Kit/PS1 Classic Mod Kit

- Please update your PS1 Mod Kit/PS1 Classic Mod Kit to the latest version
- 1. With the controller off, press **X** + **start** to turn on the controller, then hold the **Select button** for 3 seconds to enter its pairing mode, the **status LED** blinks rapidly (This is required for the very first time only)
- 2. Connect the receiver to the controller port of the PS1/PS2 console
- 3. Press the Pair button on the receiver, status LED starts to blink rapidly
- 4. LEDs will become solid when the connection is successful




Arcade Stick

- Please update your Arcade Stick to the latest version
- 1. Turn the mode switch to X
- 2. Press the home button to turn on the Arcade Stick, then hold the **Pair button** for 3 seconds to enter its pairing mode, the **status LED** starts to rotate clockwise (This is required for the very first time only)
- 3. Connect the receiver to the controller port of the PS1/ PS2 console
- 4. Press the Pair button on the receiver, status LED starts to blink rapidly
- 5. LEDs will become solid when the connection is successful



X Mode Button mapping (PS1 / PS2 Controller)



Windows




Dual Sense/Dual Sense Edge

Please update your Dual Sense/Dual Sense Edge to the latest version


Motion control, touch pad, adaptive triggers, haptic feedback, microphone, speaker, 3.5mm audio jack are not supported

- 1. With the controller off, press and hold **Create** + **PS** for 3 seconds to enter its pairing mode, the **status LED** blinks rapidly (This is required for the very first time only)
- 2. Connect the receiver to the controller port of the PS1/ PS2 console
- 3. Press the **Pair button** on the receiver, **status LED** starts to blink rapidly
- 4. LEDs will become solid when connection is successful




- Motion control, touch pad, speaker, 3.5mm audio jack are not supported
- 1. With the controller off, press and hold **Share+PS** for 3 seconds to enter its pairing mode, the **status LED** blinks rapidly (This is required for the very first time only)
- 2. Connect the receiver to the controller port of the PS1/PS2 console
- 3. Press the Pair button of the PS receiver, status LED starts to blink rapidly
- 4. LEDs will become solid when connection is successful

Button mapping (Xbox Controller)




Xbox One Wireless Controller/Xbox Series Wireless Controller/ Xbox Elite Wireless Series 2/Xbox Elite Wireless Series 2-Core/ Xbox Adaptive Controller

- Please update your Xbox Wireless Controller to the latest version
- Impulse triggers, 3.5mm audio jack are not supported
- 1. Press the **Xbox button** to turn on the controller, then hold the Pair button for 3 seconds to enter its pairing mode, the **status LED** blinks rapidly (This is required for the very first time only)
- 2. Connect the receiver to the controller port of the PS1/ PS2 console
- 3. Press the Pair button on the receiver, status LED starts to blink rapidly
- 4. LEDs will become solid when the connection is successful




Switch Pro Controller

- Please update your Switch Pro Controller to the latest version
- 1. With the controller off, press and hold the Pair button for 3 seconds to enter its pairing mode, the status LED rotates from left to right (This is required for the very first time only)
- 2. Connect the receiver to the controller port of the PS1/PS2 console
- 3. Press the Pair button on the receiver, status LED starts to blink rapidly
- 4. LEDs will become solid when the connection is successful




Wii U Pro

- 1. With the controller off, press and hold the **Pair button** to enter its pairing mode, the **status LED** blinks rapidly (This is required for the very first time only)
- 2. Connect the receiver to the controller port of the PS1/PS2 console
- 3. Press the Pair button on the receiver, status LED starts to blink rapidly
- 4. LEDs will become solid when the connection is successful




Ultimate Bluetooth Controller

- Please update your Ultimate Bluetooth Controller to the latest version
- 1. Turn the mode switch to Bluetooth
- 2. Press the **home button** to turn on the controller, then hold the Pair button for 3 seconds to enter its pairing mode, the status
- 3. LED blinks rapidly (This is required for the very first time only)
- 4. Connect the PS receiver to the controller port of the PS1/PS2 console
- 5. Press the Pair button on the receiver, status LED starts to blink rapidly
- 6. LEDs will become solid when the connection is successful




Pro 2 Bluetooth Controller

- Please update your Pro 2 Bluetooth Controller to the latest version
- 1. Turn the mode switch to **D**
- 2. Press the Start button to turn on the controller, then hold the **Pair button** for 3 seconds to enter its pairing mode, the status LED rotates from left to right (This is required for the very first time only)
- 3. Connect the receiver to the controller port of the PS1/ PS2 console
- 4. Press the Pair button on the receiver, status LED starts to blink rapidly
- 5. LEDs will become solid when the connection is successful




SN30 Pro+ Bluetooth Controller

- Please update your SN30 Pro+ Bluetooth Controller to the latest version
- 1. With the controller off, press and hold **B** + Start buttons to turn on the controller, then hold the Pair button forseconds to enter its pairing mode, the status LED rotates from left to right.(This is required for the very first time only)
- 2. Connect the receiver to the controller port of the PS1/PS2 console
- 3. Press the Pair button of the PS receiver, status LED starts to blink rapidly
- 4. LEDs will become solid when the connection is successful




SN30 Pro Bluetooth Controller

- Please update your SN30 Pro Bluetooth Controller to the latest version
- 1. With the controller off, press and hold B + Start to turn on the controller, then hold the Pair button for 3 seconds to enter its **pairing mode**, the status LED rotates from left to right. (This is required for the very first time only)
- 2. Connect the receiver to the controller port of the PS1/PS2 console
- 3. Press the Pair button on the receiver, status LED starts to blink rapidly
- 4. LEDs will become solid when the connection is successful




SN30 Pro for Android


- Please update your SN30 Pro for Android to the latest version
- 1. Press the Xbox button to turn on the controller, then hold the Pair button for 3 seconds to enter its pairing mode, the **status LED** blinks rapidly (This is required for the very first time only)
- 2. Connect the receiver to the controller port of the PS1/PS2 console
- 3. Press the Pair button on the receiver, status LED starts to blink rapidly
- 4. LEDs will become solid when the connection is successful



Lite 2/Lite SE


- Please update your Lite 2/Lite SE to the latest version
- 1. Turn the mode switch to **D**
- 2. Press the home button to turn on the controller, then hold the **Pair button** for 3 seconds to enter its pairing mode, the **status LED** rotates from left to right (This is required for the very first time only)
- 3. Connect the receiver to the controller port of the PS1/PS2 console
- 4. Press the Pair button on the receiver, status LED starts to blink rapidly
- 5. LEDs will become solid when the connection is successful






Lite

- Please update the firmware of your Lite to the latest version
- 1. Turn the mode switch to X
- 2. Press the home button to turn on the controller, then hold the Pair button for 3 seconds to enter its pairing mode, the **status LED** rotates from left to right (This is required for the very first time only)
- 3. Connect the receiver to the controller port of the PS1/PS2 console
- 4. Press the Pair button on the receiver, status LED starts to blink rapidly
- 5. LEDs will become solid when the connection is successful




PS1 Mod Kit/PS1 Classic Mod Kit


- Please update your PS1 Mod Kit/PS1 Classic Mod Kit to the latest version
- 1. With the controller off, press **X** + **start** to turn on the controller, then hold the **Select button** for 3 seconds to enter its pairing mode, the **status LED** blinks rapidly (This is required for the very first time only)
- 2. Connect the receiver to the controller port of the PS1/PS2 console
- 3. Press the Pair button on the receiver, status LED starts to blink rapidly
- 4. LEDs will become solid when the connection is successful



Arcade Stick


- Please update your Arcade Stick to the latest version
- 1. Turn the mode switch to X
- 2. Press the home button to turn on the Arcade Stick, then hold the **Pair button** for 3 seconds to enter its pairing mode, the **status LED** starts to rotate clockwise (This is required for the very first time only)
- 3. Connect the receiver to the controller port of the PS1/ PS2 console
- 4. Press the Pair button on the receiver, status LED starts to blink rapidly
- 5. LEDs will become solid when the connection is successful





8BitDo®

Documents / Resources



8BitDo PS1 Retro Receiver [pdf] Instruction Manual PS1 Retro Receiver, PS1, Retro Receiver, Receiver

References

• User Manual

Manuals+, Privacy Policy