



## FD K911T Wireless Keyboard User Manual

[Home](#) » [FD](#) » FD K911T Wireless Keyboard User Manual 

### Contents


- [1 FD K911T Wireless Keyboard](#)
- [2 Packing List](#)
- [3 Basic Specification](#)
- [4 Instructions](#)
  - [4.1 McdeSWitch](#)
- [5 Diagram](#)
- [6 FCC Statment](#)
- [7 Documents / Resources](#)
- [8 Related Posts](#)



### FD K911T Wireless Keyboard



## Packing List



x1



x1



x1

EN

1. Keyboard x1
2. USB Receiver x1 (Stored in battery compartment)
3. User Manual x1

## Basic Specification

- Keyboard size: 310.6×142.3×23.6mm
- Keyboard net weight: 781.0g±10.0g
- System support:
- 2.4G or BT3.0 mode:
  - Windows XP
  - Windows7
  - Windows8.1
  - Windows10
  - Mac OS X10.4 or above
- BT5.0 mode:
  - Win8.1
  - Win10
  - Mac OS X10.4 or above

## Instructions

### Initial Use

1. Place 2 AAA dry batteries into the keyboard with the correct polarity. Turn on the switch on the upper right corner of the keyboard, and it is in the factory default 2.4G mode.
2. Take out the receiver of the battery compartment and plug it into the USB port of the computer. Wait for the computer to install the driver automatically, and you can use the product after that

### ModeSwitch

### BTI Mode

1. Short press BTI mode switch button and its indicator will flash slowly showing that the keyboard is in BTI mode.
2. Long press BTI mode switch button for 3s and its indicator will flash quickly showing that the keyboard enters pairing state.

Turn on the Bluetooth of your laptop, if your computer system is Win 7 or earlier. please select to connect "BT3.0 KB". If your computer system is Win 8 or later. please select to connect "BTS.O KB".


## BT2Mcde

Refer to BT1 connection instructions.

## Diagram

1. Multi-mode Switch. The product supports and connects.

It can be connected with and control 3 devices. User can switch modes via the corresponding mode switch button to control the corresponding device.



2. Integrated Holder. The top integrated holder can hold phones, tablets, or other mobile devices easily. It can maintain an appropriate angle to make you easy to read when typing.

### 3. Switch between F Keys and Multimedia Keys

	F1		F2		F3		F4			
Default Functions	Decrease Brightness		Increase Brightness		Multi-screen Display		Previous track			
FN Combination Functions	F1		F2		F3		F4			
	F5		F6		F7		F8			
Default Functions	Play/pause		Next track		Mute		Volume -			
FN Combination Functions	F5		F6		F7		F8			
	F9		F10		F11		F12		esc	
Default Functions	Volume +		Switch Input Method		Switch Input Method		Switch Input Method		Fn lock	
FN Combination Functions	F9		F10		F11		F12		esc	

press FN+ ESC simultaneously to switch between the default function and FN combined function, and press again to restore.

## The solution to Keyboard's 2.4G mode connection issue

1. Turn on the power switch and switch the keyboard to 2.4G mode.
2. Press Esc and (I) button for 3-5 seconds and release until the indicator of 2.4G mode flashes.
3. Plug the receiver into the computer. It is successfully connected when the indicator of 2.4G mode stops flashing. It can work then.

## The solution to keyboard's BTI mode connection issue

1. Clear the Bluetooth connection list of the computer.
2. Turn on the power switch and switch it to BTI mode.
3. Long press the button of BTI mode for over 3s and release until its indicator light flashes
4. Turn on the Bluetooth of computer. If your computer system is Win 7 or earlier, please select to connect "BT3.0 KB". If your computer system is Win 8 or later, please select to connect "BTS.O KB".  
The keyboard's BTI mode can work after a successful connection.

### BT2 Mode

Refer to BTI mode solutions.

### Note

If the product is still unworkable after above solutions, you could repeat those steps for a few times. If your problem can't get solved yet, please contact our Customer Service for help

## FCC Statment

1. This device complies with Part 15 of the FCC Rules.

### Operation is subject to the following two conditions:

1. This device may not cause harmful interference, and
  2. This device must accept any interference received, including interference that may cause undesired operation.
2. Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

**NOTE:** This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.


However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

## Documents / Resources



WIRELESS KEYBOARD  
User Manual



[FD K911T Wireless Keyboard](#) [pdf] User Manual

K911T, 2ANBU-K911T, 2ANBUK911T, K911T, Wireless Keyboard