

 **FS**  
FS FHD-FAPM6  
Modular Cabling  
System



# FS FHD-FAPM6 Modular Cabling System User Guide

[Home](#) » [FS](#) » FS FHD-FAPM6 Modular Cabling System User Guide 

## Contents

- [1 FS FHD-FAPM6 Modular Cabling System](#)
- [2 FHD High Density Series](#)
- [3 FHZ Ultra High Density Series](#)
- [4 FHU Standard Density Series](#)
- [5 Frequently Asked Questions](#)
- [6 Documents / Resources](#)
  - [6.1 References](#)
- [7 Related Posts](#)



**FS FHD-FAPM6 Modular Cabling System**



### **FHD High Density Series**

The FHD series is a flexible solution designed for easy installation and maintenance. A range of enclosures house FHD series adapter panels, MTP® cassettes, and cable assemblies to offer flexible connection and storage options to meet any project need. Versatile fiber optic patching solutions in multiple sizes and styles for TRs, MDU/residential building backbones and small data centers.





### **FHD Series Fiber Optic Enclosures**

FHD series provides a wide variety of fiber enclosures for all project needs, including 1U, 2U and 4U rack mount and wall mount enclosures. Enclosures feature best-in-class cable management, bend radius control, slack management, and patch field access.



### **Rack Mount**

| Image   | Description                          | Capacity | Max. Fiber Count (LC) | ID Number | Part Number   |
|---|--------------------------------------|----------|-----------------------|-----------|---------------|
|  | 1U 19" Fixed Enclosure               | 4        | 144F                  | #96427    | FHD-1UFMT-N   |
|  | 1U 19" Sliding & Tilt-down Enclosure | 4        | 144F                  | #145167   | FHD-1UFMT-S   |
|  | 1U 19" Modular Enclosure             | 4        | 144F                  | #70419    | FHD-1U-CMP400 |
|  | 1U 19" Blank Enclosure               | 4        | 144F                  | #72910    | FHD-FPP5DRL   |
|  | 1U 19" Sliding Enclosure             | 4        | 144F                  | #70361    | FHD-1UFCE     |
|  | 2U 19" Sliding Enclosure             | 8        | 288F                  | #73205    | FHD-2UFCE     |
|  | 4U 19" Sliding Enclosure             | 12       | 432F                  | #73206    | FHD-4UFCE     |

## Wall Mount

| Image   | Description          | Capacity | Max. Fiber Count (LC) | ID Number | Part Number |
|---|----------------------|----------|-----------------------|-----------|-------------|
|  | Wall Mount Enclosure | 2        | 48                    | #50550    | FHD-FWME2   |
|  | Wall Mount Enclosure | 4        | 96                    | #173554   | FHD-FWME4   |






## Enclosure Accessories

| Image   | Description             | Matching Enclosure        | ID Number | Part Number   |
|---|-------------------------|---------------------------|-----------|---------------|
|  | Blanking Adapter Panel  | Rack Mount and Wall Mount | #35526    | FHD-FAPB      |
|  | Fiber Slack Spool       | Rack Mount and Wall Mount | #70752    | FHD-FMS       |
|  | 24F Optical Splice Tray | Rack Mount                | #64246    | FHD-FOSMF-24F |
|  | Splice Tray Holder      | Wall Mount                | #73717    | FHD-FWME-STH  |




## FHD Series Fiber Adapter Panels

FHD series fiber optic adapter panels (FAPs) are used with FHD series enclosures. Deploy medium to high-density fiber optic network applications as specified in the data center cabling standard for cross-connects in main distribution, horizontal distribution, and equipment distribution areas.



## LC Adapter

| Image   | Fiber Count | Fiber Mode | Polish Type | ID Number | Part Number        |
|---|-------------|------------|-------------|-----------|--------------------|
|  | 24F         | OS2 SMF    | UPC         | #35488    | FHD-FAP12LCDXSMF   |
|  | 24F         | OM4 MMF    | UPC         | #41998    | FHD-FAP12LCDX10GMM |
|  | 24F         | OS2 SMF    | APC         | #25514    | FHD-FAP12LCADZSMF  |
|  | 36F         | OS2 SMF    | UPC         | #133613   | FHD-FAP18LCDXSMF   |
|  | 36F         | OM4 MMF    | UPC         | #133614   | FHD-FAP18LCDXMMF   |





#### SC Adapter

| Image   | Fiber Count | Fiber Mode | Polish Type | ID Number | Part Number       |
|---|-------------|------------|-------------|-----------|-------------------|
|    | 12F         | OS2 SMF    | UPC         | #35484    | FHD-FAP6SCDXSMF   |
|   | 12F         | OM4 MMF    | UPC         | #51284    | FHD-FAP6SCDZ10GMM |
|  | 12F         | OS2 SMF    | APC         | #41986    | FHD-FAP6SCADXSMF  |


#### MTP® Adapter

| Image   | Fiber Mode  | Key Orientation | ID Number | Part Number    |
|---|-------------|-----------------|-----------|----------------|
|  | OS2/OM3/OM4 | Up-Down         | #35510    | FHD-FAP12MTPHA |
|  | OM3/OM4     | Up-Up           | #52022    | FHD-FAP8MTPHB  |


#### ST Adapter

| Image   | Fiber Count | Fiber Mode | Polish Type | ID Number | Part Number      |
|---|-------------|------------|-------------|-----------|------------------|
|  | 6F          | OS2 SMF    | APC/UPC     | #151610   | FHD-FAP6STSXSMTF |
|  | 8F          | OS2 SMF    | APC/UPC     | #151611   | FHD-FAP8STSXSMTF |
|  | 6F          | OM3/OM4    | UPC         | #151612   | FHD-FAP6STSXMMTF |
|  | 8F          | OM3/OM4    | UPC         | #151613   | FHD-FAP8STSXMMTF |





## MDC Adapter

| Image   | Fiber Count | Fiber Mode | Polish Type | ID Number | Part Number        |
|---|-------------|------------|-------------|-----------|--------------------|
|  | 48F         | OS2 SMF    | UPC         | #147015   | FHD-FAP12MDC2PDSMF |

## Multimedia Adapter Panel

| Image   | Description                           | ID Number | Part Number |
|---|---------------------------------------|-----------|-------------|
|  | 6-Port Blank Multimedia Modular Panel | #143239   | FHD-FAPM6   |

## Multimedia Adapter Panel

| Image   | Fiber Count | Fiber Mode | ID Number | Part Number      |
|---|-------------|------------|-----------|------------------|
|    | 8F          | OS2 SMF    | #68401    | FHD-1MTP4LCDOS2U |
|    | 8F          | OM4 MMF    | #68402    | FHD-1MTP4LCDOM4U |
|   | 24F         | OM4 MMF    | #68399    | FHD-3MTP6LCQOM4U |
|  | 24F         | OS2 SMF    | #143164   | FHD-3MTP6LCQOS2U |



## FHD Series Fiber Optic Cassettes

FHD series MTP®/MPO cassettes are for quick and easy deployment in high density applications and provide efficient utilization of rack space and design flexibility. The cassettes interconnect with high density fiber cable assemblies for quick connection of remote or data center applications.

## MTP®-8

| Image   | Fiber Count | Fiber Mode | Polarity | ID Number | Part Number         |
|---|-------------|------------|----------|-----------|---------------------|
|    | 12F         | OS2 SMF    | Type A   | #57016    | FHD-1MTP6LCDOS2A    |
|   | 12F         | OS2 SMF    | Type AF  | #57037    | FHD-1MTP6LCDOS2AF   |
|    | 12F         | OM4 MMF    | Type A   | #57017    | FHD-1MTP6LCDOM4A    |
|   | 12F         | OM4 MMF    | Type AF  | #57038    | FHD-1MTP6LCDOM4AF   |
|    | 24F         | OS2 SMF    | Type A   | #57341    | FHD-2MTP12LCDOS2A   |
|   | 24F         | OS2 SMF    | Type AF  | #68540    | FHD-2MTP12LCDOS2AF  |
|    | 24F         | OM4 MMF    | Type A   | #57342    | FHD-2MTP12LCDOM4A   |
|   | 24F         | OM4 MMF    | Type AF  | #68541    | FHD-2MTP12LCDOM4AF  |
|    | 48F         | OS2 SMF    | Type A   | #147014   | FHD-4MTP8MDC3PDOS2A |
|  | 36F         | OS2 SMF    | Type A   | #105333   | FHD-3MTP18LCDOS2A   |
|   | 36F         | OS2 SMF    | Type AF  | #105334   | FHD-3MTP18LCDOS2AF  |
|  | 36F         | OM4 MMF    | Type A   | #105335   | FHD-3MTP18LCDOM4A   |
|   | 36F         | OM4 MMF    | Type AF  | #105336   | FHD-3MTP18LCDOM4AF  |
|  | 12F         | OS2 SMF    | Type A   | #57058    | FHD-1MTP6SCDOS2A    |

## MTP®-24

| Image   | Fiber Count | Fiber Mode | Polarity | ID Number | Part Number        |
|---|-------------|------------|----------|-----------|--------------------|
|  | 24F         | OS2 SMF    | Type A   | #57023    | FHD-1MTP12LCDOS2A  |
|   | 24F         | OS2 SMF    | Type AF  | #68549    | FHD-1MTP12LCOS2AF  |
|  | 24F         | OM4 MMF    | Type A   | #57024    | FHD-1MTP12LCDOM4A  |
|   | 24F         | OM4 MMF    | Type AF  | #68550    | FHD-1MTP12LCDOM4AF |




**Note:**

The US Conec MTP® connectors are fully compliant with the MPO standards, achieving higher performance levels when compared to generic MPO connectors.


**FHD Series TAP Cassettes**

FHD series TAP cassettes are designed for use to effectively monitor network traffic whilst optimizing performance, are tools that provide users with an understanding of network flow patterns by splitting traffic for monitoring and security without interrupting network traffic.


**LC to LC**

| Image   | Fiber Count | Fiber Mode | Split Ratio (Live/Tap) | ID Number | Part Number    |
|---|-------------|------------|------------------------|-----------|----------------|
|  | 24F         | OS2 SMF    | 50/50                  | #68769    | FHD-12LCDSMF55 |
|  | 24F         | OM4 MMF    | 50/50                  | #68747    | FHD-12LCDOM455 |
|  | 24F         | OS2 SMF    | 70/30                  | #68758    | FHD-12LCDSMF73 |


**LC to LC, BIDI**

| Image   | Fiber Count | Fiber Mode | Split Ratio (Live/Tap) | ID Number | Part Number      |
|---|-------------|------------|------------------------|-----------|------------------|
|  | 24F         | OM4 MMF    | 50/50                  | #68753    | FHD-12LCBDBOM455 |

**MTP® to LC**

| Image   | Fiber Count | Fiber Mode | Split Ratio (Live/Tap) | ID Number | Part Number        |
|---|-------------|------------|------------------------|-----------|--------------------|
|  | 24F         | OS2 SMF    | 70/30                  | #68779    | FHD-12LCD4MTPSMF73 |

**MTP® to MTP®**


| Image   | Fiber Count | Fiber Mode | Split Ratio (Live/Tap) | ID Number | Part Number   |
|---|-------------|------------|------------------------|-----------|---------------|
|  | 24F         | OM4 MMF    | 50/50                  | #63014    | FHD-4MTPOM455 |

**FHZ Ultra High Density Series**



FHZ premium ultra high density series feature perfect combination of superior performance, premium ultra high density and unmatched accessibility, could provide up to 216 LC fibers in 1U space.



### FHZ Series Fiber Optic Enclosures

| Image   | Description            | Capacity | Fiber Count | ID Number | Part Number |
|---|------------------------|----------|-------------|-----------|-------------|
|  | 1U 19" Fiber Enclosure | 6        | 216F        | #74183    | FHZ-1UFSP   |

### FHZ Series Fiber Optic Cassettes

| Image   | Fiber Count | Fiber Mode | ID Number | Part Number      |
|---|-------------|------------|-----------|------------------|
|  | 36F         | OS2 SMF    | #74185    | FHZ-36F3MTPLCOS2 |
|  | 36F         | OM4 MMF    | #74184    | FHZ-36F3MTPLCOM4 |



### FHU Standard Density Series

FHU high density pre-terminated cabling and patch panel solution, designed to meet unique structured cabling requirements. Breakout panels and patch panels could mount to 19" rails directly, provide efficient and easy management of fiber optic cables in the rack or cabinet.









## MTP®-LC Breakout Cassettes




| Image   | Fiber Count | Fiber Mode | Connector | ID Number | Part Number     |
|---|-------------|------------|-----------|-----------|-----------------|
|  | 96F         | OS2 SMF    | MTP®-8    | #43552    | FHU-96FLC12MSMF |
|  | 96F         | OM4 MMF    | MTP®-8    | #43514    | FHU-96FLC12MOM4 |

## Fiber Adapter Panels

### LC Adapter

| Image  | Description          | Fiber Count | Fiber Mode | ID Number | Part Number        |
|--|----------------------|-------------|------------|-----------|--------------------|
|  | 1U 19" Adapter Panel | 48F         | OS2 SMF    | #35530    | FHU-FPP48FLCSMF    |
|  | 1U 19" Adapter Panel | 48F         | OM4 MMF    | #35531    | FHU-FPP48FLC10GMM  |
| Image  | Description          | Fiber Count | Fiber Mode | IDNumber  | Part Number        |
|  | 1U 19" Adapter Panel | 96F         | OS2 SMF    | #69081    | FHU-FPP96FLCHSMF   |
|  | 1U 19" Adapter Panel | 96F         | OM4 MMF    | #69082    | FHU-FPP96FLCH10GMM |

### SC Adapter

| Image   | Description          | Fiber Count | Fiber Mode | ID Number | Part Number       |
|---|----------------------|-------------|------------|-----------|-------------------|
|  | 1U 19" Adapter Panel | 48F         | OS2 SMF    | #35529    | FHU-FPP48FSCSMF   |
|  | 1U 19" Adapter Panel | 48F         | OS2 SMF    | #173303   | FHU-FPP24SCADXSMF |
|  | 1U 19" Adapter Panel | 48F         | OM4 MMF    | #173304   | FHU-FPP48FSC10GMM |


[www.fs.com](http://www.fs.com)

## Frequently Asked Questions

- **Q: What is the maximum fiber count supported by the 2U 19 Sliding Enclosure in the FHD High Density Series?**

A: The 2U 19 Sliding Enclosure supports a maximum fiber count of 288F.

## Documents / Resources

|   |   |
|---|---|
|  | <p><b><a href="#">FS FHD-FAPM6 Modular Cabling System</a></b> [pdf] User Guide</p> <p>FHD-FAPM6, FHD-1UFMT-N, FHD-1UFMT-S, FHD-1U-CMP400, FHD-FPP5DRL, FHD-1UFCE, FHD-2UFCE, FHD-4UFCE, FHD-FWME2, FHD-FWME4, FHD-FAPB, FHD-FMS, FHD-FOSMF-24F, FHD-FAPM6 Modular Cabling System, FHD-FAPM6, Modular Cabling System, Cabling System</p> |
|---|---|

## References

- [FS.com Europe - HPC, Data Centre, Enterprise, Telecom](#)
- [FHD® Fiber Adapter Panel, 36 Fibers OS2 Single Mode, 18 x Shuttered LC UPC Duplex \(Blue\) Adapter, Ceramic Sleeve - FS.com](#)
- [FHD® MTP®-LC Cassette, OS2 Single Mode, Universal, 24 Fibers, 3 x MTP®-8 \(Male\) to 6 x LC Quad \(Blue\), 0.35dB max - FS.com Australia](#)
- [FHU 1U 19" Fiber Adapter Panel, 48 Fibers OS2 Single Mode, 24 x SC APC Duplex \(Green\) Adapter, Ceramic Sleeve - FS.com](#)
- [8 Fibers MTP®-8 LC MTP® Cassette Module, OS2 Single Mode, Universal Polarity - FS.com United Kingdom](#)
- [24 Fibers MTP®-12 LC MTP® Cassette Module, OS2 Single Mode, Type AF - FS.com United Kingdom](#)
- [FHD® Fiber TAP Cassette, OM4 Multimode, 8 x LC Duplex Live Ports, 4 x LC Duplex TAP Ports, 50/50 Split Ratio \(Live/TAP\), 1/10/40/100G - FS.com Europe](#)
- [FHD™ Fiber TAP Cassette, OS2 Single Mode, 12 x LC Duplex Live Ports, 2 x MTP®-12 Male Live Ports, 2 x MTP®-12 Male TAP Ports, 70/30 Split Ratio \(Live/TAP\), 10/40/100G - FS.com](#)
- [FHD 1RU Rack Mount Fibre Patch Panel for Sale - FS.com United Kingdom](#)

- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.