


FS VMS-201C Video Management Server User Guide

[Home](#) » [FS](#) » FS VMS-201C Video Management Server User Guide 

FS VMS-201C Video Management Server



VMS-201C

Contents

- 1 Introduction
- 2 Accessories
- 3 Hardware Overview
 - 3.1 Front panel LEDs
 - 3.2 Back Panel Ports
- 4 Installation
 - 4.1 Rack Mounting
- 5 Configuring the switch
- 6 Online Resources
- 7 Product Warranty
- 8 Documents / Resources
 - 8.1 References
- 9 Related Posts

Introduction


Thank you for choosing Video Management Server. This guide is designed to familiarize you with the structure of the Server and describes how to deploy the Server in your network.




VMS-201C

Accessories


- External power cord x1




- High-speed signal cable x1




- Common electronic cable x1




- Mouse x1




- Mounting bracket component x1



- Sheet metal component x1



- Cable connection terminal x6




Hardware Overview

Front panel LEDs



LEDs	State	Description
RUN	Steady on	Normal.
	Blinking	Starting up.
ALM	Steady on	Device alarm.
NET	Steady on	Connected to network.
HDD	Off	No hard disk, or disk is not connected to power.
	Steady on	No data reading or writing.
	Blinking	Reading or writing data.

Back Panel Ports



Ports	Description
ACT	Network interface, used to connect an Ethernet network switch
RS485	Serial port, used to interoperate with the connected device
RS232	Serial interface, used to debug and maintain the device
USB3.0	Used to connect USB devices such as USB flash drive, USB mouse and USB keyboard
e-SATA	Used to connect an e-SATA disk
HDMI	HDMI output, used to connect HDMI interface on a display device
VGA	VGA output, used to connect the VGA interface on a display device
ALARM I N	24-channel alarm input, used to connect alarm devices such as a magnetic door sensor
ALARM OUT	8-channel alarm output, used to connect alarm devices such as an alarm siren or alarm lamp
GND	The 12V (rightmost pin) is the power output
Power s upply	220AC power input
ON/OFF	Power switch
Groundi ng point	Grounding terminal

Installation

Please follow the steps if disk installation is necessary. The illustrations are for reference only.




NOTE: Please use the SATA disks recommended by the manufacturer. Disconnect power before installation.


Preparation

1. Prepare a PH2 Philips screwdriver.
2. Prepare an antistatic wrist strap or antistatic gloves during the installation.


Disk Installation




1. Loosen the screws on the rear panel and side panel and remove the upper cover.
2. Attach the 4 gaskets on the brackets.




3. Secure the disk on the brackets by using fixing screws.



4. Connect one end of the data cable and power cable to the hard disk.





5. Place the disk in the chassis and secure it with 4 fixing screws (M3*5).



6. Connect the other end of the data cable and power cable to the motherboard.

Rack Mounting





Install the device on a well grounded and securely installed rack. First install two mounting brackets on the device, and then secure the device on the rack by threading screws through the holes on the mounting brackets.

Configuring the switch

Start up

Please prepare a monitor and a keyboard. Connect the monitor, mouse, keyboard and then power. Turn on the power switch on the back panel. The startup takes a while. Please wait patiently.

Login

Guard VMS

English ▼



admin



Forgot Password?

Login

When the device is started, the login page appears. Use the default username admin and default password 123456 to log in to the software client. The software client is mainly used for service operations. Click the help link in the top right corner for help information. When logged in, you can click the Web icon in the top right corner to access the Web client. The Web client is mainly used for management and configuration purpose. Click the toolbar at the bottom to switch between the software client and Web client.

Restart

Right-click on the software client and then choose Restart, or access the Web client and click **Restart** on **System Configuration>Maintenance>Maintenance**.

Shutdown

Use the power switch on the back panel to shut down the device.

Online Resources

- Download https://www.fs.com/products_support.html
- Help Center https://www.fs.com/service/fs_support.html
- Contact Us https://www.fs.com/contact_us.html

Product Warranty

FS ensures our customers that any damage or faulty items due to our workmanship, we will offer a free return within 30 days from the day you receive your goods. This excludes any custom made items or tailored solutions.



Warranty: The Video Management Server enjoys a 2-year limited warranty against defect in materials or workmanship. For more details about warranty, please check at: <https://www.fs.com/policies/warranty.html>




Return: If you want to return item(s), information on how to return can be found at: https://www.fs.com/policies/day_return_policy.html

Q.C. PASSED

Copyright © 2022 FS.COM All Rights Reserved.







Documents / Resources

 <small>VMS-201C Video Management Server VMS-201C Video Management Server VMS-201C Video Management Server VMS-201C Video Management Server</small>	FS VMS-201C Video Management Server [pdf] User Guide VMS-201C Video Management Server, VMS-201C, Video Management Server, Management S erver, Server
---	--

References

- [FS.com - Data Center, Enterprise, Telecom](#)
- [Contact Us - FS.com](#)
- [Kontakt - FS.com Deutschland](#)
- [Rückgaberecht - FS.com Deutschland](#)
- [Ein weltweit führender Anbieter von Hochgeschwindigkeits-Konnektivitätsgeräten und -lösungen. - FS.com Deutschland](#)
- [Technische Dokumente - FS.com Deutschland](#)
- [Hilfezentrum - FS.com Deutschland](#)
- [Comment Nous Contacter - FS.com France](#)
- [Politique de retour - FS.com France](#)
- [Fournisseur leader de solutions et matériels de connectivité à haut débit - FS.com France](#)
- [Documents techniques - FS.com France](#)
- [Centre d'aide - FS.com France](#)

-  [Return Policy - FS.com](#)
-  [Products Warranty - FS.com](#)
-  [Technical Documents - FS.com](#)
-  [Help Center - FS.com](#)

Manuals+.