

LG SP2 Soundbar with Built In Subwoofer Owner's Manual

Home » LG » LG SP2 Soundbar with Built In Subwoofer Owner's Manual

Contents

- 1 LG SP2 Soundbar with Built In Subwoofer Owner's Manual
- 2 WARNING:
- 3 For models using a Laser device
- 4 For models using a built-in battery
- 5 Disposal of your old appliance
- **6 Installing and Using the Product**
- 7 Specification
- 8 Read More About This Manual & Download PDF:
- 9 Documents / Resources
- **10 Related Posts**

LG SP2 Soundbar with Built In Subwoofer Owner's Manual





CAUTION: TO REDUCE THE RISK OF ELECTRIC SHOCK DO NOT REMOVE COVER (OR BACK) NO USER-SERVICEABLE PARTS

INSIDE REFER SERVICING TO QUALIFIED SERVICE PERSONNEL.


This lightning flash with arrowhead symbol within an equilateral triangle is intended to alert the user to the presence of uninsulated dangerous voltage within the product's enclosure that may be of sufficient magnitude to constitute a risk of electric shock to persons.

The exclamation point within an equilateral triangle is intended to alert the user to the presence of important operating and maintenance (servicing) instructions in the literature accompanying the product.

WARNING:

- TO PREVENT FIRE OR ELECTRIC SHOCK HAZARD, DO NOT EXPOSE THIS PRODUCT TO RAIN OR MOISTURE.
- Do not install this equipment in a confined space such as a book case or similar unit.
 CAUTION:
- Do not use high voltage products around this product. (ex. Electrical swatter) This product may malfunction due to electrical shock.
- No naked flame sources, such as lighted candles, should be placed on the apparatus.
- Do not block any ventilation openings. Install in accordance
 with the manufacturer's instructions. Slots and openings in the cabinet are provided for ventilation and to
 ensure reliable operation of the product and to protect it from over heating. The openings should never be
 blocked by placing the product on a bed, sofa, rug or other similar surface.
 - This product shall not be placed in a built-in installation such as a bookcase or rack unless proper ventilation is provided or the manufacturer's instruction has been adhered to.
- The Power Plug is the disconnecting device. In case of an emergency, the Power Plug must remain readily accessible.
- The apparatus should not be exposed to water (dripping or splashing) and no objects filled with liquids, such as vases, should be placed on the apparatus.
- For safety marking information including product identification and supply ratings, please refer to the main label on the bottom or the other surface of the product. For models using an adapter

For models using a Laser device



This product employs a Laser System. To ensure proper use of this product, please read this owner's manual carefully and retain it for future reference.

Shall the unit require maintenance, contact an authorised service centre.

Use of controls, adjustments or the performance of procedures other than those specified herein may result in hazardous radiation exposure. To prevent direct exposure to laser beam, do not try to open the enclosure. For models using a battery This device is equipped with a portable battery or accumulator.

CAUTION: Risk of fire or explosion if the battery is replaced by an incorrect type. How to Safely remove the batteries or the battery pack from the equipment: To Remove the old batteries or battery pack, follow the assembly steps in reverse order. To prevent contamination of the environment and bring on possible threat to human and/or animal health, the old batteries or the battery pack must be put in an appropriate container at designated collection points. Do not dispose of batteries or battery pack together with other waste. It is recommended that you use local, free reimbursement systems batteries or battery packs, (may not be available in your area). The batteries or the battery pack should not. or the like.

For models using a built-in battery

Do not store or transport at pressures lower than 11.6 kPa and at above 15,000 m altitude.

- replacement of a battery with an incorrect type that can defeat a safeguard (for example, in the case of some lithium battery types);
- disposal of a battery into fire or a hot oven, or mechanically crushing or cutting of a battery, that can result in an explosion;
- leaving a battery in an extremely high temperature surrounding environment that can result in an explosion or the leakage of flammable liquid or gas; and
- a battery subjected to extremely low air pressure that may result in an explosion or the leakage of flammable liquid or gas.



Disposal of your old appliance

- 1. This crossed-out wheeled bin symbol indicates that waste electrical and electronic products (WEEE) should be disposed of separately from the municipal waste stream.
- 2. Old electrical products can contain hazardous substances so correct disposal of your old appliance will help prevent potential negative consequences for the environment and human health. Your old appliance may contain reusable parts that could be used to repair other products, and other valuable materials that can be recycled to conserve limited resources.
- 3. You can take your appliance either to the shop where you purchased the product, or contact your local government waste office for details of your nearest authorised WEEE collection point. For the most up to date

information for your country please see www.lg.com/global/recycling



Disposal of waste batteries/accumulators

- 1. This symbol may be combined with chemical symbols for mercury (Hg), cadmium (Cd) or lead (Pb) if the battery contains more than 0.0005% of mercury, 0.002% of cadmium or 0.004% of lead.
- 2. All batteries/accumulators should be disposed separately from the municipal waste stream via designated collection facilities appointed by the government or the local authorities.
- 3. The correct disposal of your old batteries/accumulators will help to prevent potential negative consequences for the environment, animal and human health.
- 4. For more detailed information about disposal of your old batteries/ accumulators, please contact your city office, waste disposal service or the shop where you purchased the product. (http://www.lg.com/global/sustainability/ environment/take-back-recycling/global-network-europe)

POWER: This unit operates on a mains supply of $100 - 240 \text{ V} \sim 50 / 60 \text{ Hz}$.


Wiring: This unit is supplied with a BS 1363 approved main plug. When replacing the fuse, always use a fuse of the same rating and approved to BS 1362. Never use this plug with the fuse cover omitted. To obtain a replacement fuse cover contact your dealer. If the type of plug supplied is not suitable for the mains sockets in your home, then the plug should be removed and a suitable type fitted. Please refer to the wiring instructions below:


Warning: A mains plug removed from the mains lead of this unit must be destroyed. A mains plug with bared wires is hazardous if inserted in a mains socket. Do not connect either wire to the earth pin, marked with the letter E or with the earth symbol fi or coloured green or green and yellow. If any other plug is fitted,


use same rating of fuse in the plug.

Important: The wires in this mains lead are coloured in accordance with the following codes:

- BLUE: NEUTRAL, BROWN: LIVE – As the colours of the wires in the mains lead of this unit may not correspond with the coloured marking identifying the terminals in your plug, proceed as follows: The wire which is coloured blue must be connected to the terminal which is marked with the letter N or coloured black. The wire which is coloured brown must be connected to the terminal which is marked with the letter L or coloured red.








Replacement of Battery

Installing and Using the Product

Please read this manual carefully before operating your set and retain it for future reference. To view the instructions of advanced features, visit http://www.lg.com or scan QR code and then download Owner's Manual. Some of the content in this manual may differ from your product

A Sound bar B Remote Control Receiver / Status LED (Refer to below table)



a Connect the sound bar to your TV via an optical cable or an HDMI cable.

b If you are using an external device (ex. Blu-ray player, game console, etc.), connect it to the sound bar via an HDMI cable.

c Using the product with your TV

A Press the Function button repeatedly until the first from above LED lights up in white among the three LEDs.

B On your TV's settings, set the output speaker to [HDMI ARC], [Optical], or [External Speaker].

d Connecting the product to your smartphone via Bluetooth

A Tap the Settings button on your smartphone and select Bluetooth.

Turn on the Bluetooth function. (Off > On)

B Press the Bluetooth pair button. After a moment, the second LED lights up in blue and blinking among the three LEDs.

C Find and tap the product on your smartphone. The product appears as "LG SP2 (XX)".

e Connecting to the LG Sound Bar app

A Find and install the LG Sound Bar app on Google Play or App Store from your smartphone.

B You can get more information regarding its use by selecting [Help] in [Setting].

yy Design and specifications are subject to change without notice.

yy Google Play is a trademark of Google LLC.

Specification

Power requirements

· Refer to the main label.

Power consumption

- · Refer to the main label.
- Networked standby: 1.5 W (If all network ports are activated.)

Dimensions (W x H x D): Approx. 760.0 mm x 63.0 mm x 90.0 mm Bus Power Supply (USB): 5 V 0 500 mA Amplifier (Total RMS Output power): 100 W RMS

How to disconnect the wireless network connection or the wireless device Set up the Auto power function to off by the app and turn off the product.

Declaration of Conformity

Hereby, LG Electronics declares that the radio equipment type SOUND BAR is in compliance with the relevant statutory requirements. The full text of the UK declaration of conformity is

available at the following internet address: http://www.lg.com/global/support/cedoc/cedoc# For consideration of the user, this device should be installed and operated with a minimum distance of 20 cm between the device and the body.

Frequency range	Output power (Max.)
2402 to 2480 MHz	10 dBm

following internet address:

http://www.lg.com/global/support/cedoc/cedoc# For consideration of the user, this device should be installed and operated with a minimum distance of 20 cm between the device and the body

~	Refers to alternating current(AC).
0	Refers to direct current(DC).
	Refers to class II equipment.
1	Refers to stand-by.
!	Refers to "ON" (power).
	Refers to dangerous voltage.

Read More About This Manual & Download PDF:

Documents / Resources



LG SP2 Soundbar with Built In Subwoofer [pdf] Owner's Manual SP2 Soundbar with Built In Subwoofer, SP2, Soundbar with Built In Subwoofer

Manuals+,