

A Dec Wireless Module Instruction Manual

Home » A Dec » A Dec Wireless Module Instruction Manual



A-dec Connectivity Instructions for Use A-dec Wireless Module

Product	Model
A-dec Wireless Module	43.0536.00

Contents

- 1 Wireless Module
- 2 Canada ISED
- 3 FCC ID
- **4 FCC Compliance**
- **5 FCC CAUTION**
- **6 Compliance with FCC Requirement**
- 15.407(c)
- 7 Documents / Resources
 - 7.1 References
- **8 Related Posts**

Wireless Module

The A-dec Wireless Module device enables connection of the dental equipment to the A-dec Web App via Wi-Fi (Dual Band 802.11a/b/g/n/ac) and Bluetooth 5.0 BR/EDR/LE.

NOTE To satisfy RF exposure requirements, this device and its antenna must operate with a separation distance of at least 20 cm from all persons.

Canada - ISED

Product	IC Number
A-dec Wireless Module	27025-ADEC430536

For indoor use only. This device complies with Industry Canada license-exempt RSS standard(s). Operation is subject to the following two conditions:

- 1. This device may not cause interference.
- 2. This device must accept any interference, including interference that may cause undesired operation of the device.

FCC ID

Product	FCC ID
A-dec Wireless Module	2AY33-ADEC430536

FCC Compliance

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- 1. This device may not cause harmful interference.
- 2. This device must accept any interference received, including interference that may cause undesired operation.

FCC CAUTION

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Compliance with FCC Requirement 15.407(c)

Data transmission is always initiated by software, which is passed down through the MAC, through the digital and analog baseband, and finally to the RF chip. Several special packets are initiated by the MAC. These are the only ways the digital baseband portion will turn on the RF transmitter, which it then turns off at the end of the packet. Therefore, the transmitter will be on only while one of the aforementioned packets is being transmitted. In other words, this device automatically discontinues transmission in case of either absence of information to transmit or operational failure.

Frequency Tolerance: ±20 ppm

This transmitter in this device must not be co-located or operated in conjunction with any other antenna or transmitter.



86.0924.00 Rev 1
Date of Issue: 2021-10-7
Copyright 2021 A-dec Inc.
All rights reserved.
IFUhalf



A-dec Headquarters 2601 Crestview Drive Newberg, Oregon 97132 United States

Tel: 1.800.547.1883 within USA/CAN Tel: +1.503.538.7478 outside USA/CAN

Fax: 1.503.538.0276 www.a-dec.com

A-dec Australia

Unit 8
5-9 Ricketty Street
Mascot, NSW 2020
Australia
Tel: 1.800.225.010 within AUS

Tel: +61.(0).2.8332.4000 outside A US

A-dec China

A-dec (Hangzhou) Dental
Equipment Co., Ltd.
528 Shunfeng Road
Qianjiang Economic Development Z
one
Hangzhou 311100, Zhejiang, China

Tel: 400.600.5434 within China Tel: +86.571.89026088 outside Chin

а

A-dec United Kingdom

Austin House 11 Liberty Way Nuneaton, Warwickshire CV11 6R

Z

England

Tel: 0800.ADEC.UK (2332.85) withi

n UK

Tel: +44.(0).24.7635.0901 outside

UK

Documents / Resources



A Dec Wireless Module [pdf] Instruction Manual ADEC430536, 2AY33-ADEC430536, 2AY33-ADEC430536, Wireless Module, Module

References

• Oadec.uk is available for purchase - Sedo.com

Manuals+,