




Adams Rite 4000 Series Deadlock Strikes Instructions

[Home](#) » [Adams-Rite](#) » Adams Rite 4000 Series Deadlock Strikes Instructions 

Adams Rite 4000 Series Deadlock Strikes Instructions



4000 Series MS® Deadlock Strikes add aesthetics and finish to strike cutouts in jambs

Contents

- 1 Function
- 2 4000 Trim Strike
- 3 4001 Box Strike
- 4 MS4002 Armored Strike
- 5 4003 ANSI Strike
- 6 4005 Threshold Strike
- 7 4006 Floor Strike
- 8 Features
- 9 Options
- 10 How to Order & Compatible Products
- 11 COMPATIBLE PRODUCTS
- 12 Dimensions
- 13 4000 Trim Strike
- 14 4001 Box Strike
- 15 4002 Armored Strike
- 16 Mortise Jamb Installation
- 17 Hollow Jamb Preparation
- 18 Documents / Resources
 - 18.1 References

Function

The majority of Adams Rite MS® deadlocks are installed in aluminum construction where the strike cutout can be simply a slot in the jamb. However, for aesthetic reasons or in the case of the MS4002 for added security, many who specify an MS® deadlock add one of these strikes.

4000 Trim Strike

A simple strike plate that can be surface mounted or mortised flush in hollow metal or wood applications.



Materials

Made of aluminum. Available in choice of 313 Dark bronze anodized, 335 Black anodized, 628 Clear anodized.

4001 Box Strike

Similar to the 4000 Strike, but with dust box added. Customarily used only for wood construction where the dust box prevents chips, sawdust, and other debris from entering strike.



Materials

Trim plate is aluminum, dust box is steel plated for corrosion resistance. Available in choice of 313 Dark bronze anodized, 335 Black anodized, 628 Clear anodized, US3 (605) Bright brass, US26D (626) Satin chrome

MS4002 Armored Strike

Similar to the 4000 and 4001 strike plates, but backed up by a massive steel doubler designed to prevent the method of forced entry known as “jamb peeling”. Fits within aluminum or other hollow jamb sections with trim face flush, the steel completely hidden.



- Available flat for single doors or radiused for pairs of doors.
- May be used with two-point and three-point MS® deadlocks, including the hookbolt version in sliding doors where hookbolt use dictates door/jamb gap of 1/8" or less.
- MS4002 Armored Strike is unhandled and may be used with RH or LH swinging or sliding doors.

Materials

Trim plate is aluminum, reinforcement doubler is steel-plated for corrosion resistance. Available in choice of 313 Dark bronze anodized, 335 Black anodized, 628 Clear anodized, US3 (605) Bright brass, US26D (626) Satin chrome.

4003 ANSI Strike

Designed for ANSI applications for use with the MS1850SN Deadlock.

Materials

Trim plate is stainless steel. Available in choice of US26D (626) Satin chrome, powder coat 121 to match 313 Dark bronze anodized

4005 Threshold Strike

Designed for a drop-bolt such as 4015 Threshold Bolt or 4016 Header Bolt in non-metal installations such as wood or concrete.

Materials

Trim plate is stainless steel. Available in US32D (630) Satin stainless

4006 Floor Strike

Similar to 4001 Box Strike, the 4006 Floor Strike is a trim plate with dust box added for strike slot cut into metal thresholds. Designed for use with the 1830 Bottom Rail Deadlock.

Materials

Trim plate is stainless steel. Available in choice of US32D (630) Satin stainless, powder coat 119 to match 335

Black anodized, 121 to match 313 Dark bronze anodized, and 130 to match 628 Clear anodized.

Features

Standard Package Individually packaged with machine screws and wood screws.

Options

- Specify flat or radius shape of trim plate, compatible deadlock, and square or round corners when ordering

How to Order & Compatible Products

4000 Series MS® Deadlock Strikes: Specify quantity and the following information. Order related products separately

MODEL	RIM PLATE SHAPE	COMPATIBLE DEADLOCK	TRIM PLATE CORNERS	FINISH
4001	0	1	1	-313
4000 Trim Strike	0 Flat	1 All Standard MS® locks with 1-3/8" Bolt Throw	1 Square	313 Dark Bronze Anodized
4001 Box Strike	1 Radius	2 1850A-020 with 3/4" Bolt Throw Only	2 Round	335 Black Anodized
MS4002 Armored Strike		3 All MS-050 "Hookbolt" locks		628 Clear Anodized

COMPATIBLE PRODUCTS


DEADLOCKS
Most Adams Rite MS® Deadlocks

All measurements are approximate and are provided for informational purposes only. 163 Refer to the product Installation Instructions.

Dimensions


4000 Trim Strike

Strike plate only




4001 Box Strike

Strike plate with dust box|




4002 Armored Strike


Strike plate with reinforcement



Mortise Jamb Installation



Hollow Jamb Preparation




Patent pending and/or patent www.assaabloydss.com/patents. Copyright © 2023, Hanchett Entry Systems, Inc., an ASSA ABLOY Group company.


All rights reserved. Reproduction in whole or in part without the express written permission of Hanchett Entry Systems, Inc. is prohibited.

Patent pending and/or patent www.assaabloydss.com/patents. Copyright © 2023, Hanchett Entry Systems, Inc., an ASSA ABLOY Group company.




All rights reserved. Reproduction in whole or in part without the express written permission of Hanchett Entry Systems, Inc. is prohibited.



Documents / Resources

	<p>Adams Rite 4000 Series Deadlock Strikes [pdf] Instructions 4000, 4001, MS4002, 4003, 4005, 4006, 4000 Series Deadlock Strikes, 4000 Series, Deadlock Strikes, Strikes</p>
---	--

References

-  [Adams Rite | Home](#)
-  [Commercial Door Hardware & Security Solutions | ASSA ABLOY DSS](#)
-  [Patents | ASSA ABLOY DSS](#)
- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.