



ADAPTIVE SC-012
Redundant
Backup Safety
Cables



ADAPTIVE SC-012 Redundant Backup Safety Cables Owner's Manual

[Home](#) » [Adaptive](#) » ADAPTIVE SC-012 Redundant Backup Safety Cables Owner's Manual 

Contents

- 1 [ADAPTIVE SC-012 Redundant Backup Safety Cables](#)
- 2 [STANDARD FEATURES](#)
- 3 [SPECIFICATIONS](#)
- 4 [OPTIONAL ACCESSORIES](#)
- 5 [Documents / Resources](#)
 - 5.1 [References](#)
- 6 [Related Posts](#)



ADAPTIVE SC-012 Redundant Backup Safety Cables



Specifications

- Materials: See table on next page
- Finish: Galvanized or Stainless
- Color: Black, Clear, Zinc, or Stainless finish
- Design Factor: 5:1 ratio (Ultimate yield point)
- Custom length safety cables also available

Usage Instructions

1. The proper method for use is to completely bypass the mounted equipment with a safety cable by securing it to the mounted object and to a structural member.
2. Ensure the safety cable has as little slack as possible.
3. **CAUTION:** Do not use as a primary suspension device.

Optional Accessories

Refer to the Rigging Component datasheet for optional accessories information.

Always Install Safety Cables

WARNING: Mounting and/or suspension of audio and video equipment requires experienced professionals. Improperly installed loudspeakers can result in property damage, personal injury, and/or liability to the installing contractor.

FAQ

Q: Can these safety cables be used outdoors?

A: Yes, these safety cables are rated for outdoor use.

SAFETIES™

Safeties™ are prefabricated consistently at the factory under exacting conditions to make installations quick, safe and secure. Use these cables to secure wall mounted and ceiling mounted objects and equipment to structures to bypass the mounting device.

Safety Cable Kits are produced from load-rated aircraft cable and hardware and come in black, zinc and stainless finishes. The proper method for use is to completely bypass the mounted equipment with a safety cable by securing it to the mounted object and to a structural member and with as little slack as possible.

CAUTION: DO NOT USE AS A PRIMARY SUSPENSION DEVICE.

STANDARD FEATURES

- Made from high strength aircraft cable
- Ends are trimmed for quick attachment
- Load Rated for predictable installations
- Closely held length tolerances

SPECIFICATIONS

- Materials: See table on next page
- Finish: Galvanized or Stainless
- Color: Black, Clear, Zinc or Stainless finish
- Design Factor: 5:1 ratio (Ultimate yield point)
- Custom length safety cables also available.

PACKAGE CONTENTS

See table on next page

OPTIONAL ACCESSORIES

See Rigging Component datasheet

Style A	Style B	Style C	Style D	Style E
Retaining Washers on Both Sides	Finished Ends with Thimbles on Both Sides	Loop with Retaining Washer	Loop on Both Ends	Adjustable Safety Cables
				

ALWAYS INSTALL SAFETY CABLES

WARNING: Mounting and/or suspension of audio and video equipment requires experienced professionals. Improperly installed loudspeakers can result in property damage, personal injury and/or liability to the installing contractor.

Model #	Length (Loop to Loop) Inches/mm	Indoor	Outdoor	Description QTY & Contents	Material / Color	Light Duty	Med Duty	Static WLL(lbs/kg)	Style
C-096	8/99	✓		(1) 8 foot stainless wire rope(2) 3/8" Quick Links(1) Clutch lock mechanism(1) Eye nut 3/8"	Black Stainless Steel Black		✓	220/99.8	E
CC-096-S	8/99		✓	(1) 8 foot stainless wire rope(2) pcs Tie wrap 4" long(2) 3/8" Quick Link(1) Clutch lock mechanism(1) Eye nut 3/8"	Silver Galvanized Steel		✓	220/99.8	E
SC-009	9/229	✓		(1) 1/6" 7X7	Silver Galvanized Steel	✓		60/27	D
SC-012	12/305	✓		(1) 3/32" 7X7(2) retaining washer	Silver Galvanized Steel	✓		100/45	A
SC-012-B	12/305	✓		(1) 3/32" 7X7(2) retaining washer	Black Stainless Steel	✓		100/45	A
SC-016	16/406	✓		(1) 3/32" 7X7(2) retaining washer	Silver Galvanized Steel	✓		100/45	A
SC-016-B	16/406	✓		(1) 3/32" 7X7(2) retaining washer	Black Stainless Steel	✓		100/45	A
SC-025	25/635	✓		(1) 3/32" 7X7(2) retaining washer	Silver Galvanized Steel	✓		100/45	A
SC-025-B	25/635	✓		(1) 3/32" 7X7(2) retaining washer	Black Stainless Steel	✓		100/45	A
SC-040	40/1016	✓		(1) 3/32" 7X7(2) retaining washer	Silver Galvanized Steel	✓		100/45	A
SC-080	80/2032	✓		(1) 3/32" 7X7(1) 1/4" quick link(2) retaining Washers	Silver Galvanized Steel	✓		100/45	A
SC-154	154/3912	✓		(1) 3/32" 7X7(1) 1/4" quick link	Silver Galvanized Steel	✓		100/45	D


Model #	Length (Loop to Loop) Inches/mm	Indoor	Outdoor	Description QTY & Contents	Material	Light Duty	Med Duty	Static WLL(lbs/kg)	Style
SC-018	18/457	✓		(1) 3/32" 7X7(1) retaining washer	Black Stainless Steel	✓		100/45	C
SC-018-B C	18/457	✓		(1) 3/32" 7X7(1) retaining washer	Black Stainless Steel	✓		100/45	C
SC-024-B C	24/609	✓		(1) 3/32" 7X7(1) retaining washer	Black Stainless Steel	✓		100/45	C
SC-040-B C	40/1016	✓		(1) 3/32" 7X7(1) retaining washer	Black Stainless Steel	✓		100/45	C
SC-072-B C	72/1828	✓		(1) 3/32" 7X7(1) retaining washer	Black Stainless Steel	✓		100/45	C
SC-080-B C	80/2032	✓		(1) 3/32" 7X7(1) retaining washer	Black Stainless Steel	✓		100/45	C
SC-096-B C	96/2468	✓		(1) 3/32" 7X7(1) retaining washer	Black Stainless Steel	✓		100/45	C
SC-180	180/4572	✓		(1) 3/32" 7X7(1) 1/4" quick link(2) retaining Washers	Black Stainless Steel	✓		100/45	C
SC-188-1 8-SS	18"/450	✓	✓	3/16" Wire Rope 7X19(2) 1/4" Shackle	Stainless Steel		✓	750/ 340	D
SC-188-2 4-SS	24"/610	✓	✓	3/16" Wire Rope 7X19(2) 1/4" Shackle	Stainless Steel		✓	750/ 340	D
SC-188-3 0-SS	30"/762	✓	✓	3/16" Wire Rope 7X19(2) 1/4" Shackle	Stainless Steel		✓	750/ 340	D
SC-188-4 8-SS	48"/1220	✓	✓	3/16" Wire Rope 7X19(2) 1/4" Shackle	Stainless Steel		✓	750/ 340	D
SC-188-7 2-SS	72"/1830	✓	✓	3/16" Wire Rope 7X19(2) 1/4" Shackle	Stainless Steel		✓	750/ 340	D
SC-188-9 6-SS	96"/2438	✓	✓	3/16" Wire Rope 7X19(2) 1/4" Shackle	Stainless Steel		✓	750/ 340	D

Adaptive Technologies Group

1635 E. Burnett Street | Signal Hill, CA 90755 USA Ph: 562.424.1100 | Fax: 562.424.3520

www.adaptivetechgroup.com

Documents / Resources

	<p>ADAPTIVE SC-012 Redundant Backup Safety Cables [pdf] Owner's Manual SC-188-30-SS, CC-096, CC-096-S, SC-009, SC-012, SC-012 Redundant Backup Safety Cable s, SC-012, Redundant Backup Safety Cables, Backup Safety Cables, Safety Cables, Cables</p>
---	---

References

- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.