



ADD WINDOW HUNTER 101 Remote Control User Manual

[Home](#) » [ADD WINDOW](#) » ADD WINDOW HUNTER 101 Remote Control User Manual 




Contents

- [1 HUNTER 101 Remote Control](#)
- [2 Installation](#)
- [3 Documents / Resources](#)
 - [3.1 References](#)
- [4 Related Posts](#)

HUNTER 101 Remote Control

Hand-held and wall-fixed Emitters available, Single or dual channels are available.
Emitters are equipped with wall stickers and connection frame



Product name : Remote Control

Product type : HUNTER101

Frequency : 433.92MHz

Channel : Single channel/Double channel


Battery : 3V CR2032

Battery life : 2 years (Rated power 210MAH)

Distance : 50 m


Fixed mode : magnetic suction base

Size : 66mm X 33mm X 10mm




Hand-held single channel emitter	Hand-held dual channel	Wall type single channel e mitter	Wall type dual channel e mitter

Installation



Battery replacement



FCC STATEMENT :

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

1. This device may not cause harmful interference, and
2. This device must accept any interference received, including interference that may cause undesired operation.

Warning: Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.


NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

RF warning statement:

The device has been evaluated to meet general RF exposure requirement.

The device can be used in portable exposure condition without restriction.



HANGZHOU ADD WINDOW ENERGY SAVING TECHNOLOGY CO.,LTD.

TEL 0571-88651857

E-MAIL info@addwj.com

NET www.addwj.com

Documents / Resources

	ADD WINDOW HUNTER 101 Remote Control [pdf] User Manual HUNTER101, 2A9EV-HUNTER101, 2A9EVHUNTER101, HUNTER 101 Remote Control, HUNTER 101, Remote Control
--	--

References

- [🌐 Smart Curtain Kit Curtain motor Track Curtain Motor - ADD Window](#)

Manuals+.