

ADT Keypad Self Setup Alarm User Guide

Home » ADT » ADT Keypad Self Setup Alarm User Guide 🖺

Contents

- 1 ADT Keypad Self Setup Alarm
- 2 Important safety information
- 3 Important notice
- **4 OUTSIDE PAGE VIEW**
- **5 INSIDE PAGES VIEW**
- **6 FCC statement**
- 7 Documents / Resources
 - 7.1 References



ADT Keypad Self Setup Alarm



Important safety information

- 1. Read and keep these instructions.
- 2. Clean only with a dry cloth.
- 3. Set up in accordance with the manufacturer's instructions.
- 4. Do not set up near any heat sources such as radiators, heat registers, stoves or other devices (including amplifiers) that produce heat.
- 5. Only use attachments/accessories specified by the manufacturer.
- 6. The device should not be exposed to dripping or splashing water. Items filled with liquids, such as vases or hoses, should not be placed on or near the device.
- 7. Do not store batteries with hazardous or combustible materials.
- 8. Batteries can explode, catch fire and/or cause burns if disassembled, punctured, cut, crushed, short-circuited, incinerated, recharged (disposable cells) or exposed to water, fire or high temperatures.
- 9. Keep batteries away from children.
- 10. Store spare batteries in a cool, dry and ventilated area.
- 11. Do not use counterfeit or inferior-quality batteries. Do not use rechargeable batteries.
- 12. Disposing of your device and old battery: ADT is committed to environmental protection and sustainability.
- 13. We strongly encourage you to recycle your device and old battery by local waste and recycling laws. The device and battery cannot be disposed of with regular household waste.
- 14. Please visit call2recycle.org and, in the "Find a recycling location" field, enter your ZIP Code to find your nearest battery recycling facility.
- 15. Do not drop the device or subject it to physical shock.
- 16. Do not use high-voltage products around this device (e.g., electrical swatter) as this product may malfunction due to electrical shock.
- 17. Protect the power cord from being walked on or pinched, particularly at plugs, convenience receptacles and the point where it exits from the device.
- 18. Only use the AC adapter supplied with this device. Do not use a power supply from another device or another manufacturer. Using any other power cable or power supply may cause damage to the device and void your

warranty.

- 19. Do not defeat the safety purpose of the polarized plug. A polarized plug has two blades, with one wider than the other. If the provided plug does not fit into your outlet, consult an electrician for the replacement of the obsolete outlet.
- 20. WARNING: This product contains chemicals known to the State of California to cause cancer and congenital disabilities or other reproductive harm. Wash hands after handling.
- 21. CAUTION: Risk of explosion if the battery is replaced by an incorrect type.


Important notice

The ADT Keypad requires AC power to send smoke/CO siren detection signals to the ADT Base or other ADT-compatible device base. Not all third-party smoke/CO detectors are compatible with the ADT Keypad's siren detection. The ADT Keypad doesn't act as a backup signaler as a standalone device. It must be used with a compatible ADT security-based device. If utilizing self-monitoring, you acknowledge that ADT's Products and Services are not intended for a third-party monitored emergency notification system and that ADT does not monitor emergency notifications and will not dispatch emergency authorities to your home in the event of an emergency.

ADT makes no warranty or representation that the use of the Products or Services will affect or increase any level of safety. You acknowledge that the Products and Services are not intended to be 100% reliable and are not a substitute for a third-party monitored emergency notification system. ADT cannot and does not guarantee that you'll receive notifications in any given timeframe or at all. All life-threatening, safety and emergency events should be directed to the appropriate response services.

BASE SET-UP GUIDE

TRI-FOLD DOUBLE-SIDED PRINT FOLDED SIZE: 4.125 x 4.125 in.



MIDDLE PAGE

Operating specifications

• Temperature: 32° to 122°F (0° to 50°C)

Indoor use only

· Power source:

AC power plug

• AC power input: 100-120V ~50-60Hz

• DC power output 12V~1.5A

· Backup battery: rechargeable lithium-ion

battery pack (lasts up to 24 hours)

OUTSIDE PAGE VIEW

BACK COVER

2023 ADT LLC dba ADT Security Services. All rights reserved. ADT, the ADT logo, (800) ADT-ASAP and the product/service names listed in this document are marks and/or registered marks. Unauthorized use is strictly prohibited. Third-party marks are the property of their respective owners. License information is available at ADT.com or by calling (800) ADT-ASAP. CA ACO7155, 974443, PPO120288 FL EF0001121; LA F1639, F1640, F1643, F1654; MA 172C; NC Licensed by the Alarm Systems Licensing Board of the State of North Carolina; 7535P2, 7561P2, 7561P2M, 7562P10, 7563P7, 7564P4 NY 12000305615; PA 090797; MS 15019511.

FRONT COVER

- Setting up your ADT Keypad
- Open the ADT+ app.
- · Log into an existing account.
- Select Menu > Devices > (+) Add Device > ADT Devices > Security Devices > Keypad



Follow the in-app steps to power on your keypad.

Note: Keypad can be placed on a table using the provided desk mount or mounted onto a wall using the wall mount and screws provided. For more detailed setup and troubleshooting information, see the complete owner's manual at

i.adt.com/keypad or scan the QR code. If you have additional questions, call us at (888) 392-2039.

INSIDE PAGES VIEW



Arm States

Delays - Countdown for entry/exit. Motion - The alarm will sound if motion is detected.

Arm Stay Delays on, motion off. Use when people or pets are home.

Arm Away Delays on, motion on. Use when leaving home and no pets are home.

Arm Night

Delays off, motion off. Use it at night when home.

Emergency

Press an emergency button, release, then press and hold the same button for 3 seconds to activate. Dispatch requires paid monitoring.

Police Siren sounds. Dispatch occurs if enrolled in paid monitoring.

Medical Siren sounds. Dispatch occurs if enrolled in paid monitoring.

Fire Siren sounds. Dispatch occurs if enrolled in paid monitoring.

Disarm + System Status Indicates the system is disarmed, has open sensors, or has errors.

X Cancel Use to cancel Security Code entry.

FCC statement

This equipment has been tested and found to comply with the limits for a Class B digital device, under part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used by the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and the receiver.
- Connect the equipment to an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help. You are cautioned that changes or
 modifications not expressly approved by the party responsible for compliance could void your authority to
 operate the equipment.
- This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:
- 1. This device may not cause harmful interference, and
- 2. This device must accept any interference received, including interference that may cause undesired operation.

FCC radiation exposure statement

- This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.
- This equipment complies with FCC RF radiation exposure limits set forth for an uncontrolled environment.
- This equipment should be installed and operated with a minimum distance of 7.87 in. (20 cm) between the radiator and your body.

Note: To view FCC information on the device, remove the wall mount or desk mount to expose the label on the bottom of the keypad.

Open-source software notice

For information about the open-source code under GPL, LGPL, MPL and other open-source licenses that are contained in this product, please visit help.adt.com/s/article/adt-open-source. In addition to the source code, all referred license terms, warranty disclaimers and copyright notices are available for download.

Warranty

For warranty details, visit: help.adt.com/s/article/warranty

Questions?

Give us a call at (888) 392-2039 or visit us at <u>i.adt.com/keypad</u> where you can also find the complete owner's manual or scan the QR code below. 2023 ADT LLC dba ADT Security Services. All rights reserved. ADT, the ADT logo, (800) ADT-ASAP and the product/service names listed in this document are marks and/or registered marks. Unauthorized use is strictly prohibited. Third-party marks are the property of their respective owners. License information is available at ADT.com or by calling (800) ADT-ASAP. CA ACO7155, 974443, PPO120288; MA 172C; NC Licensed by the Alarm Systems Licensing Board of the State of North Carolina; 2736-CSA, 2397-CSA, 2381-CSA; NY 12000305615, 12000261120; PA 090797; MS 15019511. 22.5.26 03032023

Documents / Resources



ADT Keypad Self Setup Alarm [pdf] User Guide

NKR-LS05, NKRLS05, Is05, Keypad, Keypad Self Setup Alarm, Self Setup Alarm, Setup Alarm

References

- Call2Recycle | Leading the Charge For Battery Recycling
- ADT_Help

Manuals+,