AIAIAI UNIT-4 WIRELESS+ Studio Monitor Speaker System User Guide

AIAIAI UNIT-4 WIRELESS+ Studio Monitor Speaker System User Guide

Contents

## UNIT-4 overview

Power on/off
Press and hold the middle button on the top of UNIT-4 for 2 sec. Choose connection mode Press the Mode button to change between Bluetooth® and Wireless+. Or insert an audio cable.

Pairing
Press and hold the Mode button for 2 sec. Do this on both speakers if you have a pair. Bluetooth: Find 'AIAIAI UNIT-4' on your device and connect. W+ Link: Put transmitter into pairing mode. UNIT-4 will connect.

Choose Left, Right or Mono
Press the Stereo/Mono button to change between left, right or mono. Choose left or right when using a pair of UNIT-4. Choose mono when using one UNIT-4.

Playback controls
Volume up/down: use the + and – buttons on the top of UNIT-4.Mute: press the middle button on the top of UNIT-4.

Charging
Connect your power adapter to the socket on the back of UNIT-4. Double press the middle button on the top of UNIT-4 to see battery level.

Regulatory Info

Manufacturer information: Company name: AIAIAI APS
Address: Stud iestræde 31,Copenhagen K, 1455Denmark

Battery mode Operation temperature: -20-55°C Adaptor mode Charging temperature: 0-40°C

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

1. this device may not cause harmful interference, and
2. this device must accept any interference received, including interference that may cause undesired operation.

This device contains license-exempt transmitter(s)/receive- er(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

1. This device may not cause interference.
2. This device must accept any interference, including interference that may cause undesired operation of the device.

Disposal of a battery into fire or a hot oven, or mechanically crushing or cutting of a battery that can result in an explosion. Leaving a battery in an extremely high temperature surrounding environment that can result in an

explosion or the leakage of flammable liquid or gas.A battery subjected to extremely low air pressure that may result in an explosion or the leakage of flammable liquid or gas. Do not used in high or low extreme temperatures. Do not used in low air pressure at high altitude condition.

CAN ICES-3 (B)/NMB-3 (B)

This Class B digital apparatus complies with Canadian ICES-003.

Company name:
Address:
Tel:
E-mail:
FCC ID: 2AKSOUNIT-4
IC: 23880-UNIT4
CMIIT ID: XXXXXXXXXX

 WARNING[OR CA WARNING OR CALIFORNIA WARNING]:
Risk of reproductive harm from exposure to [name of chemical]- **www.P65Warnings.ca.gov**

Documents / Resources

	AIAIAI UNIT-4 WIRELESS+ Studio Monitor Speaker System [pdf] User Guide 2AKSOUNIT-4, 2AKSOUNIT4, UNIT-4 WIRELESS, UNIT-4 WIRELESS Studio Monitor Speaker System, Studio Monitor Speaker System, Monitor Speaker System, Speaker System