

AIKUN GX9100 RGB Backlight Gaming Keyboard User Manual

Home » AIKUN » AIKUN GX9100 RGB Backlight Gaming Keyboard User Manual

Contents

- 1 AIKUN GX9100 RGB Backlight Gaming **Keyboard**
- **2 PRODUCTS SPECIFICATION**
- **3 FN Combination Key Function**
- 4 Documents / Resources
 - 4.1 References
- **5 Related Posts**



AIKUN GX9100 RGB Backlight Gaming Keyboard



Model NO.	GX9100FM – RGB	TYPE	Mechanical RGB keyboard
MP DATE	2021-11-05	PATENT ID	ZL 2021 8 0268907.xx



Products ID

yboard type erface type ennection	Wired Mechanical backlight USB A Wired Support (FN+F1~F12 keys)	Layout Size (L*W*H) NW (with cable)	US/UK optional 435.3 x 124.50 x 34 mm 745.50g±10g Type C USB Braided Fiber 1.8m
onnection	Wired Support (FN+F1~F12	, ,	745.50g±10g
	Support (FN+F1~F12	NW (with cable)	
ultimedia Keys			Type C USB Braided Fiber 1.8m
	No joj	Cable Spec	φ3.2mm + Noise Filter
orking voltage	UBS 5V	Cable color	Black
vitch type	GaoTe MX Switch	Interface	USB 2.0 – 1000 report rate
y pressure	60g±5g	OS Compatibility	Windows XP and above Android/Apple
y lifetime	500,000,000 times	Backlight	16.8 million color settings
cklight color	RGB Backlight	Backlight effects	18 cool lighting effects
vitch type	Blue Switch " Brown/Black	Waterproof	N/A
ogrammable	N/A	Ergonomically	Yes
ug and play	Yes	Inner Memory	32K Rom
orking frequenc	48Mhz	Character Print	PBT Double-shot
vii	tch type r pressure r lifetime sklight color tch type grammable g and play	rking voltage tch type GaoTe MX Switch pressure 60g±5g filifetime 500,000,000 times sklight color RGB Backlight tch type Blue Switch "Brown/Black grammable N/A g and play Yes	rking voltage UBS 5V Cable color tch type GaoTe MX Switch Interface OS Compatibility Ilifetime 500,000,000 times Backlight Eklight color RGB Backlight Backlight effects tch type Blue Switch "Brown/Black Grammable N/A Ergonomically Inner Memory

	IC	Cortex-M0 32Bit MCU	IC Factory	ARM
Elect	IC package	SMT (LQFP64)	Working Voltage	DC4.5V-5.5V
rical para	Working currents	200mA	Sleep currents	≤100mA
mete	Working	0″45°C	Storage	-20"+60°C
	Working humidity	20″90%	Storage humidity	≤93% (40°C)

	1					
	1	Professional Mechanical Gaming Keyboard – RGB Backlight – MX Blue Switches, ABS + Aircraft Grade Anodized Aluminum Frame Full Size Electronics PCBA. M.M Function – Type C Connection Plug				
		Aircraft-Grade Anodized	Aluminum Frame:			
Built to withstand a lifetime of gaming. Lightweight and rugged hat's going to see a lot of action, "Anti-rust, Anti color change, Durable build GaoTe MX- Blue Switches:						
With durable buttons rated up to 50 million clicks, this durable Keyboard will play ha			ard will play hard for a long time			
Selli		Dynamic multicolor per key backlighting,				
ng p oints	4	Adjust the key's color and illumination level, Speed, and Direction in addition to 18-zones, the double -shot injection molded keycaps for crystal clear backlighting.				
		100% Anti-Ghosting With Full Key Rollover:				
	5	Ensure your commands and simultaneous keystrokes always register the way you intend.				
		Full Multimedia function:				
	Shortcuts Key: Press FN+ "F1~F12" to control multi-media function calculator, email, web bro olume, media, etc.				alculator, email, web browser, v	
		DEDICATED KNOB CONTROL				
	6	The GX9100 features dedicated media controls that can be used to adjust your game volume or make it mute with a touch of a button.				
		High-Quality USB Cable.				
	7	USB Type C Cable With Braided Fiber 1.8m φ4.3mm + Noise Filter				
		High-Quality Anti-Skid Rubber				
	8	The anti-Skid Rubber base effectively keeps the Keyboard from sliding				
Mater	ial s	pecification parameter				
Comp	Components Color/ Specification Raw material Surface Technical					
Upper case Black Aluminum Black Aluminum				Black Aluminum		

Bottom case	Black	ABS	Black ABS
Keycaps	Black	ABS	PBT Double-shot
Decoration part	Black	ABS	ABS
Switch	MX Blue Switch Plug s haft	Brand	GaoTe 50 Million MX Switch
PCB	GX9100-FM- V01	Structure	Lead and non-lead process
	PCB !SMT! DIP!		
PCBA	Welding ! test	Туре	Double-sided plug-in shaft
Cable	1.8mφ 3.2mm	Туре	Black Type C – Braided Fibe r

Instructions and Function:

- 1. Open the product packaging, take out the keyboard, plug USB C into the Keyboard and USB A into the computer's Port
- 2. The first time you use this keyboard, the system may need to install the USB driver, then the computer will automatically search and install the keyboard driver;
- 3. After the installation is complete, the keyboard starts working, with running LED lights for all keys.

The keyboard has 18 RGB lights mode by 6 combined keys, FN+INS, FN+HOME, FN+PGUP, FN+DEL, FN+END, and FN+PGDN, each combined key has 3 RGB lights model options

FN Combination Key Function

Combination	Key function	Description
F1	My Computer	Open Multimedia player
F2	Calculator	Open Calculator APP
F3	Search	The open explorer Search function
F4	Media	Open Multimedia player
F5	Play Previous	Previous track
F6	Play Next	Next track
F7	Play / Pause	Play / Pause Music or Video
F8	Stop	Playback stop
F9	Mute	Mute Any sound, Music or Game
F10	Volume –	Reducing Voice Level
F11	Volume +	Increasing Voice Level
F12	N/A	N/A

	I		
SPACE	Switch Mode	Backlight display different colors Mode	
	Light switch, including 3 light effect	Select and shaft between 3 colors and	
INSERT	s	backlight effects	
	Backlight mode adjustment	Red – orange – yellow – green – blue – ice blue –	
DEL	Loop toggle 9 color loops	purple – pink – rainbow.	
	Light switch, including 3 light effect	Select and shaft between 3 colors and	
HOME	s	backlight effects	
	Light switch, including 3 light effect	Select and after between 3 colors and	
END	s	backlight of	
		ect and shafting between 3 colors and	
PGUP	Light switch, including 3 light effect s	bac light effects	
	Light switch, including 3 light effect	Select and shaft between 3 colors and	
PGDN	s	backlight effects	
PAUSE	Backlighting single mode	Switch mode to single backlight	
		In other modes, FN + ~, switch the light customization mode.	
`~	Lighting customization	In the custom mode, FN + ~, the definiti on is turned on, the indicator light flashe s, and other keys are triggered to adjust the LED color.	
		Press FN + ~ again to save the definition	
		result and exit the definition state.	
Arrow keys: up	harness 0%-25%-50%-75%-100 %	Increasing Backlight Brightness 4 Level s	
Arrow keys: down	Br htn s – 0%-25%-50%-75%-10 0%	Reducing Backlight Brightness 4 Levels	
Arrow keys: left	Dir ction	Light effect direction adjustment	
Arrow key: right	Switch color	Switch the backlight color	
	Slow down the light effect	5 speeds are adjustable,	
=+	Speed up the light effect	5 speeds are adjustable,	
	<u>I</u>	I.	

FN+

WIN	Windows lock	Lock WIN and APP keys at the same Pr ess FN+WIN and APP to unlock.
ESC#F1 F3 F5\$	Reset function	Restore the default background light mo de

Documents / Resources



AIKUN GX9100 RGB Backlight Gaming Keyboard [pdf] User Manual

GX9100, RGB Backlight Gaming Keyboard, GX9100 RGB Backlight Gaming Keyboard, Backlight Gaming Keyboard, Keyboard, Keyboard

References

• O Aikun – Electronics

Manuals+,