



Home » Ajax Systems » AJAX SYSTEMS FP2J5NA Heat and CO Alarm User Guide 🏗



AJAX SYSTEMS FP2J5NA Heat and CO Alarm



Contents [hide]

- 1 Before using
- 2 Specification
- 3 Complete set
- 4 FCC Regulatory Compliance
- 5 Customer Support
- 6 Documents / Resources
 - 6.1 References

Before using

Before using the device, we strongly recommend reviewing the User Manual on the

website.

Specification

Fire Protect 2 RB (Heat/ CO) Jeweler is a wireless heat and CO alarm.

Frequency range	905-926.5 MHz FHSS (complies with part 15 of the FCC rules)	
Power density RF	≤0.60 mW/cm²	
Sound notification volume	85 dB at a distance of 10 ft	
Radlo signal range	up to 5,500 ft (in an open space)	
Power supply	2 batteries CR123A, 3 V	
Operation from battery	up to 7 years	
Operating temperature range	from 32°F to 122°F	
Operating humidity	up to 80%	
Dimensions	3.39 * 3.39 * 1.71 '	
Weight	5.26 oz	

Complete set

Complete set: 1. Fire Protect 2 RB (Heat/CO) **Jeweler**; 2. 2 batteries CR123A (preinstalled); 3. Installation kit; 4. Quick Start Guide.

CAUTION: RISK OF EXPLOSION IF BATTERY IS REPLACED BY AN INCORRECT TYPE. DISPOSE OF USED BATTERIES ACCORDING TO THE INSTRUCTIONS.

FCC Regulatory Compliance

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device

must accept any interference received, including interference that may cause undesired operation. Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

To maintain compliance with FCC's RF Exposure guidelines, This equipment should be installed and operated with a minimum distance between 20 cm the radiator and your body: Use only the supplied antenna.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful Interference In a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the Instructions, may cause harmful Interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful Interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device contains a licence exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

- 1. This device may not cause interference.
- 2. This device must accept any interference, including interference that may cause undesired operation of the device.

To maintain compliance with ISED's RF Exposure guideline's, this equipment should be

installed and operated with a minimum distance of 20 cm between the radiator and your body. use only the supplied antenna.

Warranty: The warranty for Ajax devices is valid for two years after the purchase date and does not apply to the supplied accumulator. If the device does not work correctly, you should first contact the support service – in half of the cases, technical issues can be solved remotely.

Customer Support

ajax.systems/support/devices/fireprotect-2-rb-heat-co/



The full text of the warranty is available on the website:

www.ajax.systems/warranty.

User Agreement: www.ajax.systems/end-user-agreement.

Technical support: support@ajax.systems

The manufacturing date is indicated on a sticker at the bottom of the box. The importer's name, location, and contact details are indicated on the package.

Manufacturer: "AS Manufacturing" LLC.

Address: 5 Sklyarenka Str., Kyiv, 04073, Ukraine.

www.ajax.systems



Documents / Resources



AJAX SYSTEMS FP2J5NA Heat and CO Alarm [pdf] User Guide FP2J50000NA, FIHTCOJ2, 2AX5VFIHTCOJ2, FP2J5NA Heat and CO Alarm, FP2J5NA, Heat and CO Alarm, and CO Alarm, CO Alarm

References

User Manual ■ Ajax Systems 2AX5VFIHTCOJ2, Ajax Systems, and CO Alarm, CO Alarm, FIHTCOJ2, FP2J50000NA, FP2J5NA, FP2J5NA Heat and CO Alarm, Heat and CO Alarm Leave a comment Your email address will not be published. Required fields are marked * Comment * Name Email Website Save my name, email, and website in this browser for the next time I comment. **Post Comment** Search: e.g. whirlpool wrf535swhz

Manuals+ | Upload | Deep Search | Privacy Policy | @manuals.plus | YouTube

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of

Search

these marks on this website does not imply any affiliation with or endorsement.			