



AJAX 9NA KeyPad User Guide

[Home](#) » [ajax](#) » AJAX 9NA KeyPad User Guide 

Contents

- [1 AJAX 9NA KeyPad](#)
- [2 Complete Set:](#)
- [3 FCC Regulatory Compliance](#)
- [4 IT Regulatory Compliance](#)
- [5 Documents / Resources](#)
- [6 Related Posts](#)

AJAX

AJAX 9NA KeyPad



Before using the device, we strongly recommend reviewing the User Manual on the website.

Product name: Touch keypad

KeyPad is a wireless touch keypad to manage the Ajax system security modes. The keyPad features panic button and supports personal/duress passcodes.

Sensor type	Capacitive
Tamper protection	Yes
Protection against passcode guessing	Yes
Frequency range	905-926,5 MHz FHSS (complies with part 15 of the FCC rules)
Maximum RF output power	9.33 dBm
Radio signal range	Up to 5,500 ft (line-of-sight)
Power supply	4 x AAA batteries, 3V
Battery life	Up to 2 years
Operating temperature range	From 14 to 104 °F

Operating humidity	Up to 75%
Dimesions	5.9 x 3.9 x 0.5 "
Weight	6.9 oz

Complete Set:

1. StreetSiren; 2.
2. SmartBracket mounting panel;
3. Battery CR123A (pre-installed) – 4 pcs;
4. Installation kit;
5. Quick Start Guide

FCC Regulatory Compliance

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

To maintain compliance with FCC's RF exposure guidelines, This equipment should be installed and operated with a minimum distance of 20cm the radiator your body: Use only the supplied antenna.

IT Regulatory Compliance

This device contains license-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada’s license-exempt RSS(s). Operation is subject to the following two conditions:

- 1. This device may not cause interference.
- 2. This device must accept any interference, including interference that may cause undesired operation of the device.

CAUTION: RISK OF EXPLOSION IF BATTERY IS REPLACED BY AN INCORRECT TYPE. DISPOSE OF USED BATTERIES ACCORDING TO THE INSTRUCTIONS.

Warranty: The warranty for Ajax devices is valid for two years after the purchase date and does not apply to the supplied battery. If the device does not work correctly, you should first contact the support service—in half of the cases, technical issues can be solved remotely!

The full text of the warranty is available on the website: ajax.systems/warranty User Agreement: ajax.systems/end-user-agreement

Technical support: support@ajax.systems


Manufacturer: “AS Manufacturing” LLC.

Address: 5 Sklyarenka Str., Kyiv, 04073, Ukraine.

www.ajax.systems



Documents / Resources

	<p>AJAX 9NA KeyPad [pdf] User Guide KEYPAD-NA, KEYPADNA, 2AX5VKEYPAD-NA, 2AX5VKEYPADNA, 9NA KeyPad, KeyPad</p>
---	--