

[Skip to content](#)

Manuals+

User Manuals Simplified.



AJAX 9NA MotionProtect Plus Pet Immune Motion Detector User Guide

[Home](#) » [ajax](#) » **AJAX 9NA MotionProtect Plus Pet Immune Motion Detector User Guide**

Contents [hide](#)

[1 AJAX 9NA MotionProtect Plus Pet Immune Motion Detector](#)

- [2 Ajax MotionProtect Plus](#)
- [3 FCC Regulatory Compliance](#)
- [4 ISED Regulatory Compliance](#)
- [5 Documents / Resources](#)
- [6 Related Posts](#)



AJAX 9NA MotionProtect Plus Pet Immune Motion Detector



ajax.systems/
support/devices/
motionprotect-
plus

Ajax MotionProtect Plus

Quick Start Guide

Before using the device, we strongly recommend reviewing the User Manual on the website.

Product name: Wireless motion detector with microwave sensor MotionProtect Plus detects motion at a distance of up to 39 ft, filters thermal interference and features pet immunity.

Frequency range	905 MHz~926.5MHzMHz FHSS (complies with part 15 of the FCC rules)
-----------------	--

Maximum RF output power	7.20 mW
-------------------------	---------

Radio signal range	Up to 3,900 ft (line-of-sight)
--------------------	--------------------------------

Motion detector viewing angles (H/V)	88.5° / 80°
--------------------------------------	-------------

Power supply	CR123A battery, 3 V
--------------	---------------------

Operation from battery	Up to 5 years
------------------------	---------------

Operating temperature range	From 14° to 104°F
-----------------------------	-------------------

Operating humidity	Up to 75%
--------------------	-----------

Dimensions	4.33 x 2.36 x 1.97 "
------------	----------------------

Weight	3.39 oz
--------	---------

Complete Set: 1. CombiProtect; 2. SmartBracket mounting panel; 3. CR123A (pre-installed); 4. Installation kit; 5. Quick Start Guide

FCC Regulatory Compliance

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. To maintain compliance with FCC's RF exposure guidelines, this equipment should be installed and operated with a minimum distance of 20 cm between the radiator and your body: Use only the supplied antenna. This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

ISED Regulatory Compliance

This device contains license-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's license-exempt RSS(s). Operation is subject to the following two conditions:

1. This device may not cause interference.
2. This device must accept any interference, including interference that may cause undesired operation of the device.

To maintain compliance with ISED's RF Exposure guidelines, this equipment should be installed and operated with a minimum distance of 20 cm between the radiator and your body: Use only the supplied antenna.

CAUTION: RISK OF EXPLOSION IF BATTERY IS REPLACED BY AN INCORRECT TYPE. DISPOSE OF USED BATTERIES ACCORDING TO THE INSTRUCTIONS.

Warranty: The warranty for Ajax devices is valid for two years after the purchase date and does not apply to the supplied battery. If the device does not work correctly, you should first contact the support service—in half of the cases, technical issues can be solved remotely!

The full text of the warranty is available on the website:

ajax.systems/warranty

User Agreement: ajax.systems/end-user-agreement

Technical support: support@ajax.systems

Manufacturer: "AJAX SYSTEMS MANUFACTURING" LIMITED LIABILITY COMPANY.

Address: Sklyarenka, 5, Kyiv, 04073, Ukraine.

www.ajax.systems

Documents / Resources



[A-JAX 9NA MotionProtect Plus Pet Immune Motion Detector](#) [pdf] User Guide

MOPRPL-NA, MOPRPLNA, 2AX5VMOPRPL-NA, 2AX5VMOPRPLNA, 9NA MotionProtect Plus Pet Immune Motion Detector, MotionProtect Plus Pet Immune Motion Detector, Pet Immune Motion Detector, Immune Motion Detector, Detector

[Manuals+](#)

- [home](#)
- [privacy](#)