

# **AJAX MOTCAMJ1 Motion Detector User Manual**

Home » ajax » AJAX MOTCAMJ1 Motion Detector User Manual 🖫

**AJAX MOTCAMJ1 Motion Detector** 

#### **Contents**

- 1 Quick Start Guide
- **2 Customer Support**
- 3 Documents /
- Resources
- 3.1 References
- **4 Related Posts**



## **Quick Start Guide**

Before using the device, we strongly recommend reviewing the User Manual on the website.

Motion Cam Jeweller detects motion within a 39 ft range, snaps photos when triggered, and ignores pets.

Operating frequencies	905-926.5 MHz FHSS (complies with part 15 of the FC C rules)
Power density RF	:s 0.60 mW/cm2
Radio signal range	up to 5.500 ft (in an open space)
Motion detector viewing angles (HN)	88.5" / 80°
Photo resolution	up to 640 x 480 px
Power supply	2 batteries CR123A
Operation from battery	up to 4 years
Operating temperature range	from 14'Fto 104'F
Operating humidity	upto 75%
Dimensions	5.3 X 2.8 X 2.4 •
Weight	5.9 oz

MotionCam Jeweller is compatible only with hubs supporting visual alarm verification. Find this information on the hub's packaging or Ajax official website.

**Complete set:** 1. MotionCam Jeweller; 2. SmartBracket mounting panel; 3. 2 batteries CR123A (pre-installed); 4. Installation kit; 5. Quick Start Guide.

**CAUTION:** RISK OF EXPLOSION IF BATTERY IS REPLACED BY AN INCORRECT TYPE. DISPOSE OF USED BATTERIES ACCORDING TO THE INSTRUCTIONS.

#### **FCC Regulatory Compliance**

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

To maintain compliance with FCC's RF Exposure guidelines, This equipment should be installed and operated with a minimum distance between 20 cm the radiator and your body: Use only the supplied antenna.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device contains a licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt

RSS(s). Operation is subject to the following two conditions:

- 1. This device may not cause interference.
- 2. This device must accept any interference, including interference that may cause undesired operation of the device

To maintain compliance with ISED's RF Exposure guidelines, this equipment should be installed and operated with a minimum distance of 20 cm between the radiator and your body: use only the supplied antenna.

Warranty: Warranty for Ajax devices is valid for two years after the purchase date. If the device does not work correctly, you should first contact the support service – in half of the cases, technical issues can be solved remotely.

The full text of the warranty is available on the website: <a href="www.ajax.systems/warranty">www.ajax.systems/warranty</a>.

User Agreement <u>www.ajax.systems/end-user-agreement</u>.

Technical support: <a href="mailto:support@ajax.systems">support@ajax.systems</a>

The manufacturing date is indicated on a sticker at the bottom of the box. The importer's name, location, and contact details are indicated on the package

#### **Customer Support**

Manufacturer: "AS ManufacturingN LLC. Address: 5 Sklyarenka Str., Kyiv, 04073, Ukraine. <a href="www.ajax.systems">www.ajax.systems</a> ajax.systems/ support/devices/ motioncam





### **Documents / Resources**



<u>AJAX MOTCAMJ1 Motion Detector</u> [pdf] User Manual MOTCAMJ1 Motion Detector, MOTCAMJ1, Motion Detector, Detector

#### References

• User Manual

#### Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.