



## AJAX RX2JxxxxNA Radio Signal Range Extender User Guide

[Home](#) » [ajax](#) » AJAX RX2JxxxxNA Radio Signal Range Extender User Guide 

### AJAX RX2JxxxxNA Radio Signal Range Extender User Guide



Before using the device, we strongly recommend reviewing the User Manual on the website.

**ReX 2 Jeweller** is a radio signal range extender with alarm photo verification support. It is used to expand the radio communication range between the Ajax devices and the hub almost twice.

- **Frequency range:** 905–926.5 MHz (complies with part 15 of the FCC rules)
- **RF Power Density:**  $\leq 0.060$  mW/cm<sup>2</sup>
- **Radio signal range:** up to 5.600 ft (in an open space)
- **Ethernet:** 10/100 Mbps
- **Power supply:** 110–240 V~
- **Backup power supply:** Li Ion 2 Ah (up to 38 hours of autonomous operation)
- **Battery life:** up to 5 years

- **Operating temperature range:** from 14°F to 104°F
- **Operating humidity:** up to 75% non condensing
- **Dimensions:** 6.42 × 6.42 × 1.42
- **Weight:** 14.46 oz

**Complete set:** 1. ReX 2 Jeweller; 2. SmartBracket mounting panel; 3. Power supply cable; 4. Ethernet cable; 5. Installation kit; 6. Quick Start Guide.

**CAUTION: RISK OF EXPLOSION IF BATTERY IS REPLACED BY AN INCORRECT TYPE. DISPOSE OF USED BATTERIES ACCORDING TO THE INSTRUCTIONS.**

#### Contents

[1 FCC Regulatory Compliance](#)

[2 Documents / Resources](#)

[2.1 References](#)

[3 Related Posts](#)

## FCC Regulatory Compliance

**This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:**

(1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

To maintain compliance with FCC's RF Exposure guidelines, This equipment should be installed and operated with a minimum distance between 20 cm the radiator and your body: Use only the supplied antenna.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation

**If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:**

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

**This device contains a licence exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence exempt RSS(s). Operation is subject to the following two conditions:**

1. This device may not cause interference.
2. This device must accept any interference, including interference that may cause undesired operation of the device.

To maintain compliance with ISED's RF Exposure guidelines, this equipment should be installed and operated with a minimum distance of 20 cm between the radiator and your body: use only the supplied antenna.

Warranty: Warranty for Ajax devices is valid for two years after the purchase date. If the device does not work correctly, you should first contact the support service in half of the cases, technical issues can be solved remotely.

**The full text of the warranty is available on the website:**

[www.ajax.systems/warranty](http://www.ajax.systems/warranty).

**User Agreement:** [www.ajax.systems/end](http://www.ajax.systems/end) user agreement.

**Technical support:** [support@ajax.systems](mailto:support@ajax.systems)

The manufacturing date is indicated on a sticker at the bottom of the box. The importer's name, location, and contact details are indicated on the package.

**Manufacturer:** AS Manufacturing LLC.

**Address:** 5 Sklyarenka Str., Kyiv, 04073, Ukraine.


[www.ajax.systems](http://www.ajax.systems)

[ajax.systems/support/devices/motioncamoutdoor](http://ajax.systems/support/devices/motioncamoutdoor)



---

## Documents / Resources

	<p><a href="#">AJAX RX2JxxxxNA Radio Signal Range Extender</a> [pdf] User Guide 2AX5VREX2J1, 2AX5VREX2J1, REX2J1, RX2JxxxxNA, RX2JxxxxNA Radio Signal Range Extender, Radio Signal Range Extender, Signal Range Extender, Range Extender, Extender</p>
---	--

## References

- [User Manual](#)

