

# **AJAX Security IP Camera Mounting Box Installation Guide**

Home » ajax » AJAX Security IP Camera Mounting Box Installation Guide 🖫





Baseline product line Junction Box (118×59) Security IP camera mounting box



## Contents

- 1 Flexible camera installation
- 2 Thoughtfulness in every detail
- 3 Easy installation and maintenance
- 4 Documents / Resources
  - **4.1 References**

#### Flexible camera installation

JunctionBox is a waterproof aluminum mounting box for the Ajax IP cameras' cable management. It provides convenient installation of Ajax cameras on concrete walls, ceilings, or columns both outdoors and indoors. Every detail is thought out to the smallest point, so PRO users can be sure of the reliability and longevity of JunctionBox from Ajax.







# Thoughtfulness in every detail



1. Waterproof cable gland

To protect the cable from damage during installation and operation and to prevent water from entering the mounting box.

2. Two-cable sealing ring

For waterproof connection of PoE cable or both Ethernet and power cables.

3. Grounding terminal

Grounding is carried out by a specialist in compliance with local electrical safety rules and regulations.

## Easy installation and maintenance

Installation template to perfectly match holes

Reusable even after dismantling

Two options for cable gland installation: at the top or at the side

All fastenings are included PRO does not need to take additional mounts to the facility

| Compatibility                                                                                                                                                                                                                                                                                                                                  | Installation                                      | Technical specifications                                                           | Complet                                              |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------|
| Compatible devices BulletCam (5 Mp/2.8 mm) BulletCam (5 Mp/4 mm) BulletCam (8 Mp/2.8 mm) BulletCam (8 Mp/4 mm) DomeCam Mini (5 Mp/2.8 mm) DomeCam Mini (5 Mp/4 mm) DomeCam Mini (8 Mp/4 mm) DomeCam Mini (8 Mp/2.8 mm) TurretCam (5 Mp/2.8 mm) TurretCam (5 Mp/2.8 mm) TurretCam (8 Mp/2.8 mm) TurretCam (8 Mp/2.8 mm) TurretCam (8 Mp/2.8 mm) | Operating temperature range from -40 °C to +60 °C | Color white, black Dimensions 117,14 « 58.3 mm Weight 4689 Material aluminum ADC12 | JunctionI<br>Installatio<br>Installatio<br>Quick sta |



ajax.systems/support/devices/junctionbox/

For detailed information, scan the QR code or follow the link: ajax.systems/support/devices/junctionbox/



support@ajax.systems



@AjaxSystemsSupport\_Bot



ajax.systems



## **Documents / Resources**



AJAX Security IP Camera Mounting Box [pdf] Installation Guide Security IP Camera Mounting Box, Security, IP Camera Mounting Box, Mounting Box, Box

### References

User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.