


AJAX Socket 9NA Remote Control Plug Socket User Guide

[Home](#) » [ajax](#) » AJAX Socket 9NA Remote Control Plug Socket User Guide 

AJAX Socket 9NA Remote Control Plug Socket





Contents

[1 Quick Start Guide](#)

[2 Documents /
Resources](#)

[3 Related Posts](#)

Quick Start Guide

Product name: Remote control plug socket

Socket is a 110-230 V remote control intelligent socket equipped with a power consumption meter. Socket is designed to control electrical appliances that require up to 2.5 kW of power.

Operating frequencies	90 5-9 26.5 MHz FHSS (complies with part 15 of the FCC rules)
RF Power Density	0.0063 mW/ cm 2 (Limit 0.60 mW/ cm 2)
Radio signal range	Up to 3,200 ft (line-of-sight)
Power supply voltage range	110 – 230 V <u>AC</u> ± 10% 50/60 Hz
Device energy consumption	Less than 1 W
Overvoltage protection	Yes, min – 184 V, max 253 V
Maximum load current	11 A (continuous), 13 A (up to 5 s)
Output power (resistive load 230 V)	Up to 2.5 kW
Max. temperature protection	Yes, over 185°F
Operating temperature range	From 32° to 704°F
Operating humidity	Up to 75%1o
Dimensions	2.6 x 1.77 x 1.77 11
Weight	2.05 oz

Complete Set: 1. Socket; 2. Quick Start Guide.

FCC Regulatory Compliance

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

To maintain compliance with FCC's RF Exposure guidelines, This equipment should be installed and operated with a minimum distance between 20cm the radiator and your body: Use only the supplied antenna.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

ISED Regulatory Compliance

This device contains a licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

(1) This device may not cause interference.

(2) This device must accept any interference, including interference that may cause undesired operation of the device.

To maintain compliance with ISED's RF Exposure guidelines, this equipment should be installed and operated with a minimum distance of 20 cm between the radiator and your body: use only the supplied antenna.

Warranty: Warranty for Ajax devices is valid for two years after the purchase date and does not apply to the supplied battery. If the device does not work correctly, you should first contact the support service-in half of the cases, technical issues can be solved remotely! The full text of the warranty is available on the website:

ajax.systems/warranty.

User Agreement: ajax.systems/end-user-agreement.

Technical support: support@ajax.systems

Manufacturer: "AS Manufacturing,, LLC.

Address: 5 Sklyarenka Str.J Kyiv, 040731 Ukraine.

www.ajax.systems

The importer's name, location} and contact details are indicated on the package. The manufacturing date is indicated on a round sticker at the bottom of the box.





[AJAX Socket 9NA Remote Control Plug Socket](#) [pdf] User Guide
SOCKET-NA, SOCKETNA, 2AX5VSOCKET-NA, 2AX5VSOCKETNA, Socket 9NA, Remote Co
ntrol Plug Socket, Control Plug Socket, Plug Socket, Socket