



# AJAX WSJxxxxNA Remote Control Relay User Guide

[Home](#) » [ajax](#) » AJAX WSJxxxxNA Remote Control Relay User Guide 

## Contents

- [1 AJAX WSJxxxxNA Remote Control Relay](#)
- [2 Specifications](#)
- [3 Product Usage Instructions](#)
- [4 FAQ](#)
- [5 Complete set](#)
- [6 FCC Regulatory Compliance](#)
- [7 Warranty:](#)
- [8 Documents / Resources](#)
  - [8.1 References](#)
- [9 Related Posts](#)



**AJAX WSJxxxxNA Remote Control Relay**



Specifications

Unfortunately, the provided text does not contain any information about the product specifications. Please refer to the product user manual or contact our customer support for detailed specifications.

Operating frequencies	905-926.5 MHz FHSS (complies with part 15 of the FC C rules)
RF Power Density	<=0.0300 W
Radio signal range	up to 3,200 ft (line-of-sight)
Power supply voltage range	110-230 V~ ± 10% 50/60 Hz
Device energy consumption	less than 1 W
Overvoltage protection	yes, min – 184 V, max – 253 V
Maximum load current	13A
Output power (resistive load 230 V)	up to 3 kW
Max. temperature protection	yes, over 149°F
Operating temperature range	from 32° to 147°F
Operating humidity	up to 75%
Dimensions	1.54, 1.3, 0.70'
Weight	1,08 oz

Product Usage Instructions

• Step 1: Unpacking

Start by unpacking the product from its packaging. Remove all protective materials and check for any visible damages. If you notice any damages, please contact our customer support immediately.

- **Step 2: Power Supply**

Ensure that the product is connected to a suitable power source. Check the user manual or the product label for the specific power requirements. Use only the provided power adapter and avoid using any incompatible power sources.

- **Step 3: Assembly**

If your product requires assembly, carefully follow the instructions provided in the user manual. Ensure that all parts are securely attached and tightened according to the provided guidelines.

- **Step 4: Initial Setup**

Once the product is powered on, follow the on-screen instructions or refer to the user manual to complete the initial setup process. This may include language selection, date and time settings, and other configuration options.

- **Step 5: Product Operation**

Refer to the user manual for detailed instructions on how to operate the product. Familiarize yourself with the different buttons, controls, and features. Pay attention to any safety precautions mentioned in the manual.

- **Step 6: Maintenance and Cleaning**

To ensure optimal performance and longevity of the product, regular maintenance and cleaning are recommended. Follow the maintenance guidelines provided in the user manual. Use only recommended cleaning agents and avoid exposing the product to excessive moisture.

- **Step 7: Troubleshooting**

If you encounter any issues or difficulties while using the product, refer to the troubleshooting section of the user manual. Follow the suggested solutions or contact our customer support for further assistance.

## **FAQ**

### **Q: What should I do if the product does not turn on?**

**A:** First, make sure the product is properly connected to a power source. Check if the power adapter is securely plugged in. If the issue persists, try using a different power outlet or contact our customer support for further assistance.

### **Q: How often should I clean the product?**

**A:** The frequency of cleaning depends on the product and its usage. Generally, it is recommended to clean the product at least once a month or as per the guidelines provided in the user manual.

Avoid using abrasive materials or harsh chemicals for cleaning.

### **Q: Can I use third-party accessories with the product?**

**A:** It is recommended to use only accessories that are specifically designed for the product. Third-party accessories may not be compatible and could potentially damage the product or void the warranty. Refer to the user manual for a list of recommended accessories.

## **Complete set**

1. WallSwitch Jeweller;
2. Connecting wires – 2 pcs;
3. Quick
4. Start Guide

## **FCC Regulatory Compliance**

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

1. this device may not cause harmful interference, and
2. this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

To maintain compliance with FCC's RF Exposure guidelines, This equipment should be installed and operated with a minimum distance between 20 cm the radiator and your body: Use only the supplied antenna.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

1. Reorient or relocate the receiving antenna
2. Increase the separation between the equipment and receiver.
3. Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
4. Consult the dealer or an experienced radio/TV technician for help.

## **ISED Regulatory Compliance**

This device contains a licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

1. This device may not cause interference.
2. This device must accept any interference, including interference that may cause undesired operation of the device.

To maintain compliance with ISED's RF Exposure guidelines, this equipment should be installed and operated with a minimum distance of 20 cm between the radiator and your body: use only the supplied antenna.

## **Warranty:**

Warranty for Ajax devices is valid for two years after the purchase date. If the device does not work correctly, you should first contact the support service – in half of the cases, technical issues can be solved remotely.

**The full text of the warranty is available on the website:**

[www.ajax.systems/warranty](http://www.ajax.systems/warranty).

**User Agreement:** [www.ajax.systems/end-user-agreement](http://www.ajax.systems/end-user-agreement).

**Technical support:** [support@ajax.systems](mailto:support@ajax.systems)

The manufacturing date is indicated on a sticker at the bottom of the box. The importer's name, location, and contact details are indicated on the package.


**Manufacturer:** AS Manufacturing" LLC.

**Address:** 5 Sklyarenka Str., Kyiv, 04073, Ukraine.

[www.ajax.systems](http://www.ajax.systems)

---

Documents / Resources

	<a href="#">AJAX WSJxxxxNA Remote Control Relay</a> [pdf] User Guide 2AX5VWLSWJ1, wlswj1, WSJxxxxNA, WSJxxxxNA Remote Control Relay, Remote Control Relay, Control Relay, Relay
---	--

References

- [User Manual](#)