



AJCLOUD 792JBU Smarteye IP Camera Installation Guide

[Home](#) » [AJCLOUD](#) » [AJCLOUD 792JBU Smarteye IP Camera Installation Guide](#) 

Contents


- [1 AJCLOUD 792JBU Smarteye IP Camera](#)
- [2 Product hardware diagram](#)
- [3 Preparations](#)
- [4 Download and Install](#)
- [5 Wireless access method](#)
- [6 Advanced Features](#)
- [7 FAQ](#)
- [8 FCC WARNING](#)
- [9 Documents / Resources](#)
- [10 Related Posts](#)



AJCLOUD 792JBU Smarteye IP Camera



Product hardware diagram



1. Antenna
2. Photoresistance
3. Lens
4. Microphone
5. Night vision LED
6. RJ45 interface

7. USB interface
8. Reset button
9. Indicator light
10. TF card slot

Preparations

Check whether the wireless router is in normal use, and then connect the mobile phone to the WiFi network. If it is a dual-band router, please connect to a 2.4G WiFi network.



Download and Install

1. Go to the App Store or Google Play to search and download “AJCloud” APP to your supported devices. Or please scan below QR code to download “AJCloud” to your Android or Apple device.



2. Open the “AJCloud” APP and register an account using your email. Tips: Your password must be 8-16 characters, and at least contain the following three categories: numbers, uppercase letters, lowercase letters, special characters.

Wireless access method

The device is placed from a position close to the router.



Advanced Features

Cloud storage

After cloud storage is turned on, emergency video information can be saved in a cloud server. Avoid data loss or damage.

Motion Detection

Support to capture moving objects and automatically trigger recording of 10S short video. Push APP alarm information in real-time.

Two-way voice

support voice function while watching videos online. Also available online two-way conversation.

24/7 monitoring

Built-in IRCUT device, coupled with photosensitive components, to achieve 24/7 HD video viewing.

TF card local storage

Built-in TF card slot, users can also save the recorded video on the local TF card.

Device sharing

You can share the device bound to your account to family and friends for common use. Can be revoked at any time share, you are an administrator.

FAQ

According to the status of the indicator, self-test can be completed:

Indicator status	Device status
Red light lash s slowly	The device is powered on
Red and blue flash slowly alternately	The device is waiting to configuration
The blue light flashes quickly ad the changes to slow las h g	Th device configuration the network
Steady blue light	The device is successfully connected to the network
Blue light flashes slowly	Network Offline
	Device to factory settings

Red light lash s quickly

Device firm ware upgrded

Or you can open the APP-About Me-FAQ. View corresponding solutions.

Precautions

1. explosion, or other hazards.
2. This product and accessories include some small accessories. Keep the product and its accessories out of the reach of children. Prevent children from inadvertently damaging products and accessories. Or swallowing small parts causing suffocation or other hazards.
3. This product is not a toy, children should use the product under adult supervision.
4. Please use this product within the temperature range of -10° C~ 50°C.
5. Do not use this product in thunderstorm weather. Thunderstorm weather may cause product malfunction or electric shock hazard.
6. When using this product. Please stay away from electrical appliances

Manufacturer's Name: Shenzhen Smart-eye Digital Electronics Co., Ltd Sample Description: IP Camera Model number: 792JBU Operating Temperature: -10° C to 40° C

maintained between the user's body and the device, including the antenna. Use only the supplied or an approved antenna. relevant provisions of Directive 2014/53/EU. All essential radio test suites have been carried out.

CAUTION : RISK OF EXPLOSION IF BATTERY IS REPLACED BY AN INCORRECT TYPE. DISPOSE OF USED BATTERIES ACCORDING TO THE INSTRUCTIONS 20cm from your body

FCC WARNING

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. television reception, user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Documents / Resources



[AJCLOUD 792JBU Smarteye IP Camera](#) [pdf] Installation Guide
792JBU, ZCB-792JBU, ZCB792JBU, 792JBU, Smarteye IP Camera

Manuals+