



AKG Y-100 Wireless Calling System User Manual

Home » AKG » AKG Y-100 Wireless Calling System User Manual

Contents

- 1 AKG Y-100 Wireless Calling System
- **2 Product Information**
- **3 Product Usage Instructions**
- **4 How To Register SHORT RING**
- **5 How To Register LONG RING**
- **6 Restore Factory Settings**
- 7 FCC
- 8 Documents / Resources
 - 8.1 References
- 9 Related Posts



AKG Y-100 Wireless Calling System



Product Information

Specifications

• Ring Tone Options: Short Ring, Long Ring

• Volume Levels: 4 adjustable levels

• Mute Mode: Not available

• Compliance: FCC Part 15, FCC radiation exposure limits

Product Usage Instructions

How to Restore Factory Settings

To restore the factory settings of the caregiver pager, follow these steps:

- 1. Hold down the volume key for about 10 seconds until the red light stays on continuously.
- 2. The red light indicates that the factory settings have been successfully restored.

How to Register Short Ring

To register a short ringtone, follow these steps:

1. Select the desired ringtone by pressing the key.

- 2. Hold down the volume key for about 3 seconds until the red light quickly flashes.
- 3. Press a transmitter to register.
- 4. If you hear a ding-dong sound, it means the registration is successful.
- 5. The pager will automatically exit to standby mode.
- 6. If no action is taken within 6 seconds after registering, the pager will automatically exit to standby mode.

Note: In standby mode, you can adjust the ring tone by pressing the key. Pressing the key will update the ring tone regardless of whether the transmitter is pressed or not.

How to Register Long Ring

To register a long ringtone, follow these steps:

- 1. Select the desired ringtone by pressing the key.
- 2. Hold down the volume key for about 3 seconds until the red light quickly flashes.
- 3. Continue to press and hold until the red light turns into a slow flashing state.
- 4. Press a transmitter to register.
- 5. If you hear a ding-dong sound, it means the registration is successful.
- 6. The pager will automatically exit to standby mode.
- 7. If no action is taken within 6 seconds after registering, the pager will automatically exit to standby mode.

Note: In standby mode, you can adjust the volume but cannot select the ring tone. The device has 4 adjustable volume levels and does not have a mute mode.

FAQ

- Q: Can I stop the call during a long ringtone?
 - A: Yes, you can press the key and volume key simultaneously to stop the call.
- Q: What are the compliance standards for this device?
 - A: This device complies with part 15 of the FCC Rules. It must not cause harmful interference and must accept any interference received. It also complies with FCC radiation exposure limits for an uncontrolled environment.
- Q: What is the recommended distance between the radiator and my body?
 - A: This equipment should be installed and operated with a minimum distance of 0cm between the radiator and your body.

How To Register SHORT RING

The ring will stop automatically after two consecutive reminders

- 1. After selecting the ring tone that you need by key, hold down the volume key for about 3 secs until red light quickly flashes.
- 2. Then press a transmitter to register, a ding-dong sound that means the registration is successful, then automatically exit to standby. Or no action within 6 seconds after registering, it will automatically exit to standby

Provided that the transmitter is registered:

- In standby, you can adjust the ring tone by pressing the Feekey;
- If you press the key , the current ring tone will be overwritten and updated to the new one, regardless of whether the transmitter is pressed or not.

How To Register LONG RING

The ring will keep cycling unless the call is canceled manually.

- 1. After selecting the ring tone that you need by key, hold down the volume key for about 3 seconds until a red light quickly flashes. Continue to press and hold until the red light turns into a slow flashing state.
- 2. Then press a transmitter to register, a ding-dong sound that means the registration is successful, then automatically exit to standby. Or no action within 6 secs after registering, it will automatically exit to standby.

Note: You can press and volume key to stop the call. In standby, you can adjust the volume but can not select the ring tone.

3. levels adjustable volume, no mute mode.

Restore Factory Settings

Hold down the volume key for about 10 secs until the red light is long, indicating that the factory settings have been successfully restored.

FCC

This equipment has been tested and found to comply with the limits for a Class B digital device, under part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used by the instructions, maycause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and the receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by the manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with a minimum distance 0cm between the radiator and your body.

Documents / Resources



AKG Y-100 Wireless Calling System [pdf] User Manual Y-100 Wireless Calling System, Y-100, Wireless Calling System, Calling System

References

• User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.