

ALARM COM ADC-CSVR2000P Commercial Stream Video Recorder



ALARM COM ADC-CSVR2000P Commercial Stream Video Recorder Instruction Manual

[Home](#) » [ALARM COM](#) » ALARM COM ADC-CSVR2000P Commercial Stream Video Recorder Instruction Manual



Contents

- [1 ALARM COM ADC-CSVR2000P Commercial Stream Video Recorder](#)
- [2 Product Usage Instructions](#)
- [3 Specifications](#)
- [4 Overview](#)
- [5 Features](#)
- [6 Included accessories](#)
- [7 Documents / Resources](#)
 - [7.1 References](#)
- [8 Related Posts](#)



ALARM COM ADC-CSVR2000P Commercial Stream Video Recorder



Specifications

- **Recording channels:** Up to 16 cameras
- **Video input:** 16 channels @ up to 4MP (2688 x 1520)
- **Local display capabilities:** Live View, Playback, Clip Export, Archive Export
- **Local display output:** 2x HD Out, up to 3840 x 2160
- **Local clip export:** 1x USB 3.0 (front), 2x USB 3.0 (rear)
- **Recommended [Alarm.com](https://www.alarm.com) cameras:** VC827P, VC847PF, VC728PF, VC838PF, VC726, VC736, VC826, VC836, V523 (via ethernet)
- **Ethernet connectivity:** 1x Client RJ45 10/100/1000 Mbps, 1x Camera RJ45 10/100/1000 Mbps
- **Internal storage:** Up to 2x 3.5 HDD, SATA 6 Gb/s, 16TB each
- **Dimensions (WxDxH):** 14.4 x 12.5 x 1.9 (36.6 x 31.6 x 4.8 cm)
- **Power adapter:** 12 VDC, 60 W max
- **Max weight:** 8.2 lbs (3.7 kg)
- **Compliance:** FCC Class A, IC, CE, UL Listed
- **Requirements:** Power – Standard electrical outlet; Network -Ethernet connection to broadband Internet

Product Usage Instructions

Overview

- The Alarm.com Commercial Video is designed for commercial properties and integrates with the [Alarm.com](https://www.alarm.com) for Business platform.
- It offers features like automatic event tagging and remote access to recorded videos through the [Alarm.com](https://www.alarm.com) mobile app or website.

Features

- Cloud-managed storage solution for 24/7 local video recording
- Supports continuous recording of up to 16 camera streams at up to 4MP resolution with [Alarm.com](https://www.alarm.com) Pro Series cameras
- Compliant with Section 889 of the NDAA

Setup

1. Connect the CSV2000P to a power source using the provided power adapter
2. Connect the CSV2000P to a broadband Internet network via the Ethernet port
3. Connect up to 16 cameras to the CSV2000P for video input
4. Configure the system settings and preferences through the Alarm.com platform

Usage

1. Access live video feeds and playback recordings through the local display capabilities
2. Export clips and archives locally via the USB ports
3. Monitor important events by reviewing tagged footage on the Alarm.com mobile app or website

FAQ:

Q: How many cameras can be connected to the CSV2000P?

A: The CSV2000P supports up to 16 cameras for video input.

Q: What is the maximum resolution supported by the CSV2000P?

A: The CSV2000P supports video input at up to 4MP resolution (2688 x 1520).

Q: How can I export recorded clips from the CSV2000P?

A: You can export clips locally using the USB ports available on the device.

Specifications

- **Recording channels:** Up to 16 cameras
- **Video input:** 16 channels @ up to 4MP (2688 x 1520)
- **Local display capabilities:** Live View, Playback, Clip Export, Archive Export
- **Local display output:** 2x HD Out, up to 3840 x 2160
- **Local clip export:** 1x USB 3.0 (front), 2x USB 3.0 (rear)
- **Recommended Alarm.com cameras:** VC827P, VC847PF, VC728PF, VC838PF, VC726, VC736, VC826, VC836, V523 (via ethernet)
- **Ethernet connectivity:** 1x Client RJ45 10/100/1000 Mbps, 1x Camera RJ45 10/100/1000 Mbps
- **Internal storage:** Up to 2x 3.5" HDD, SATA 6 Gb/s, 16TB each
- **Dimensions (WxDxH):** 14.4 x 12.5 x 1.9" (36.6 x 31.6 x 4.8 cm)
- **Operating temperature:** 32°F – 104°F (0°C – 40°C)
- **Power adapter:** 12 VDC, 60 W max
- **Max weight:** 8.2 lbs (3.7 kg)
- **Compliance:** FCC Class A, IC, CE, UL Listed

Requirements:

- **Power:** Standard electrical outlet
- **Network:** Ethernet connection to broadband Internet

Overview

- [Alarm.com](#) Commercial Video is a powerful, easy-to-use solution for commercial properties that integrates with the Alarm.com for Business platform.
- As part of the platform, recorded video is automatically tagged with important events, like a door being accessed or an alarm activation. This allows you to quickly jump to footage of the event using the [Alarm.com](#) mobile app or website—anytime, anywhere.
- The CSV2000P Pro Series Commercial SVR is a cloud-managed storage solution for 24/7 local video recording. Continuously record up to 16 camera streams at up to 4MP resolution when using [Alarm.com](#) Pro Series cameras.
- The [Alarm.com](#) Pro Series CSV2000P is compliant with Section 889 of the NDAA and is not produced by any entity identified on the FCC's Covered List.


Features

- Simplified networking with discrete RJ45 port for dedicated camera network
- Local storage on one or two hard drives
- Rack-compatible (1U) industrial design
- Outputs for up to 2 4K monitors
- USB 3.0 outputs for fast video clip export

Included accessories


- AC power adapter
- Ethernet cable
- Rack mount ears

1. Network LED
2. Status LED
3. Power LED
4. USB port
5. Power input
6. HD Out ports
7. USB ports
8. Client RJ45 port
9. Camera RJ45 port



- **ADC-CSVR2000P**
- www.alarm.com
- © 2022 Alarm.com. All rights reserved. 220401

Documents / Resources

 <p>Commercial Stream Video Recorder ADC-CSVR2000P</p>	<p>ALARM COM ADC-CSVR2000P Commercial Stream Video Recorder [pdf] Instruction Manual</p> <p>ADC-CSVR2000P Commercial Stream Video Recorder, ADC-CSVR2000P, Commercial Stream Video Recorder, Stream Video Recorder, Video Recorder, Recorder</p>
---	--

References

- [Alarm.com | Best Smart Security Alarm & Monitoring Systems](#)
- [User Manual](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.