



aldes EFL L 39 dB Humidity Controlled Air Inlets Owner's Manual

[Home](#) » [aldes](#) » aldes EFL L 39 dB Humidity Controlled Air Inlets Owner's Manual 

aldes EFLL 39 dB Humidity Controlled Air Inlets



Contents

- [1 PRODUCT BENEFITS](#)
- [2 REGLEMENTATIONS AND COMPLIANCES](#)
- [3 Principles of operation](#)
- [4 Product description](#)
- [5 Fields of application](#)
- [6 Installation](#)
- [7 Main characteristics](#)
- [8 Accessories](#)
- [9 General data](#)
- [10 Dimensional data](#)
- [11 Airflow data](#)
- [12 Acoustic data](#)
- [13 Installation](#)
- [14 Customer Support](#)
- [15 Documents / Resources](#)
 - [15.1 References](#)
- [16 Related Posts](#)

PRODUCT BENEFITS

- soundproofing up to 43 dB,
- air jet oriented towards the ceiling,
- no visible screw attachment.

REGLEMENTATIONS AND COMPLIANCES

Identification no. QB37 : 05/02-CHY1-2267;05/02-CHY1-2266;05/02-CHY2-2185

Technical Opinion no. : 14.5/17-2266;14.5/17-2267; 14.5/17-2185

Principles of operation

EFL supplies the dwelling with fresh air via a slot in the joinery and a cowled terminal on the outside wall. EFL is adjustable, the same inlet can deliver all the regulatory fixed airflows.

Product description

EFL is a fixed air inlet for installation in woodwork on an individual house or apartment. EFL features acoustic insulation of 39 dB. Available in a range of colours.

Fields of application

Multi-occupancy residential housing, Individual residential housing, New, Refurbishment.

Installation

- EFL air inlets must only be installed in the main rooms of the dwelling: bedrooms, living room, lounge, etc.
- EFL inlets must be installed inside dwellings, in the upper part of windows or on the vertical panel of a roller shutter box,
- the incoming airflow must be oriented towards the ceiling,
- requires a double slot 2 x (172 x 12) mm.

Main characteristics

- fixed acoustic air inlet,
- for installation on joinery,
- exists in different colours.

Accessories


Designations	Variants
Louvre cover – White	11011237
Standard cover – Light Oak	11011274
Woodwork cover – Anthracite	11011424
Woodwork cover – Ivory	11011699
Woodwork cover – Aluminium	11011753
Woodwork cover – Black	11011813
Woodwork cover – Brown	11011814
Woodwork cover – Oak	11011815
Woodwork cover – White	11011988
Acoustic cover for EHL, EA and EHB2 – White	11011972
Acoustic cover for EHL, EA and EHB2 – Aluminium	11011755
Acoustic cover for EHL, EA and EHB2 – Light Oak	11011271
Acoustic cover for EHL, EA and EHB2 – Brown	11011260
Acoustic cover for EHL, EA and EHB2 – Oak	11011261
Acoustic cover for EHL, EA and EHB2 – Black	11011262
Acoustic cover for EHL, EA and EHB2 – Ivory	11011263
Acoustic cover for EHL, EA and EHB2 – Anthracite	11011425
Anti-insect acoustic cover for EHL, EA and EHB2 – White	11011426
APP rain hood cover woodwork – White	11011901
Long adapter flange – White	11011413
Long adapter flange – Oak	11011414
Long adapter flange – Brown	11011415
Long adapter flange – Aluminium	11011417
Long adapter flange – Light Oak	11011418
Long adapter flange – Ivory	11011419
Long adapter flange – Black	11011416

General data

Variants	Main material	Colour
11014140	Plastic	Silver

Dimensional data

Variants	H (mm)	w (mm)	L (mm)	Slot (mm)	DC_R_SECTION_(DATE) (cm ²)
11014140	44	56	418	2 x (172 x 12)	16-21-32




Airflow data

Variants	Airflow (m ³ /h)
11014140	22/30/45

Acoustic data

Variants	Dnew (Ctr) with standard cover (dB)	Dnew (Ctr) with acoustic cover (dB)
11014140	39	41

Installation



Mise en oeuvre entree d'air EHLL

Customer Support

EFL is a fixed air inlet for installation in woodwork on an individual house or apartment.

www.aldes.com

Contact We reserve the right to make changes without notice





Documents / Resources

	<p>aldes EFL L 39 dB Humidity Controlled Air Inlets [pdf] Owner's Manual</p> <p>EFL L 39 dB Humidity Controlled Air Inlets, EFL L 39 dB, Humidity Controlled Air Inlets, Controlled Air Inlets, Air Inlets</p>
---	--

References

- [Aldes, at the heart of buildings](#)
- [User Manual](#)

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.