

ALLEGION L400 Series Indicator Gen 2 Indicator



# ALLEGION L400 Series Indicator Gen 2 Indicator Instructions

[Home](#) » [Allegion](#) » ALLEGION L400 Series Indicator Gen 2 Indicator Instructions 

## Contents

- [1 ALLEGION L400 Series Indicator Gen 2 Indicator](#)
- [2 Product Specifications](#)
- [3 Door Edge Preparations](#)
- [4 Standard Trim Side](#)
- [5 Case and Strike Dimensions](#)
- [6 Deadbolt and Latchbolt Holes](#)
- [7 Millimeter Measurements](#)
- [8 Door Preparation Template](#)
- [9 Documents / Resources](#)
  - [9.1 References](#)



ALLEGION L400 Series Indicator Gen 2 Indicator



## Product Specifications

- Product Name: L400-Series Gen 2 Indicator
- Functions: L462, L463
- Trim: Outside Inside Dual
- Sectional Escutcheon
- Strike Armor Front
- Handing: Left Hand (LH) Door Shown

## Door Edge Preparations

Refer to template LG4 for door edge preps. Use the provided dimensions for accurate door edge preparations.


## Standard Trim Side

Indicator Side	Trim
Outside	Sectional
Inside	Escutcheon
Dual	

- .500 (13) – Dimension A
- 1.125 (29) – Dimension B
- 1.250 (32) – Dimension C
- 781 (71) – Dimension D

## Case and Strike Dimensions

Refer to Template LG2 for case and strike dimensions. Ensure proper measurements are taken for installation.



### Wire Routing

If applicable, refer to Template LG2 for information on preparing the door for wire routing. Follow the guidelines to ensure correct wire routing.

### Deadbolt and Latchbolt Holes

Armor front deadbolt, auxiliary latch, and latch bolt holes are shown for dimensional purposes only. Use the provided measurements for accurate hole preparation.

### Millimeter Measurements

Dimensions shown in parentheses are in millimetres. Please use millimetre measurements for precise installations.

### Door Preparation Template

Refer to template LG219 for detailed door preparation instructions. Follow the template guidelines for proper door preparation. Refer to Template LG2 for case and strike dimensions and if applicable information to prepare the door for wire routing. Armor front deadbolt, auxiliary latch and latch bolt holes are shown for dimensional purposes only. Use door edge measurements for door preparation.


Dimensions shown in parentheses are in millimetres.

Drawing not to scale.

2024 Allegion

LG219 Rev. 03/24

## Documents / Resources

	<p><a href="#">ALLEGION L400 Series Indicator Gen 2 Indicator</a> [pdf] Instructions L462, L463, L400 Series Indicator Gen 2 Indicator, Series Indicator Gen 2 Indicator, Indicator Gen 2 Indicator, Gen 2 Indicator, 2 Indicator, Indicator</p>
---	--

## References

- [Allegion US | Redefining Access Control & Commercial Security](#)
- [User Manual](#)

### Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.