


ALLNET ALL-SG8005 Switch Unmanaged Layer



ALLNET ALL-SG8005 Switch Unmanaged Layer User Guide

[Home](#) » [ALLNET](#) » ALLNET ALL-SG8005 Switch Unmanaged Layer User Guide 

Contents

- [1 ALLNET ALL-SG8005 Switch Unmanaged Layer](#)
- [2 Product Information](#)
- [3 Highlights](#)
- [4 Technical Details](#)
- [5 Contact](#)
- [6 Documents / Resources](#)
 - [6.1 References](#)



ALLNET ALL-SG8005 Switch Unmanaged Layer



Product Information

Specifications

- **EAN CODE:** 4038816215277
- **Model No.:** ALL-SG8005
- **Interface:** 5x 10/100/1000/Mbps RJ45 Ports AUTO Negotiation/AUTO MDI/MDIX
- **Switching Capacity:** 10 Gbps
- **Housing:** Metal Case
- **Power Input:** External Power adapter 5V DC/1A
- **LED:** Power, 10/100M, 1000M, LINK, ACT
- **Fan:** Fanless
- **Transfer Method:** Store and forward
- **Dimension:** Product Size – 84*48*25.6mm, Box Size – 85*52*70mm
- **Weight:** Product Weight – 111g

FAQ

- **Q:** How many ports does the switch have?
 - **A:** The switch has 5 RJ45 ports for network connectivity.
- **Q:** What is the switching capacity of the switch?
 - **A:** The switching capacity of the switch is 10 Gbps.

Highlights

- Plug and play, easy to install.

- Transmission Distance up to 150Meters, speed up to 1,000 Mbps.
- Power Consumption 85% Reduction
- Complies with IEEE802.3, IEEE802.3u standards.
- 5 10/100/1000Mbps Auto-Negotiation RJ45 ports, Add up to five devices to a local network.
- Supporting Auto-MDI/MDIX.
- Supports IEEE802.3x flow control for Full Duplex mode and backpressure for half-duplex mode.
- Supports MAC address auto-learning and auto-aging.
- LED indicators for monitoring power, link, activity.
- Metal Case, Durable, Compact Design

Accelerate the performance of your local wired network with the 5-Port Business Desktop Gigabit Switch. It is offering five gigabit Ethernet auto-sensing ports with wired connection speeds of up to 1,000 Mbps, this unmanaged switch lets your home or office to expand its local network and send large files to servers, drives, and printers at gigabit speed. With plug-and-play convenience and auto-sensing ports that automatically optimize speed for each connected device, offers a quick and easy solution for extending your office or home network.

Technical Details

Model No.	ALL-SG8005
Interface	5x 10/100/1000/Mbps RJ45 Ports AUTO Negotiation/AUTO MDI/MDIX

Chip	EN8850
Switching Capacity	10 Gbps
Housing	Metal Case
Power Input	External Power adapter 5V DC/1A.
LED	Power, 10/100M,1000M, LINK, ACT
Fan	Fanless
Transfer Method	Store and forward
Dimension	Product Size: 84*48*25.6mm. Box Size: 85*52*70mm
Weight	Product Weight: 111g. Product with Box Weight: 198g
Advanced Functions	Green Technology, saving power up to 85% 802.3X Flow Control Back Pressure Auto-Uplink Every Port
Environment	Operating Temperature: 0°C ~ 40°C (32°F~104°F) Storage Temperature: -20°C ~ 70°C (-4°F~158°F) Operating Humidity: 10%~90% non-condensing. Storage Humidity: 5%~90% non-condensing
Package Contents	5-Port 10/100/1000Mbps Unmanaged Desktop Switch Power Adapter

Attributs

Attribute / value

- **Number of ports PoE/LAN:** 0/5
- **Ventilation Switch:** Fanless
- **Location of switch:** desktop
- **LAN Speed:** 1Gbit/s;
- **Poids:** 0.198 kg
- **Guarantee:** 24.00 Mois

Accessories

- No. d'article / Désignation
 - 215535 / ALLNET Switch zbh. Magnet mounting for ALL-SG8005 & ALL-SG8008

Contact

ALLNET GmbH


- Maistraße 2 – 82110 Germering
- sales@allnet.de
- www.allnet.de
- 089 / 894 222 22

EAN CODE



Errors and omissions reserved.

Documents / Resources

	<p>ALLNET ALL-SG8005 Switch Unmanaged Layer [pdf] User Guide ALL-SG8005 Switch Unmanaged Layer, ALL-SG8005, Switch Unmanaged Layer, Unmanaged Layer</p>
-------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

References

-  [TCPDF](#)
- [User Manual](#)

[Manuals](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.