



allscreen S32PF3-Y Smart Mobile Screen Instruction Manual

[Home](#) » [allscreen](#) » allscreen S32PF3-Y Smart Mobile Screen Instruction Manual 

Contents

- [1 allscreen S32PF3-Y Smart Mobile Screen](#)
- [2 Product Information](#)
- [3 Product Usage Instructions](#)
- [4 Features](#)
- [5 Parameters](#)
- [6 Dimension](#)
- [7 Documents / Resources](#)
 - [7.1 References](#)



allscreen S32PF3-Y Smart Mobile Screen



Product Information

Specifications

- **Model:** S32PF3-Y
- **Screen Size:** 32 inches
- **Backlight:** ELED
- **Resolution:** 1920 x 1080
- **Touch Screen Type:** Capacitive optical bonding
- **Operating System:** Android 10.0
- **CPU:** ARM Dual Core A72 + Quad Core A53
- **RAM:** 4GB
- **ROM:** 64GB
- **Internet Peripherals:** Wifi6, Bluetooth V5.2
- **Speaker:** Dual 5W speakers
- **USB Ports:** USB 2.0 x 1, USB 3.0 x 1
- **Rear Input Interfaces:** Mini HDMI IN x 1, Type-C IN x 1, EARPHONE OUT x 1
- **Charging Interface:** DC Plug 5.5*2.5MM, 19V/4.7A power input
- **Adjustments:** Up/Down, Rotation, Tilt, OSD Menu
- **Battery Capacity:** Not specified

- **Operation Environment:** Temperature: 0-45°C, Humidity: 80% RH (No condensation)
- **Storage Environment:** Temperature: -10-50°C, Humidity: 60% RH (No condensation)

Product Usage Instructions

Setting Up the Smart Mobile Screen

1. Place the screen on a stable surface in a well-ventilated area.
2. Connect the power cord to the DC Plug and plug it into a power outlet.
3. If required, connect external devices using the available input interfaces.
4. Power on the screen using the remote control or the power button on the device.

Using the Touch Screen

The capacitive touch screen allows for intuitive interaction with the device. Simply touch the screen with your finger to navigate menus, apps, and content.

Connecting Peripherals

You can connect USB devices to the available USB ports for data transfer or charging. Use the appropriate ports based on the device specifications.

Adjusting Display Settings

You can adjust the screen position by tilting it forwards or backward, rotating it clockwise or counterclockwise, and accessing on-screen display (OSD) menus for further customization.

Frequently Asked Questions (FAQ)

- Q: Can I connect my smartphone to the Smart Mobile Screen?
A: The Smart Mobile Screen supports external devices with HDMI or Type-C output. You can connect compatible smartphones for screen mirroring or content display.
- Q: What is the warranty coverage for the product?
A: The product comes with a warranty card and a Certificate of Conformity. Please refer to the warranty card for details on coverage and duration.

Model: S32PF3-Y

Features

1. ALL SCREEN Smart Mobile Screen adopts full-screen (frameless) capacitive optical bonding touch technology, which equips it with a high colour gamut, gorgeous and natural colours, high display restoration, and a large screen viewing angle.
2. The surface of the screen is covered with etched tempered glass, whose hardness reaches up to Mohs level 7 to ensure safety and reliability.
3. The screen has a built-in highly reliable Li-ion phosphate battery, which has a long circle life and can play online videos for over 5 hrs at max brightness. And it comes with a 19V/90W fast-charging charger.
4. The smart screen is equipped with a telescopic mobile stand with a total 180° rotation (Clockwise 90°, Counterclockwise 90°), 52° tilt (Forwards 26°, Backwards 26°), and 15 cm height adjustments to meet multiple




- demands. The bottom of the stand adopts silent universal wheels, which move easily, fast and with low noise.
5. It supports wireless screen sharing to easily share screens from mobile phones, computers and other devices.
 6. It builds in high-power NdFeB cavity speakers and rich interfaces, such as Type-c, Mini HDMI, and USB3.0.
 7. It supports active pen, and 4096 levels of pressure sensitivity, which restores the real experience of painting and writing.


Parameters

LCD Panel	Screen Size	32"
	Back-light	ELED
	Resolution	1920*1080
Capacitive Touch Specs	Touch Screen Type	Capacitive optical bonding
	Surface Process	Edging AG
System Properties	Version	Android 10.0
	CPU	ARM Duel Core A72+Quad Core A53
	RAM	4GB
	ROM	64GB
Internet	Wi Fi/Bluetooth	Wifi6, supports dual-band 2.4G/5G Bluetooth V5.2
Peripherals	Speaker	8Ω 5W*2
	Switch	Switch
Rear Input Interface	USB 2.0 *1	Connect a USB device
	USB 3.0*1	Connect a USB device
	Mini HDMI IN *1	External device with HDMI output
	Type- c IN*1	External devices with Type-C output Support 5V/3A output to charge peripherals
	EARPHONE OUT*1	External device with 3.5-pin audio input
Charging Interface	DC Plug 5.5*2.5MM	19V/4.7A power input
Adjustments	Up/Down	15 CM
	Rotation (Clockwise/Counterclockwise)	90°
	Tilt(Forwards/Backwards)	26°
Language	OSD Menu	Simplified Chinese, English
Operation Environment	Battery Capacity	Li-Ion Phosphate 18000mAh
	Operation Temperature	0 45°C
	Storage Temperature	-10 50°C
	Working Humidity	≤80 RH (No condensation)
	Warehouse Humidity	≤60 RH (No condensation)


Structure	G.W.	25KG
	N.W.	19KG
	Smart Screen Dimension	See the dimensional drawings below
	Package Dimension	1400*600*200mm
	Shell Material	Plastic
	Shell Color	White
Accessories	Remote Control	*1
	Adaptor	*1
	Power Cord	*1
	Certificate of Conformity	/
	Warranty Card	/
	User Manual	/
	Screws	1 Set

Dimension





Documents / Resources

	<p>allscreen S32PF3-Y Smart Mobile Screen [pdf] Instruction Manual S32PF3-Y, S32PF3-Y Smart Mobile Screen, Smart Mobile Screen, Mobile Screen, Screen</p>
---	---

References

- [User Manual](#)

[Manuals+.](#) [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.