

## **ALPINE HDZ-653 Component System Owner's Manual**

Home » Alpine » ALPINE HDZ-653 Component System Owner's Manual

#### **Contents**

- 1 ALPINE HDZ-653 Component
- **System**
- **2 CONTENTS**
- **3 EXTERNAL DIMENSIONS**
- **4 WIRING CONNECTION**
- **5 INSTALLATION**
- **6 SPECIFICATIONS**
- 7 Documents / Resources
- **8 Related Posts**




### **ALPINE HDZ-653 Component System**



		HDZ-653		HDZ-65C	
Woofer	1		×2		×2
	2		×2		×2
	3	Ø4×30 mm	×8	Ø4×30 mm	×8
	4		×8	<b>\$</b>	×8
Midrange Speaker	(5)		×2		
	6		×2		
	Ī	∲3 × 30 mm	×8		
Tweeter	8		×2		×2
	9	0	×2	0	×2
Network	10		×2		×2
	11)	φ3 × 30 mm	×8	<b>Ø</b> <i>φ</i> 3×30 mm	×4
	12	Ø	×8	Ø φ9-φ3.2-0.5t	×4
	13				×4
	14)				×4


### ■ Woofer (HDZ-653/HDZ-65C)

### ■ Woofer (HDZ-653/HDZ-65C)




# ■ Midrange Speaker (HDZ-653)

## ■ Haut-parleur médium (HDZ-653)




### ■ Tweeter (HDZ-653/HDZ-65C)

## ■ Tweeter (HDZ-653/HDZ-65C)




## ■ Network (HDZ-653)

■ Filtre (HDZ-653)




■ Network (HDZ-65C)

■ Filtre (HDZ-65C)




#### WIRING CONNECTION

### ■ HDZ-653




### ■ HDZ-65C



#### **INSTALLATION**


## ■ Woofer (HDZ-653/HDZ-65C)

## ■ Woofer (HDZ-653/HDZ-65C)




## ■ Midrange Speaker (HDZ-653)


## ■ Haut-parleur médium (HDZ-653)




## ■ Tweeter (HDZ-653/HDZ-65C)

## ■ Tweeter (HDZ-653/HDZ-65C)







		HDZ-653	HDZ-65C	
	Woofer	6-1/2"(16.5 cm) Carbon Cone	6-1/2"(16.5 cm) Carbon Cone	
Units Type	Midrange Speak er	3-1/2"(8.9 cm) Carbon Cone		
	Tweeter	1-1/4"(3.2 cm) Carbon Cone	1-1/4"(3.2 cm) Carbon Cone	
Maximum Peak Power		300 Watts in system	300 Watts in system	
Maximum RMS Power		100 Watts in system	100 Watts in system	
Impedance		4 ohms	4 ohms	
Sensitivity		88 dB SPL (2.83 V @ 1 m)	88 dB SPL (2.83 V @ 1 m)	
Frequency Response		55 Hz to 40 kHz	55 Hz to 40 kHz	
Mounting Deps/Drop-i	Woofer	2-3/4" (6.7 cm)	2-3/4" (6.7 cm)	
n Mounting	Midrange Speak er	1-9/16" (3.9 cm)		
	Woofer	5-5/8" (14.2 cm)	5-5/8" (14.2 cm)	
Cutout Diameter	Midrange Speak er	3-1/8" (7.9 cm)		
Recommended Amplific	ation	Up to 100 watts RMS. per channel	Up to 100 watts RMS. per chan	

Design and specifications are subject to change without notice.

- 1. RMS Power / Peak power specified on this product is the value in 3way (HDZ-653) / 2way (HDZ-65C) system connected to passive network included in this package.
  - Using each speaker connected directly to amplifier without using designated network will void your warranty.
- 2. This product contains a high-performance tweeter.
  - If there is a tweeter already installed in your car, you must disconnect its terminal.
  - If you leave the original tweeter connected and connect this product in parallel, fault may occur in this product.

#### **Documents / Resources**



Manuals+,