



ALPINE RUE-4190 Universal Remote Controller Owner's Manual

[Home](#) » [Alpine](#) » ALPINE RUE-4190 Universal Remote Controller Owner's Manual 



RUE-4190

Universal Remote Controller
Owner's Manual

Contents

- [1 RUE-4190 Universal Remote Controller](#)
- [2 Handling Precautions](#)
- [3 Installation of Remote Control Holder](#)
- [4 Battery Replacement](#)
- [5 In Case of Difficulty](#)
- [6 Specifications](#)
- [7 Accessories](#)
- [8 Map type Navigation Control Mode](#)
- [9 Head Unit Control Mode](#)
- [10 AV Head Unit Control Mode](#)
- [11 DVD Player/DVD Changer Control Mode](#)
- [12 TV/Monitor Control Mode](#)
- [13 Documents / Resources](#)

RUE-4190 Universal Remote Controller



WARNING

This symbol means important instructions.

Failure to heed them can result in serious injury or death.

DO NOT DISASSEMBLE OR ALTER.

Doing so may result in an accident, fire or electric shock.

KEEP SMALL OBJECTS SUCH AS BATTERIES OUT OF THE REACH OF CHILDREN.

Swallowing them may result in serious injury. If swallowed, consult a physician immediately.

DO NOT OPERATE ANY FUNCTION THAT TAKES YOUR ATTENTION AWAY FROM SAFELY DRIVING YOUR VEHICLE.

Any function that requires your prolonged attention should only be performed after coming to a complete stop. Always stop the vehicle in a safe location before performing these functions. Failure to do so may result in an accident.

KEEP THE VOLUME AT A LEVEL WHERE YOU CAN STILL HEAR OUTSIDE NOISE WHILE DRIVING.

Failure to do so may result in an accident.



CAUTION

This symbol means important instructions.

Failure to heed them can result in injury or material property damage.

DO NOT MIX NEW BATTERIES WITH OLD BATTERIES. INSERT WITH THE CORRECT BATTERY POLARITY.

When inserting the batteries, be sure to observe proper polarity (+ and –) as instructed. Rupture or chemical leakage from the battery may cause fire or personal injury.

Handling Precautions

Do not drop or apply shock to the unit. It may get permanently damaged.

Keep the unit away from water and moisture, direct sun and heat, and excessive dust.

Never use scouring pads, steel wool, abrasive powders or harsh chemical agents, such as lye solution, for cleaning.

Clean with a soft, lint-free cloth or cotton swab slightly dampened with a mild solution of detergent and water.

Do not operate this unit in a manner that could distract you from driving safely.


Installation of Remote Control Holder

- Do not leave the remote control mounted on the holder, if it is direct sunlight. Remove the remote control from the holder and put it in the glove compartment.
- If double-sided adhesive tape cannot install the holder securely, use screws.

Battery Replacement

Applicable battery: Use two “AAA” sized dry batteries or equivalent.


1



Opening the battery cover.

Push on the cover and slide it as indicated by the arrows then the cover will be removed.


2



Replacing the batteries.

Remove the old batteries. Insert new ones matching the (+) and (-) polarities as shown in the diagram inside the remote control.

3



Closing the cover.

Push the cover in the arrow direction until a click is heard.

In Case of Difficulty

Problem	Cause	Solution
Remote Control Inoperative.	Reverse placement of battery.	Place the battery correctly into its cradle in the compartment.
	Dead battery.	Replace the battery with a new one.
	Remote Control not pointed toward the head unit or monitor.	Point the remote control directly toward your head unit or monitor.

Specifications


Battery Type AAA size batteries
 Battery Quantity 2
 Dimensions (W × H × D) 56 × 142.5 × 37 mm (2-1/4" × 5-5/8" × 1-7/16")
 Weight (without battery) 72 gr (2.6 oz)

Accessories

Battery (AAA)	2
Remote Control Holder	1 set
Double-Sided Adhesive Tape	1 set
Screw	2

**Double-Sided
Adhesive Tape**
(Before attaching the
tape, make sure the
mounting locations are
free from dust or dirt)

Remote Control





Reinforcing Screws

**Remote Control
Holder**

**Protective
Paper**

Console Box etc.





Map type Navigation Control Mode

When operating the navigation, set the EXT DVD/AUDIO/NAV. Switch to the "NAV." side.

1. Remote Control Transmitter
2. —
3. —
4. —
5. —
6. —
7. MODE button
8. VOICE button
9. Zoom (Wide/Detail) button
10. DISP (MP/RG) button
11. CANC. button
12. DTR button
13. N/H button
14. Numeric Keypad
15. OK button
16. —
17. DEL. DEST. button
18. Status indicator for NAV. mode

19. —
20. —
21. Power ON/OFF button
22. —
23. —
24. LIGHT button for Remote Controller
25. —
26. Joystick/ENTER button
27. MENU button
28. —
29. LIST button
30. DEL. button
31. —
32. EXT DVD/AUDIO/NAV. Switch MONI. button (Push)

Notes:

- Depending on the unit, some operations cannot be performed. For details, see the Owner's Manual for the unit.
- After pressing the MODE button, press the following buttons while the status indicator is blinking:
Numeric Keypad (0 to 9), DEL. button, OK button

Head Unit Control Mode

When operating the Head Unit, set the EXT DVD/AUDIO/NAV. Switch to the "AUDIO" side.

1. Remote Control Transmitter
2. Status indicator for AUDIO mode
3. —
4. BAND button
5. Radio mode: Preset Selection
Changer mode: Disc Selection
MP3 mode: Folder Select
Tape mode: Program Sensor
6. SOURCE button
7. —
8. —
9. Display Angle UP/DOWN button
10. —
11. —
12. —
13. —
14. —
15. —
16. —

17. —
18. —
19. A.PROC. button
20. PLAY/PAUSE button
21. Power ON/OFF button
22. Radio mode: SEEK UP/DOWN CD/MD/Changer mode: Music Sensor BW/FF (press and hold) Tape mode: REW/FF
23. —
24. LIGHT button for Remote Controller
25. VOLUME UP/DOWN button
26. —
27. —
28. MUTE button
29. —
30. —
31. —
32. EXT DVD/AUDIO/NAV. Switch TV/MONI. button (Push)

Note: Depending on the unit, some operations cannot be performed. For details, see the Owner's Manual for the unit.

AV Head Unit Control Mode

When operating the AV Head Unit, set the EXT DVD/AUDIO/NAV. Switch to the "AUDIO" side.

1. Remote Control Transmitter
2. Status indicator for AUDIO mode
3. —
4. BAND button
5. Radio mode: Preset Selection Changer mode: Disc Selection
6. SOURCE button
7. —
8. —
9. Display Angle UP/DOWN button
10. —
11. —
12. —
13. —
14. Function button (1 to 7)
15. —
16. —
17. —
18. —
19. A.PROC. button

20. Audio mode Selection (VOL./BASS/TRE/BAL/FAD)
21. Power ON/OFF button
22. Radio mode: SEEK UP/DOWN Changer mode: Music Sensor BW/FF (press and hold)
23. .SEL. button
24. LIGHT button for Remote Controller
25. VOLUME UP/DOWN, Audio Adjust button
26. —
27. —
28. MUTE button
29. —
30. —
31. —
32. EXT DVD/AUDIO/NAV. Switch TV/MONI. button (Push)

Note: Depending on the unit, some operations cannot be performed. For details, see the Owner's Manual for the unit.

DVD Player/DVD Changer Control Mode

When operating the External DVD Player/DVD Changer, set the EXT DVD/AUDIO/NAV. Switch to the "EXT DVD" side.

1. Remote Control Transmitter
2. —
3. Status indicator for EXT DVD mode
4. —
5. DVD Changer mode: Disc Selection
6. Audio SOURCE button (When connected with the Ai-NET Head Unit)
7. L (STOP) button
8. —
9. —
10. Searching by Title/Chapter/elapsed time, Press and hold for 2 seconds to display the DVD menu/Title menu
11. RTN (Return) button
12. —
13. —
14. Numeric Keypad
15. —
16. ANGLE button
17. SUB T. (Subtitle) button Press and hold this for 2 seconds to turn the subtitles ON and OFF
18. —
19. A.PROC. button (When connected with the Digital Audio Processor)
20. Playback Press and hold for 2 seconds to playback the slow motion
21. Power ON/OFF button
22. Chapters and tracks skip Press and hold for 2 seconds to BW/FF

- 23. —
- 24. LIGHT button for Remote Controller
- 25. VOLUME UP/DOWN button (When connected with the Ai-NET Head Unit)
- 26. Joystick/ENTER button
- 27. MENU button Press and hold for 2 seconds to display the setup menu
- 28. MUTE button (When connected with the Ai-NET Head Unit)
- 29. —
- 30. —
- 31. AUDIO button
- 32. EXT DVD/AUDIO/NAV. Switch TV/MONI. button (Push)

Note: Depending on the unit, some operations cannot be performed. For details, see the Owner's Manual for the unit.


TV/Monitor Control Mode

When controlling the Monitor, press the EXT DVD/AUDIO/NAV. Switch to activate the TV/MONI. mode. Check which TV Tuner or Monitor functions corresponds to which buttons on the remote control and attach the appropriate seal (supplied).

Note: Depending on the unit, some operations cannot be performed. For details, see the Owner's Manual for the unit.



Documents / Resources

	ALPINE RUE-4190 Universal Remote Controller [pdf] Owner's Manual RUE-4190 Universal Remote Controller, RUE-4190, Universal Remote Controller, Remote Controller, Controller
---	--