

# Altronix NetWaySP1BTWP 802.3bt Media Converter Injectors Installation Guide

[Home](#) » [Altronix](#) » Altronix NetWaySP1BTWP 802.3bt Media Converter Injectors Installation Guide 

## Contents

- [1 Altronix NetWaySP1BTWP 802.3bt Media Converter Injectors](#)
- [2 Overview](#)
- [3 Features](#)
- [4 Mechanical](#)
- [5 Installation Instructions](#)
- [6 Typical Application](#)
- [7 Technical Specifications](#)
- [8 Wall Mount Installation](#)
- [9 NetWaySP1BTWPX](#)
- [10 Documents / Resources](#)
  - [10.1 References](#)
- [11 Related Posts](#)



**Altronix NetWaySP1BTWP 802.3bt Media Converter Injectors**



Fiber Solution  
NetWaySP1BTWP Series  
802.3bt Media Converter/Injectors with Integral Power  
Models Include:

#### **NetWaySP1BTWP**

- 802.3bt Media Converter/Injector with Integral Power.
- NEMA4/4X rated outdoor enclosure.

#### **NetWaySP1BTWPX**

- 802.3bt Media Converter/Injector with Integral Power.
- NEMA4/4X rated outdoor enclosure.
- Accommodates up to four (4) 12VDC/4AH batteries.

#### **Overview**

Altronix NetWaySP1BT Series 802.3bt media converter/injectors provide a single 802.3bt (4PPoE) port up to 90W and accommodate Fiber (1000Base-X/SX/LX) or structured cable to transmit data. Units can be deployed with structured cable, conventional single/multimode fiber or composite cable (fiber + copper combined). Cameras/edge devices may be located up to 100m from the unit.

#### **Features**

#### **Agency Listings**

- CE European Conformity.

**Input:**

- 115VAC, 60Hz, 2.5A or 230VAC, 50/60Hz, 1.3A.

**Fiber Port:**

- One (1) 1Gb SFP port.  
\* See below for recommended SFP modules.

**PoE Port:**

- Single port rated up to 90W max.
- IEEE 802.3af, 802.3at and 802.3bt compliant.

**Data Port:**

- Connectivity: RJ45, auto-crossover.
- Wire type: 4-pair CAT5e and higher.
- Speed: 10/100/1000 Mbps.
- Distance: up to 100m.

**Battery Backup:**

- Built-in charger for sealed lead acid or gel type batteries.
- Automatic switch over to stand-by battery when AC fails.

**Environmental:**

- Refer to Environmental Conditions on page 5.  
LED Indicators (Refer to Fig. 4, Pg. 4):
- Yellow and Green LEDs (RJ45 jacks):  
Yellow (left) LED: 10/100 Mbps.  
Green (right) LED: 1000 Mbps.
- Green PoE LEDs:  
Indicate PoE present.
- Green SFP (Fiber) LED:  
Indicates SFP connection.

**Mechanical****NetWaySP1BTWP:**

- NEMA4/4X, IP66 Rated enclosure for outdoor use.
- Dimensions (H x W x D approx.):  
13.31" x 11.31" x 5.59"  
(338.1mm x 287.3mm x 142mm).

#### **NetWaySP1BTWPX:**

- NEMA4/4X, IP66 Rated enclosure for outdoor use.
- Accommodates four (4) 12VDC/4AH batteries  
(48V of backup).
- Dimensions (H x W x D approx.):  
17.53" x 15.3" x 6.67"  
(445.3mm x 388.6mm x 169.4mm).

#### **Recommended Altronix SFP Modules:**

Altronix P1MM, P1SM10, P1AB2K and P1GCE are hot-pluggable SFP fiber transceiver modules and are readily usable with all Altronix Spectrum fiber optic equipment for 1Gb transmission rates.

- P1MM For use with Multi-Mode Fiber for distances up to 550m.
- P1SM10 For use with Single-Mode Fiber for distances up to 10km.
- P1AB2K For use with Single Strand Single-Mode Fiber for distances up to 2km.
- P1GCE For use with CAT5e or better for distances up to 100m.

### **Installation Instructions**

Wiring methods shall be in accordance with the National Electrical Code/NFPA 70/ANSI, and with all local codes and authorities having jurisdiction. All units should be installed by trained service personnel.

#### **Installation:**

1. Remove the backplane from the enclosure prior to drilling. Do not discard hardware.  
**Note:** Make sure that hardware will not interfere with the components of the circuit board.
2. Mark and drill desired inlets on the enclosure to facilitate wiring. Maximum NEMA type 4X rated fittings to be used are 0.5". Follow the manufacturer's specifications for the appropriate size opening.  
**Note:** Inlets for conduit fittings should only be made on the bottom of the enclosure.  
To facilitate wire entry utilize weather-tight NEMA-rated connectors (supplied), bushings, and cable.
3. Clean out the inside of enclosure before remounting circuit boards/backplane.
4. Mounting NEMA4/4X rated enclosure (Enclosure Dimensions, pg. 9, 10):

##### **Wall mount:**

Mount unit in desired location. Mark and drill holes to line up with the top and bottom hole of the enclosure flange. Secure enclosure with appropriate fasteners (e. g. screws and anchors; bolts and locking nuts, etc.) that are compatible with mounting surface and are of sufficient length/construction to ensure a secure mount (Fig. 5, pg. 8).

##### **Pole Mount:**

Refer to Fig. 6 – 10, pg. 8.

5. Mount backplane in enclosure with hardware.

### Power Connection:

Before powering unit, set input voltage selection switch to proper Input Voltage position (Fig. 2a, pg. 5, Fig. 3a, pg. 6). Units are factory set for 115VAC.

1. Connect AC power from overcurrent protective device circuit breaker (20A @ 115VAC, 60Hz or 16A @ 230VAC, 50/60Hz) to the terminals marked [L, N] on power supply board (Fig. 2, 3, pg. 5, 6). Connect ground lug to earth or green branch wire on backplane (12AWG min.). Use 14AWG or larger for all power connections (Battery, DC output, AC input).
2. Keep power-limited wiring separate from non-power-limited wiring by utilizing separate knockouts/inlets. Minimum 0.25" spacing must be provided.

**CAUTION:** Do not touch exposed metal parts. Shut branch circuit power before installing or servicing equipment. There are no user-serviceable parts inside. Refer installation and servicing to qualified service personnel.


Battery Backup (if desired): Connect four (4) 12VDC batteries wired in series to terminals marked [– BAT +] (Fig. 3, pg. 5), carefully observing polarity.

When use of stand-by batteries is desired, they must be lead acid or gel type.

**Note:** When batteries are not used, a loss of AC will result in the loss of output voltage.


### Input/Data Connections:

1. Connect structured cable from port marked [Data Port] on NetWaySP1BT to a PoE midspan/endspan (Fig. 1, pg. 4).
2. Connect fiber optic cable to a fiber SFP module. Connect the module to the port marked [SFP] on the NetWaySP1BT. Connect the other end of fiber cable to an SFP module of a remote device. SFP LED will illuminate indicating data connection (Fig. 1, pg. 4).
3. Using 4-pair CAT5e or higher cable connect PoE load device to be powered to the port marked [802.3bt Output] on NetWaySP1BT. After authentication and classification have been established, [PoE Signal] LED will illuminate indicating PoE presence.




**NetWaySP1BTWP**

Fig. 2




NetWaySP1BTWPX

Fig. 3



Typical Application

Fig. 4




Technical Specifications

Parameter	Description
Ports	One (1) 1Gb SFP port, one (1) Data port. One (1) IEEE 802.3af, 802.3at and 802.3bt compliant output port rated up to 90W max.
Input Power Requirements	115VAC, 60Hz, 2.5A or 230VAC, 50/60Hz, 1.3A.
Indicators	Yellow and Green LEDs (RJ45 jacks): IP Link status, 10/100/1000 Base-T/active. PoE Green LED: Indicates PoE present. Fiber Signal Green LED: Indicates SFP connection.
Environmental Conditions	Temperature: Operating: 60W: – 40°C to 75°C (– 40°F to 167°F). 80W: – 40°C to 70°C (– 40°F to 158°F). 90W: – 40°C to 60°C (– 40°F to 140°F). Storage: – 40°C to 85°C (– 40°F to 185°F). Relative Humidity: 85% +/-5%. Operating Altitude: – 304.8 to 2,000m.
Regulatory Compliance	CE European Conformity.
Weights (approx.)	NetWaySP1BTWP: Product: 10.5 lb. (4.76 kg)   Shipping: 11.9 lb. (5.4 kg). NetWaySP1BTWPX: Product: 15 lb. (6.8 kg)   Shipping: 17.5 lb. (7.9kg).

## Wall Mount Installation

1. Place unit at desired location and secure with mounting screws (not included) (Fig. 5, pg. 8).






### Pole Mounting Using Optional Pole Mount Kit PMK1 (NetWaySP1BTWP) or PMK2 (NetWaySP1BTWPX):


This installation should be made by qualified service personnel. This product contains no serviceable parts. PMK1 and PMK2 outdoor pole mount kits are designed to simplify the installation of Altronix outdoor rated power supplies and accessories housed in models WP1, WP2, WP3 and WP4 NEMA rated enclosures. PMK1 and PMK2 can be mounted on 2" to 8" (50.8mm to 203.2mm) diameter round or 5" (127mm) square poles. Brackets

are designed for use with the Wormgear Quick Release Straps (two included).


1. Thread one (1) wormgear quick release strap through the slots on the back of a mounting bracket (Fig. 6, pg. 8).
2. Once the desired height of the top Pole Mount bracket is achieved, tighten the straps down by sliding open end of the strap through the locking mechanism on the strap, then tighten the screw with flat head screwdriver or 5/16" hex socket driver (Fig. 7, pg. 8 and Fig. 9, pg. 8).




3. Attach the bottom bracket to the enclosure by inserting bolts through the flange of the enclosure and into the bracket, tightening bolts with a 7/16" hex socket (Fig. 8, pg. 8).
4. Thread the second wormgear quick release strap through the slots on the back of the bottom mounting bracket (Fig. 9, pg. 8).
5. Mount enclosure onto the top bracket by inserting bolts through flange of the enclosure and into the bracket, tightening bolts with a 7/16" hex socket (Fig. 7, pg. 8).
6. Tighten the straps of the bottom bracket down by sliding the open end of the strap through the locking mechanism on the strap, then tighten screw with flat head screwdriver or 5/16" hex socket driver (Fig. 7, pg. 8).
7. Clip excess straps.



*Fig. 10*  
2" to 8" (50.8mm to 203.2mm)  
diameter round pole



*Fig. 10a*  
5" (127mm) square pole




## **NetWaySP1BTWP**


### **Enclosure Drawing and Dimensions (H x W x D approx.):**

13.31" x 11.31" x 5.59" (338.1mm x 287.3mm x 142mm)


# FRONT VIEW




# RIGHT SIDE VIEW



# FRONT VIEW COVER REMOVED




# END VIEW




**Mechanical Drawing and Dimensions (H x W x D approx.):**  
17.53" x 15.3" x 6.67" (445.3mm x 388.6mm x 169.4mm)


**FRONT VIEW**




**RIGHT SIDE VIEW**



**FRONT VIEW COVER REMOVED**



SECTION A-A



Altronix is not responsible for any typographical errors.

140 58th Street, Brooklyn, New York 11220 USA | phone: 718-567-8181 | fax: 718-567-9056

**website:** [www.altronix.com](http://www.altronix.com) | **e-mail:** [info@altronix.com](mailto:info@altronix.com) | Lifetime Warranty IINetWaySP1BT Series Powered G08U

## Documents / Resources

<p><b>Netway</b> Fiber Solution</p> <p><b>NetWaySP1BTWP Series</b> 802.3bt Media Converter/Injectors with Integral Power</p> <p><b>Models include:</b>  <b>NetWaySP1BTWP</b>              802.3bt Media Converter/Injectors with Integral Power              -RJ45/ST and outdoor enclosure.  <b>NetWaySP1BTWPX</b>              802.3bt Media Converter/Injectors with Integral Power              -RJ45/ST and outdoor enclosure.              Accessories up to two (2) DODGE/DAI batteries.</p> <p>Installation Guide</p> <p>CE</p> <p>802.3bt Media Converter/Injectors with Integral Power              NetWaySP1BTWP Series              802.3bt Media Converter/Injectors with Integral Power              NetWaySP1BTWPX Series              802.3bt Media Converter/Injectors with Integral Power              NetWaySP1BTWPX Series</p> <p>Altronix</p>	<p><a href="#">Altronix NetWaySP1BTWP 802.3bt Media Converter Injectors</a> [pdf] Installation Guide</p> <p>NetWaySP1BTWP Series, NetWaySP1BTWP, 802.3bt Media Converter Injectors, NetWaySP1BTWP 802.3bt Media Converter Injectors, Media Converter Injectors, Converter, Converter Injectors, Injectors</p>
--	---

## References

-  [Altronix Home](http://www.altronix.com)