



Altronix TROVE TM250 Access and Power Integration Installation Guide

[Home](#) » [Altronix](#) » Altronix TROVE TM250 Access and Power Integration Installation Guide 

Altronix TROVE TM250 Access and Power Integration Installation Guide



Contents

[1 Overview:](#)

[2 Specifications](#)

[3 Enclosure Accommodates a Combination of the Following:](#)

[4 Hardware and Accessories:](#)

[5 Sub-Assembly Position Chart for the Following Models](#)

[6 TM250 Enclosure Dimensions](#)

[7 Documents / Resources](#)

[7.1 References](#)

[8 Related Posts](#)

Overview:

Altronix TM250 accommodates various combinations of Mercury EP1501 or MR51e boards with or without Altronix power supply for access systems. It features ample knockouts that are suitable for 0.75" and 1" conduit.

Specifications

Agency Listings:

- CE European Conformity.

Features

- 16 AWG powder coated steel enclosure with a single 2" center knockout on the top of the enclosure plus twelve (12) double knockouts (accommodate 0.75" and 1" conduit).
- Accommodates one (1) 12VDC/4AH battery.
- Dimensions (H x W x D): 11.0" x 10.25" x 3.5" (279.4mm x 260.4mm x 88.9mm).
- Includes tamper switch (Altronix Model TS112 or equivalent), cam lock and mounting hardware.

Enclosure Accommodates a Combination of the Following:

Altronix:

- One (1) Altronix eFlow or Tango power supply/charger.

Mercury:


- Up to two (2) EP1501 or MR51e.

Hardware and Accessories:

Spacer




5/16" Pan Head Screw



Sub-Assembly Position Chart for the Following Models

Sub-Assembly	Pem Mounting
Altronix eFlow or Tango1B power supply	A
Mercury EP1501, MR51e	B

Fig. 2 – TM250 Configurations








Fig. 2a



TM250 Enclosure Dimensions

11.0" x 10.25" x 3.5" (279.4mm x 260.4mm x 88.9mm)



Altronix is not responsible for any typographical errors. 140 58th Street, Brooklyn, New York 11220 USA | phone: 718-567-8181 | fax: 718-567-9056
 website: www.altronix.com |
 e-mail: info@altronix.com



Documents / Resources

