



amazon basics 106D Espresso Machine with Grinder Instructions

[Home](#) » [amazon basics](#) » amazon basics 106D Espresso Machine with Grinder Instructions 

Contents

- [1 amazon basics 106D Espresso Machine with Grinder](#)
- [2 Product Usage Instructions](#)
- [3 How to Clean and Assemble the Grinder?](#)
- [4 Documents / Resources](#)
 - [4.1 References](#)
- [5 Related Posts](#)



amazon basics 106D Espresso Machine with Grinder



Product Information

The grinder is an essential component of the espresso machine, designed to provide consistent grinding results for the best extraction. Regular cleaning and proper assembly are crucial for optimal performance.

Specifications

- **Model:** [Model Name]
- **Power:** [Power Rating]
- **Dimensions:** [Dimensions]
- **Weight:** [Weight]

Product Usage Instructions

1. Cleaning the Grinder

1. Take out the bracket.
2. Press the red release button and turn the grinder clockwise to unlock it
3. Once unlocked, pull the grinder out in a downward direction.
4. Rotate the distributor clockwise to release it from the grinder.
5. Using the cleaning brush, clean the outside of the grinder.
6. Clean the inside of the grinder using the cleaning brush.
7. Clean the distributor with the cleaning brush.

2. Assembling the Grinder

8. Ensure that the fastener of the distributor points at the groove of the grinder. This is important for successful assembly.
9. After cleaning, rotate the distributor anti-clockwise to assemble it to the grinder firstly.
10. If the distributor is installed correctly, a small triangle plate will appear on the top.

11. Insert the grinder into the espresso machine as shown.
12. Hold the grinder and turn it anti-clockwise to lock it in place. You will hear a click sound and feel it tighten.
13. Install the bracket in place.

FAQ (Frequently Asked Questions)

- **Q: What should I do if the grinder is not assembled correctly?**

A: If the grinder isn't assembled correctly, please check whether the baffle inside the coffee machine is locked correctly as shown in the picture. Make sure the distributor is aligned with the groove of the grinder.

- **Q: How often should I clean the grinder?**

A: Regular cleaning is recommended to maintain consistent grinding results. It is best to clean the grinder after each use or at least once a week, depending on your usage frequency.

- **Q: Can I use water to clean the grinder?**

A: No, it is not recommended to use water for cleaning the grinder. Use only the provided cleaning brush to remove any coffee residues and grinds.

- **Q: How do I know if the grinder is locked in place?**

A: Once the grinder is assembled correctly, you will hear a click sound and feel it tight in place. Additionally, a small triangle plate will appear on top of the distributor as an indicator of successful assembly.

How to Clean and Assemble the Grinder?

Regular cleaning helps to achieve consistent grinding results which is especially important for the best extraction. Please follow the steps below to clean and assemble the grinder.

1. Take the bracket out.



2. Press the red release button and turn the grinder clockwise to release it.




3. Once you hear a "click" sound and feel the grinder is unlocked, pull it out in downward direction.



4. Rotate the distributor clockwise to release it from the grinder.



5. Clean the outside of grinder with the cleaning brush.



6. Clean the inside of grinder with the cleaning brush.




7. Clean the distributor with the cleaning brush.



8. After cleaning, rotate the distributor anti-clockwise to assemble it to the grinder firstly.



9. Note: The fastener of distributor must point at the groove of grinder. Otherwise, the distributor could not be assembled successfully.



10. If the distributor is installed correctly, a small triangle plate will appear on the top.



11. Insert the grinder into the espresso machine as shown.



12. Then hold the grinder and turn it anti-clockwise to lock it. Once the grinder is assembled in place, you can hear a “click” sound and feel it tight in place.



13. **Note:** If the grinder isn't assembled in place, please check whether the baffle inside of coffee machine is locked correctly as the picture shown.



14. Install the bracket in place.

- User Manual