Manuals+ — User Manuals Simplified.

amazon basics B081ZDBY82 USB 3.1 Type-C Docking User Manual

amazon basics B081ZDBY82 USB 3.1 Type-C Docking User Manual

Contents

IMPORTANT SAFETY INSTRUCTIONS

Read these instructions carefully and retain them for future use. If this product is passed to a third party, then these instructions must be included.

When using electrical appliances, basic safety precautions should always be followed to reduce the risk of fire, electric shock, and/or injury to persons including the following:

- Do not bend or kink the USB cable.
- Observe the safety instructions of any other devices connected to the product.

SAVE THESE INSTRUCTIONS

Explanation of Symbols CE

$C\epsilon$ This symbol stands for "Conformite Europeennes, which means "Conformity with EU-directives". With the CE marking the manufacturer confirms that this product complies with applicable European directives and regulations.

$\overline{}$ Direct current (DC).

Intended Use

- This product is intended for household use only. It is not intended for commercial use.
- This product is intended to be used in dry indoor areas only.

Product Description

B081 TCNTTN, B081 TCG3MY, B081 TDPVMQ

B081 TD N DZ4, B081 TCG 3 PS

A.USB Type-C port for data
B. Micro SD card slot
C.USB Type-A 3.0 port
D. USB Type-A 3.0 ports with 1.5 A Charging
E. SD card slot
F. USB Type-C port for PD 3.0
G.USB Type-C male connector
H.RJ45 Ethernet socket
I.HDMI port
J.VGA 15-pin socket

Before First Use

- Check the product for transport damages.
- Remove all the packing materials.

⚠ **DANGER**
Risk of suffocation! Keep any packaging materials away from children — these materials are a potential source of danger, e.g. suffocation.

Connections

Connecting the optional USB Power Delivery adapter

- Connect the USB type-C connector of a Power Delivery (PD) power adapter/charger to the USB Type-C port (F) of the product.
- Connect the power adapter to a socket outlet.
  NOTICE
- This product supports until 100 W power adapters (not included) for
  the host computer and the product's power requirements (15 W).
- If the product's power relies solely on the host computer, its USB Type-A and Type-C ports cannot fully deliver their full output power.

- This product supports the Fast Role Swap (FRS) function of USB PD 3.0. Connecting/disconnecting the power adapter will not affect current connections of the USB devices.
- This product works with host computers that supports the DisplayPort Alt Mode (DP Alt Mode) by way of the USB Type-C connector. The host computer interfaces via the VGA 15-pin socket (J) and HDMI port (I) ports of this product to the corresponding displays.

NOTICE

Risk of data loss! Do not disconnect from a computer or USB device during data transfer. Dcing so may corrupt your data or damage connected devices.

NOTICE

- A USB 3.0 cable is required for USB 3.0 connections.
- The USB Type-A 3.0 port with 1.5 A Charging (D) and Type-C port (A) can deliver up to a maximum of 7.5 W (5 V $===$, 1.5 A), while the other Type-A port (C) delivers 900 mA (5 V $===$)
- This product is backward compatible and is designed to work with older USB versions including USB 2.0 and USB 1.1.

Video Connection

- This product supports 1 video output at a time (Priority: HDMI > VGA).

Ethernet connection

- Connect an Ethernet device to the RJ45 Ethernet socket (H).
- Set the IP address manually if required.

SD/Micro SD 3.0 card reading

NOTICE

For B081TCNTTN, B081TCG3MY, and B081TDPVMQ, the SD and Micro SD card slots can be used simultaneously. For B081TDNDZ4 and B081TCG3PS, only one card slot can be used at a time.

Cleaning and Storage

NOTICE
During cleaning do not immerse the product in water or other liquids. Never hold the product under running water.

Cleaning

- To clean the product, wipe with a soft, slightly moist cloth.
- Never use corrosive detergents, wire brushes, abrasive scourers, metal or sharp utensils to clean the product.

Storage
Store the product in its original packaging in a dry area. Keep away from children and pets.

FCC – SUPPLIER' Declaration of Conformity

Unique Identifier	B081TCNTTN Aluminum USB 3.1 Type-C Docking with HDMI, VGA, Ethernet, 2 USB-A, SD/TF Card Reader, Type-C data port (5Gbps), and Type-C charging port (PD 100W) – Grey B081TCG3MY Aluminum USB 3.1 Type-C Docking with HDMI, VGA, Ethernet, 2 USB-A, SD/TF Card Reader, Type-C data port (5Gbps), and Type-C charging port (PD 100W) – Silver B081TDPVMQ Aluminum USB 3.1 Type-C Docking with HDMI, VGA, Ethernet, 2 USB-A, SD/TF Card Reader, Type-C data port (5Gbps), and Type-C charging port (PD 100W) – Black B081TDNDZ4 Type-C Docking with HDMI, VGA, Ethernet, 2 USB-A, SD/TF Card Reader, Type-C data port (5Gbps), and Type-C charging port (PD 100W) – ABS, Black B081TCG3PS Type-C Docking with HDMI, VGA, Ethernet, 2 USB-A, SD/TF Card Reader, Type-C data port (5Gbps), and Type-C charging port (PD 100W) – ABS, White
Responsible Party	Amazon.com Service, Inc
U.S Contact Information	410 terry Ave N. Seattle, WA
Telephone Number	(206) 266-1000

FCC Compliance Statement

1. This device complies with Part ' S of the FCC rules. Operation is subject to the following two conditions:
    1. this device may not cause harmful interference, and
    2. this device must accept any interference received, including interference that may cause undesired operation.
2. Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

FCC Interference Statement
This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. Howeve-, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television

reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio / TV technician for help.

Canada IC Notice

- This Class B digital apparatus complies with Canadian CAN ICES-3(B) / NMB-3(B) standard.

Disposal.

The Waste Electrical and Electronic Equipment (WEEE) Directive aims to minimise the impact of electrical and electronic goods on the environment, by increasing re-use and recycling and by reducing the amount of WEEE going to landfill. The symbol on :his product or its packaging signifies that this product must be disposed separately from ordinary household wastes at its end of life. Be aware that this is your responsibility to dispose of electronic equipment at recycling centers in order to conserve natural resources. Each country should have its collection centers for electrical and electronic equipment recycling. For information about your recycling drop off area, please contact your related electrical and electronic equipment waste management authority, your local city office, or your household waste disposal service.

Specifications

Power rating:	5 V—, 15W
Max input power:	20 V — -, 5A,100 W max (PD 3.0)
USB output power:	Total output for all USB-A and USB-C ports: 10 W (5 V =, 2 A)
Input ports:	1 x male USB Type-C1 x female USB Type-C (power input)
Output ports:	
USB type-A 3.0:USB type-A 3.0 with 1.5 A Charging:USB type-C:12145 socket (Female):	5 V =, 900 mA; 5 Gbps data speed 5 V —,1.5 A; 5 Gbps data speed5 V -, 1.5 A; 5 Gbps data speed 10/100/1000 Mbps bandwidth
VGA 15-pin socket: HDMI port (Female):	1920 x 1200 / 60 Hz max. res.4K x 2K / 30 Hz, 6/8/10/12 bit color depth, output pixel format RGB 4:4:4 / YCbCr 4:4:4 / YCbCr 4:2:2, and HDCP 1.4.
SD card slot:Micro SD card slot:	Secure Digital v3.0 UHS-I (Ultra High Speed) / SDR12 (12.5 Mbyte/s) / SDR2S (25 Mbyte/s) / SDR50 (50 Mbyte/s) / DORS° (50 Mbyte/s) / SDR104 (104 Mbyte/s)
System requirements:	Windows' 7, Windows' 8, Windows' 10 Mac' macOS X v10.12.2, Mac' macOS X v10.14.2
Transfer rate:	Upstream: DP Alt Mode (max. bandwidth of 21.6 Gbps, 5 Gbps per lane)USB 3.0 super speed (3 x 5 Gbps) backward compatible with USB 2.0 / 1.1
Operating conditions:	32 °F to 113 °F (0 QC to +45 QC), 10 to 90 % RH (non-condensing)
Storage conditions:	14°F to 158 °F (-10 QC to +70 QC), 10 to 90 % RH (non-condensing)

.	Net weight	Dimensions (W x H x D)
B081TCNTTN, 8081TCG3MY, B081TDPVMQ	approx. 3.88 oz (110 g)	approx. 4.33 x 2.36 x 0.51″ (110 x 60 x 13 mm)
B081TDNDZ4, B081TCG3PS	approx. 3.14 oz (89 g)	approx. **4.8** x 2.76 x 0.55″ (122 x 70 x 14 mm)

Feedback and Help

Love it? Hate it? Let us know with 3 customer review.

AmazonBasics is committed to delivering customer-driven products that live up to your high standards. We encourage you to write a review sharing your experiences with the product.

US: **amazon.com/review/review-your-purchases#** UK: **amazon.co.uk/review/review-your-purchases#**

US: **amazon.com/gp/help/customer/contact-us** UK: **amazon.co.uk/gp/help/customer/contact-us**

Documents / Resources

amazon basics USB 3.1 Type-C Docking HUB MultiFunction USB 3.1 Type C Dockingstation USB 3.1 Typ C Base di Ricarica USB 3.1 Tipo C Base de Carga USB 3.1 Tipo-C USB 3.1 Type-C Docking USB 3.1 タイプC ドッキングステーション Dokowanie USB 3.1 Typu C Dockingstation USB 3.1 Typ C B081TCNTTN, B081TCG3MY, B081TDPVMQ, B081TGN0Z4, B081TCG3PS	**amazon basics B081ZDBY82 USB 3.1 Type-C Docking** [pdf] User Manual B081ZDBY82 USB 3.1 Type-C Docking, B081ZDBY82, USB 3.1 Type-C Docking, Type-C Docking, Docking