



## AmberTronix AT-288 LED Desk Lamp User Manual

[Home](#) » [AmberTronix](#) » AmberTronix AT-288 LED Desk Lamp User Manual 

### Contents

- [1 AmberTronix AT-288 LED Desk Lamp](#)
- [2 SPECIFICATION](#)
- [3 PACKAGE LIST](#)
- [4 CAUTION](#)
- [5 FEATURE](#)
- [6 ADJUSTMENT](#)
- [7 FCC](#)
- [8 Documents / Resources](#)
- [9 Related Posts](#)



**AmberTronix AT-288 LED Desk Lamp**



**SPECIFICATION**

Operating Voltage	AC100- 240V/DC5V 2.0A
Desk Lamp Weight	0.67KG
OperatingTemperature	0°- 40°C
Lifespan	>40,000 Hours

**PACKAGE LIST**

- Desk lamp x1
- Adapter x1
- USB cable x1
- User manual x1

## CAUTION



Do not repair, disassemble, or modify under any circumstances



Do not place near any heat sources or in direct sunlight.



Do not use lamp with frayed or damaged power cord.



Use **ONLY** the supplied AC power adaptor.




Please keep the lamp dry and clean.



Do not touch lamp with wet hands or have liquids close to lamp




Clean only with a soft dry cloth and do not use solvents or cleaning solutions.



Never overload electrical circuits as it may cause electrical shock or fire.

## FEATURE



### Color Temperatures Control Function

5 Levels Color Temperatures from 3000K-6000K

### Brightness Control Function

5 different lighting modes+ 5 levels of brightness. 25 lighting options total.


### Timer Control Function:

30/60 minutes Auto-off timer Blue light indicate 30 mins auto-off timer Green light indicate 60 mins auto-off timer

## USB Charging Port (DC 5V 1A)

port USB Charging for different device charging.

## ADJUSTMENT



We appreciate your business and want to do everything to ensure you have a 5-Star experience with our company.

If you encounter any problem with the product, please contact us: AmberTronix Support Center

5904 Jessamine ST A17 Houston, TX 77081

Tel: 001 -281-968- 8366

Email: [mikeq@lonestargrp.com](mailto:mikeq@lonestargrp.com)

## FCC

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

**NOTE:** This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device and its antenna(s) must not be co-located or operation in conjunction with any other antenna or

transmitter.

The equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. During the operation of device a distance 15cm surrounding the device and 20cm above the top surface of the device must be respected

**Documents / Resources**

	<p><a href="#">AmberTronix AT-288 LED Desk Lamp</a> [pdf] User Manual</p> <p>AT-288, AT288, 2A42QAT-288, 2A42QAT288, AT-288 LED Desk Lamp, LED Desk Lamp</p>
---	--