
**XCTSP30-A
Circuit**



Andeman XCTSP30-A Circuit Analyzer User Manual

[Home](#) » [Andeman](#) » Andeman XCTSP30-A Circuit Analyzer User Manual 

Contents

- [1 Andeman XCTSP30-A Circuit Analyzer](#)
- [2 Instructions:](#)
- [3 Specifications](#)
- [4 Product Overview](#)
- [5 Circuit Analyzer](#)
- [6 FCC Statement](#)
- [7 Documents / Resources](#)
 - [7.1 References](#)
- [8 Related Posts](#)



Andeman XCTSP30-A Circuit Analyzer




Instructions:

1. Plug Circuit Analyzer into an approved 120V /30A NEMA TT-30R RV power receptacle.
2. Verify LEDs indicate "Correct Wiring"
3. Turn Off shore power pedestal circuit breaker.
4. Plug your RV directly into the Circuit Analyzer.
5. Turn On shore Power circuit breaker.
6. Operate your RV normally.

Specifications

- Voltage 125Volts AC
- Current Rating(Load) 30 Amps
- Power(Use) 0.10 Watts
- Frequency 50/60 Hz
- Surge Energy 10000 joules

Product Overview



- CONFORMS TO UL STD. 817 AND 1449
- CERTIFIED TO CSA STD. C22.2 NO.21 AND 269.3

Circuit Analyzer

- Integrated Surge Protection
- Diagnostic lights for visual indication of incorrect wiring faults
- Weather resistant

DO NOT SUBMERGE IN WATER

WARNING: This device designed solely for marine, recreational vehicles and mobile home use and is not for use with any other adapter or device. Adapter must be used in conjunction with a circuit breaker rated 30 AMP, 125 VAC. Our liability is limited solely to the replacement of any defective product returned to us. We make no other warranty.

WARNING: Cancer and Reproductive
Harm – www.P65Warnings.ca.gov

FCC Statement

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

1. This device may not cause harmful interference.and
2. This device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Extension cord with Surge Protector

- NEMA TT-30P/TT-30R
- MODEL: XCTSP30-A
- 30A 125VAC 60Hz MAX.3750W
- VPR 900V (L-N) (L-G) (N-G) TYPE 3 SPD
- CONFORMS TO UL STD. 817 AND 1449
- CERTIFIED TO CSA STD. C22.2 NO.21 AND 269.3


Ningbo Xuanhua Electric Co.,Ltd.

xuanhua@ xuanhuachina.com

MADE IN CHINA

Contact Us: andeman.com

Documents / Resources

	Andeman XCTSP30-A Circuit Analyzer [pdf] User Manual 30A Compact 10000J Adapter, XCTSP30-A Circuit Analyzer, XCTSP30-A, Circuit Analyzer, Analyzer
---	---

References

- [User Manual](#)

[Manuals+](#), [Privacy Policy](#)

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.