



## anslut 004673 Ceiling Lamp Instruction Manual

[Home](#) » [anslut](#) » anslut 004673 Ceiling Lamp Instruction Manual 

### anslut 004673 Ceiling Lamp Instruction Manual



#### Contents

- [1 SAFETY INSTRUCTIONS](#)
- [2 TECHNICAL DATA](#)
- [3 DESCRIPTION](#)
- [4 ASSEMBLY](#)
- [5 Care for the environment!](#)
- [6 Documents / Resources](#)
  - [6.1 References](#)
- [7 Related Posts](#)

### SAFETY INSTRUCTIONS

- Keep out of the reach of children.
- Do not connect the light to the mains while it is still in the pack.
- Check that all the electrical and connecting cables comply with local regulations and are connected in






accordance with the instructions.

- Do not overload the mains. This can cause a fire or the risk of electric shock.
- Do not store the light in a damp or very cold/hot place to avoid damaging the electronics.
- The electronics in the light are sensitive to knocks and blows. Avoid dropping it.
- Never attempt to replace damaged electrical cables yourself.
- Do not use the light without the glass.

## WARNING!

**New installations and extensions to existing systems must always be carried out by an authorised electrician. If you know how (otherwise contact an electrician), you can replace switches and power points, fit plugs, extension cords and sockets. Incorrect installation can result in fatal injury and the risk of fire.**

## Symbols

	Approved as per applicable directives.
	Class II. Double insulation.
	Protection rating IP44.
	Recycle discarded product in accordance with local regulations.
	Warning: Risk of electric shock.


## TECHNICAL DATA

Rated voltage	230 V ~ 50 Hz
Output	Max 60 W
Socket	E27
Safety class	II
Protection rating	IP44
Dimensions	Ø 24 x 12 cm

## DESCRIPTION

1. Plug
2. Ceiling light fixture
3. Screw
4. Light source
5. Chimney

**FIG. 1**



## ASSEMBLY

1. Release the glass from the ceiling light.
2. Mark out where the ceiling light is to be installed.
3. Drill holes: Make sure not to damage any recessed cables or conduits.
4. Connect the wires to the terminal block in the ceiling light.
5. Fit the ceiling light with the screws.
6. Replace the glass on the ceiling light.

## Care for the environment!




Recycle discarded product in accordance with local regulations

Jula reserves the right to make changes. For latest version of operating instructions, see [www.jula.com](http://www.jula.com)

JULA AB, BOX 363, SE-532 24 SKARA  
2022-07-27  
© Jula AB



Documents / Resources

	<a href="#">anslut 004673 Ceiling Lamp</a> [pdf] Instruction Manual 004673, Ceiling Lamp, 004673 Ceiling Lamp
---	--

References

- [Jula “products for home and garden](#)