



anslut 007252 Lamp Socket DCL Instruction Manual

[Home](#) » [anslut](#) » anslut 007252 Lamp Socket DCL Instruction Manual 



Contents

- [1 anslut 007252 Lamp Socket DCL](#)
- [2 SAFETY INSTRUCTIONS](#)
- [3 SYMBOLS](#)
- [4 TECHNICAL DATA](#)
- [5 ASSEMBLY](#)
- [6 Documents / Resources](#)
- [7 Related Posts](#)

anslut 007252 Lamp Socket DCL



SAFETY INSTRUCTIONS

- Do not connect power strips to each other.
- Do not cover the power strip.

ELECTRICAL SAFETY

New installations and extensions to existing systems should always be carried out by an authorized electrician. If you have the necessary experience and knowledge (otherwise contact an electrician), you can replace power switches and wall sockets, fit plugs, extension cords and light sockets. Incorrect installation can result in fatal injury and the risk of fire.

WARNING!

The product is only intended for permanent installation.

SYMBOLS


	Read the instructions.
	Approved in accordance with the relevant directives.
	Recycle discarded product as electrical waste.

TECHNICAL DATA

- Rated voltage 230 V ~ 50 Hz
- Diameter (/) 110mm
- Max. capacity 15 kg
- Current 6A
- Ceiling box cc 67-78mm

ASSEMBLY

1. Connect the wires.
2. Lock in place with the screws.
3. Unfold the hanger hook, if necessary.
4. Open the cable inlet, if necessary.
5. Put on the casing and tighten the screw.




Releasing the casing

Release the casing as shown.



Disconnection of the conductors



Documents / Resources

