



## anslut 013665 LED Cord Lamp Instruction Manual

[Home](#) » [anslut](#) » anslut 013665 LED Cord Lamp Instruction Manual 



013665



### **CORD LAMP LED**

OPERATING INSTRUCTIONS Important! Read the user instructions carefully before use. Save them for future reference. (Translation of the original instructions).

Care for the environment! Recycle discarded products in accordance with local regulations.  
Jula reserves the right to make changes. For the latest version of operating instructions, see [www.jula.com](http://www.jula.com)

Contents

1 SAFETY INSTRUCTIONS

2 TECHNICAL DATA

3 Documents / Resources

4 Related Posts





SAFETY INSTRUCTIONS

- The product must be connected to an earthed powerpoint.
- Keep power cords and extension cords away from cutting tools, sharp objects, and other potential risks, such as wet floors and solvents.
- Do not touch the product, plug or power cord with wet hands or other wet parts of your body.
- Do not use the product in wet rooms.
- Check at regular intervals all electrical connections and power cords for damage. Rectify any faults before using the light. Always have the wiring and connections checked by an authorized electrician
- Check that the mains voltage corresponds to the rated voltage on the type plate.
- Do not use the product in an explosive environment, e.g. near flammable liquids, gas, or dust. Do not use the product near flammable materials.
- Do not look directly into the light source.
- Do not use the product if the glass front is cracked or damaged. The product must be discarded if the glass front is cracked or damaged.
- The light source is not replaceable. The entire product must be replaced if it stops working.

WARNING

- This product becomes very hot during use. Risk of burns.
- Keep combustible materials away from the product.
- Make sure there is enough ventilation to prevent the product from getting too hot.


SYMBOLS

	The product must be discarded if the glass front is cracked or damaged.
	Safety class II.
	Approved as per applicable directives.
	Recycle discarded products as electrical waste.


TECHNICAL DATA

Rated voltage	230 V – 50 Hz
Output	4.8 W
Safety class	II
Luminous flux	330lm
Color temperature	6500 K



 JULA AB, BOX 363, SE-532 24 SKARA  
2022-02-03  
© Jula AB

Documents / Resources

	<p><a href="#">anslut 013665 LED Cord Lamp</a> [pdf] Instruction Manual 013665, LED Cord Lamp</p>
--	---