



anslut 019451 Work Lamp LED Instruction Manual








[Home](#) » [anslut](#) » anslut 019451 Work Lamp LED Instruction Manual 

Contents

- [1 anslut 019451 Work Lamp LED Instruction Manual](#)
- [2 SYMBOLS](#)
- [3 TECHNICAL DATA](#)
- [4 DESCRIPTION](#)
- [5 ASSEMBLY](#)
- [6 MAINTENANCE](#)
 - [6.1 RECYCLING](#)
- [7 Read More About This Manual & Download PDF:](#)
- [8 Documents / Resources](#)
 - [8.1 References](#)
- [9 Related Posts](#)



SYMBOLS

	Read the instructions.
	Approved in accordance with the relevant directives.
	Protective earthing.
	The product must be discarded if the glass front is cracked or damaged.
	Recycle discarded product in accordance with local regulations.
	The light source is not replaceable.
	Non-replacable control gear.

TECHNICAL DATA




Rated voltage	230 V ~ 50 Hz Output	30 W
Luminous flux	2550 lm	
Colour temperature	4000 K Colour tone	Cold white
Protection rating	IP65	
Cord length	1.5 m	
Size	30.5 x L22.5 x	

DESCRIPTION

Work lamp with stand that has easy-to-grip handle. Adjustable lamp housing made of aluminium and toughened floodlight glass with LED light source. The lamp is dustproof, protected from running water and approved for indoor and outdoor use.

ASSEMBLY

Assemble the product as shown in the figures. **FIG. 1-3**



MAINTENANCE

RECYCLING

Recycle end-of-life product in accordance with local regulations. The light source should be removed from the lamp and recycled separately. See description of method below.

1. Undo the nuts and screws between the stand and floodlight by hand.
2. Cut the top corner of the floodlight housing with a hacksaw.. **FIG. 4**



3. Insert a flat-tip screwdriver in the gap between the glass and the casing, and carefully pry both parts apart. Stick another screwdriver between the glass and the casing and carefully bend apart. Continue along the edge round the lamp until the glass comes loose. **FIG. 5**




4. Lift off the glass to access the LED light source. **FIG. 6**



5. Remove the light

Read More About This Manual & Download PDF:

Documents / Resources



References

- **J Jula "products for home and garden"**