


anslut 019920 LED Strip Instruction Manual

Home » anslut » anslut 019920 LED Strip Instruction Manual



019920 LED Strip Instruction Manual




LED STRIP


OPERATING INSTRUCTIONS


Important! Read the user instructions carefully before use. Save them for future reference. (Translation of the original instructions)

Jula reserves the right to make changes.

For the latest version of operating instructions, see www.jula.com







Contents

- 1 SAFETY
- **INSTRUCTIONS**
- 2 SYMBOLS
- **3 TECHNICAL DATA**
- 4 USE
- **5 REMOVAL**
- 6 Documents / Resources
- 7 Related Posts

SAFETY INSTRUCTIONS

Carefully read the instructions before use!

- Save these instructions for future reference.
- Check that all connections are properly made before switching on the product.
- If the product does not work, check that the circuit is supplied with voltage.
- Keep children at a safe distance from the product when it is in use.
- If the permitted maximum voltage is exceeded this can damage the product, or reduce its useful life.
- If the permitted maximum temperature is exceeded this can damage the product, or reduce its useful life.

SYMBOLS

| (3) | Read the instructions. |
|-----|--|
| | Safety class II. |
| (€ | Approved in accordance with the relevant directives. |
| | Recycle discarded products in accordance with local regulations. |

TECHNICAL DATA

| Rated voltage, transformer in | 230 V ~ 50 Hz |
|--------------------------------|---------------------|
| Rated voltage, transformer out | 12 VDC |
| Output | 4 x 1.3 W |
| No. of LEDs | 4 x 18 |
| Color temperature | 3500 K |
| Luminous flux | 400 lm |
| LED strip, size | 300 x 10.5 x 2.5 mm |
| Operating temperature | -20 to 40°C |
| Storage temperature | -20 to 45°C |

USE

- 1. Check that all connections are properly made before switching on the product.
- 2. If the product does not work, check that the circuit is supplied with voltage.
- 3. Make sure that the arrow on the contact (magnified in the figure) is turned to the plus side (+) on the LED strip. FIG. 1

REMOVAL

- 1. Plug in the black plug with 4 pins. FIG. 2
- 2. Test the light source by connecting to 12 VDC. FIG. 3



© JULA AB, BOX 363, SE-532 24 SKARA

Documents / Resources



anslut 019920 LED Strip [pdf] Instruction Manual 019920, LED Strip, 019920 LED Strip, Strip

Manuals+,