

anslut 024309 Smart Remote Circuit Breakers Instruction **Manual**

Home » anslut » anslut 024309 Smart Remote Circuit Breakers Instruction Manual





024309 Smart Remote Circuit Breakers **Instruction Manual**



024309



Operating instructions (Translation of the original instructions)

Contents


- 1 024309 Smart Remote Circuit
- **Breakers**
- **2 TECHNICAL DATA**
- **3 DESCRIPTION**
- 4 USE
- **5 Documents / Resources**
 - **5.1 References**


024309 Smart Remote Circuit Breakers




https://smartapp.tuya.com/smartlife










SYMBOLS



TECHNICAL DATA

Rated voltage	230 V, 50 Hz
Rated current	10:00 AM
Max output	2300 W
Output in standby mode	<1 W
Frequency	2.4 GHz
Protection rating	IP44
Wireless connection	Wi-Fi 2.4 GHz IEEE 802.11 b/g/n

DESCRIPTION

This is a SMART product that can be connected to existing WiFi and controlled via the app Smart Life, or with a voice assistant. Does not require a separate hub/ router. You can control all SMART products in the app and use functions such as timer control, scheduling and automatized events.

SYSTEM REQUIREMENTS

WiFi router. iPhone, iPad (IOS 11.0 or higher) or Android (5.0 or higher).

Compatible with Google Assistant, Amazon Alexa and others.

USE

INSTALL APP

Scan the QR code to download the Smart Life app. Or search on App Store or Google Play.

FIG. 1

Register your account with mobile number or email address. You will the receive a verification code via SMS or email. Enter the code in the app and select password.

If you already have an account, log in with the mobile number or email address and password.

FIG. 2

CONNECT PRODUCT

- 1. Check that the phone is connected to your WiFi.
- 2. Plug the product into a power point.

FIG. 3

3. Press the button until the status light shows a flashing blue light. This shows that the product is connected.

FIG. 4

4. Press + (add unit) on the start page in the app.

FIG. 5

- 5. Enter WiFi password. Click on Confirm.
- 6. The product can be switched on/off and the timer and countdown timer can be set.
- 7. Click in the top right corner to show detailed information on the unit, to change the unit name, upgrade software, remove the unit, etc.

Important! Read the user instructions carefully before use. Save them for future reference. Jula reserves the right to make changes. For latest version of operating instructions, see www.jula.com







Jula AB, Box 363, SE-532 24 SKARA, SWEDEN

This declaration of conformity is issued under the sole responsibility of the manufacturer **|RECIEVER PLUG IN**

Conforms to the following directives, regulations and standards:

Directive/Regulation	Harmonized standard
RED 2014/53/EU	EN IEC 61058-1:2018, EN 61058-1-1:2016, EN IEC 62311:2020, EN 301489-1 V 2.2.3, EN 301489-3 V2.1.1, EN 301489-17 V3.2.4, EN 300328 V2.2.2, EN 30022 0-2 V3.1.1 IEC 60884-2-5:2002+A1+A2, IEC 60884-2-5:2017, SFS 5610:2015+A11, NEK 5 02:2016, SS4280834:2013+T1, DS 60884-2-D1:2017, EN 62479:2010, DIN VD E 0620-2-1:2016+A1
RoHS 2011/65/EU + 2015/8 63	EN 50581:2012

This product was CE marked in year: Signed for and on behalf of

Sara 2022-08-22 Fredrik Bohman

Documents / Resources



anslut 024309 Smart Remote Circuit Breakers [pdf] Instruction Manual 52137, 024309 Smart Remote Circuit Breakers, Smart Remote Circuit Breakers, Remote Circui t Breakers, Circuit Breakers, Breakers

References

Jula – products for home and garden

Manuals+,