

ANYKIT NTC30L 2 In 1 Inspection Camera User Manual

Home » ANYKIT » ANYKIT NTC30L 2 In 1 Inspection Camera User Manual



Contents

- **1 READ BEFORE USE**
- **2 ABOUT ANYKIT**
- **3 KNOW YOUR PRODUCT**
- **4 PRODUCT**
- **SPECIFICATIONS**
- **5 OPERATING**

INSTRUCTIONS

- **6 APP INSTRUCTIONS**
- **7 NOTICE**
- **8 SAFETY INSTRUCTIONS**
- 9 MAINTENANCE
- **10 TROUBLESHOOTING**
- 11 WARRANTY
- 12 CUSTOMER SUPPORT
- 13 Documents / Resources
 - 13.1 References
- **14 Related Posts**

READ BEFORE USE

By using this product, you signify that you have read, understand, and accept the terms and conditions here. Read the following documents before using.

- 1. Safety Guidelines
- 2. Quick Start Guide
- 3. User Manual

It is recommended to watch all tutorial videos on the official Anykit website and read the safety guidelines before using. Prepare for your first use by reviewing the quick start guide and refer to this user manual for more information.

Video Tutorials

Scan the QR code to watch the NTC30L/NTC30D tutorial videos, which demonstrates how to use the NTC30L/NTC30D safely.



ONLINE MANUAL

Scan this QR code to get the manual in PDF, which can be enlarged and viewed on your mobile device.




ABOUT ANYKIT

Anykit is a trendy and practical tool brand. We focus on simplicity and ease of use, providing people with convenience in their everyday lives. Our products including otoscopes, endoscopes, and a variety of household tools to enable DIY enthusiasts to embrace creativity and convenience.




Follow Anykit on Amazon for More


KNOW YOUR PRODUCT



• Type-C connector



• Lightning connector



Magnet



• Hook



• Mirror (Only comes with Single Lens)



PRODUCT SPECIFICATIONS

Model No.		NTC3OL			NTC3OD
Camera Diameter		8.5mm			8mm
Resolution			1280*9	060	
Camera Lights		8 Adjustable LED Lights		8+1 Adjustable LED Lights	
View Angle		79°			70°
Device Compatibility		Android(Type-C)/iOS(Lightning)			
Waterproof Rating			IP67		
FocalDistance	A Camera	30-100mm			30-100mm
	B Camera				20-50mm

OPERATING INSTRUCTIONS

DOWNLOADING THE APP

Use the inspection camera with the "Xscope" app. You can download it from Apple Store/Google Play or scan the QR codes below.







Connecting Guide

- 1. Plug the inspection camera into your smart device (Type-C connector for Android Phone/Tablet, Lightning connector for iPhone/iPad)
- 2. You'll receive a notification and click "Allow" to use it. (P-1 for iOS)


 You'll receive a notification and click "Always" to use it. (P-2 for Android)



P-2







Camera: Start to use the camera

Albums: Review the photos/ videos you take

Settings: Enter into the app settings

"Xscope" Would Like to Access Your Photos


Allow the App to access your photo album and view the pictures and videos taken by the App.

Select Photos..

Allow Access to All Photoso

Don't Allow


APP INSTRUCTIONS



- 1. Back
- 2. Rotate Image 90°
- 3. Color/Black and White Image
- 4. Split Screen Mode
- 5. Albums
- 6. Zoom(Pinch with two fingers)
- 7. Take a photo/video

NOTICE


Notice: When connecting a dual lens camera probe, please press this button to switch the front and side lenses.



Note:

• Ensure a complete connection by fully inserting the Lighting/USB plug for our endoscope cable into your mobile phone.

- Incomplete connection may result in no lights or camera functionality.
- Simply disconnect and reconnect the cable to establish a proper connection and restore the endoscope's functionality.



SAFETY INSTRUCTIONS

WARNING! Please read all safety warnings and all instructions before using this product. Failure to follow the warnings and Instructions may result in electric shock, fire or serious injury.

- Keep the tool dry, clean, free from oil, water, gas or other corrosion-causing materials.
- Keep your work area clean and well lit.
- This appliance is not intended for use by persons with limited physical, sensory or mental capabilities.
- This appliance is not intended for medical use or personal inspection.
- Keep bystanders, and children away while operating the tool.
- Do not overreach, keep proper footing and balance at all times.

MAINTENANCE

- · Always keep the camera lens clean.
- Should any other components not mentioned need to be replaced,
- please contact our customer service agents.

TROUBLESHOOTING

Troubleshooting (APP)	Troubleshooting (Camera)		
Does not respond when camera connected to the phone.	Camera is hot		
 Please confirm whether the phone has the OT G function on. (Android) Please confirm whether the plug is securely in place. Try to plug and unplug it several times. 	It is usual for the camera to heat up, especially when the LE D light is at its highest brightness, but it does not affect normal use or service life.		
Not displaying pictures	Image blur		
Observation the common limiting on 1614 is affective	The best imaging focal length of the product is: 3cm-10cm, please adjust the distance from the object you are looking at , or clean the front of the camera with a clean alcohol cloth.		
Check whether the camera lightis on, if it is off, or if the interface is not in good contact, please replug it.	please adjust the distance from the object you are looking at		
if the interface is not in good contact, please re—	please adjust the distance from the object you are looking at		

WARRANTY

30-Day Guarantee: We will give you a full refund if you are not satisfied with the product. **One-Year Warranty:** We offer a limited warranty that commences from the date of purchase of the product.



Visit anykit.com or scan the QR code for more details.

CUSTOMER SUPPORT


If you have any questions or concerns about your product, please contact our Customer Support Team







Documents / Resources



ANYKIT NTC30L 2 In 1 Inspection Camera [pdf] User Manual NTC30L 2 In 1 Inspection Camera, NTC30L, 2 In 1 Inspection Camera, Inspection Camera, Camera

References

• User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.