

AOC SPX24V2 24 Digital Menu Board Monitor Instructions

Home » AOC » AOC SPX24V2 24 Digital Menu Board Monitor Instructions







Contents

- 1 AOC Commercial
- **Display**
- 2 Features
- 3 Specifications
- 4 Documents / Resources
 - 4.1 References

AOC Commercial Display

It's common to find promotional materials in dining and beverage retailers, but most of them are static paper menus, lightboxes, and table cards, which can't keep up with the increasing need for displaying information in the digital era.In light ofthis,AOC unveils the groundbreaking SPX24V2, a state-of-the-art digital menu boardthat redefines the displaying standards at retail counters.

Boasting high brightness, customizable settings, flexible folding, and an Android system, it empowers tea and beverage shops with intelligent upgrades.



Features

Minimalist Chic: Sleek and Slim

The effortlessly chic appearance of SPX24V2 is further enhanced by its narrow bezel design, lending a sense of delicacy and sophistication to its slim body. Its white metal exterior enhances the overall refinement. AOC has a well-established certification system in energy efficiency and safety compliance, allowing it to better meet the high-quality equipment demands in the new retail industry. When put into use, digital menu boards can elevate the atmospheric appeal of tea and beverage shops, providing an upscale and refined experience that adds value to the store's service and environment.



High Brightness and Exquisite Color Display

Unlike conventional display devices, the SPX24V2 digital menu board, considering the varying brightness levels within store environments, has a screen brightness of up to 700 nits to ensure clear visibility of various promotional images and video content even in brightly lit tea and beverage shops. With FHD high-definition resolution and a display contrast ratio of 3000:1, the SPX24V2 digital menu board excels in color performance, enabling real-time

displaying of tea and beverage-related information.

Its diverse, innovative, and captivating presentation captures the attention of consumers, thereby elevating conversion rates and boosting revenue.




Customized Screensaver, Run Smart

The SPX24V2 digital menu board allows for personalized screen savers and the display of custom advertisements when there's no signal. Additionally, users can customize settings like startup logos, animations, and wallpapers. Apart from standard, cool, and warm color temperature options, users can also tailor settings to meet their needs. Moreover, by allowing users to set their preferred power on/off timings, supporting HDMI power-on signal wake-up, and automatically entering sleep mode when no signal is detected, it exemplifies smart operation.



Flexible Folding and Robust Protection

The next-gen digital menu board, SPX24V2, exhibits enhanced flexibility, with its folding design accommodating various usage angles, catering to diverse scenarios and individual preferences. Moreover, the protective cover included offers robust protection against potential damage and ensuring heightened safety and durability.



Designed for prolonged usage of 7×18 hours, it has an industrial lifespan of up to 30,000 hours. Its pixel shift and burn-in prevention features allow for customizable settings and automatic screen conditioning, effectively protecting the LCD screen from burn-in damage caused by extended operation. It also has a screen lock function:

once activated, remote control buttons, external keypads, USB keyboards, and mice are all disabled, preventing unauthorized operation in public settings.



AOC CMS Content Management

Besides excelling in hardware performance, the SPX24V2 digital menu board also offers a robust and highly compatible software system.

With the incorporation of AOC's proprietary CMS system, it facilitates timely updates and substitutions of various information. Furthermore, it enables time-specificpush of different beverage products or promotional messages. This assists businesses in effectively cutting costs of printing promotional materials and achieving digital management of stores.



Specifications

		SPX24V2/00
Panel	Diagonal Scree n Size (inch) Active Area H x V (mm) Panel T echnology Reso lution Brightness cd/m 2 (typ.) Contrast Ratio (typ.) Vie wing Angle H/V (min.) Response Time Operation Hour s MTBF	23.8
		527.04(H)x296.46(V)mm
		VA
		1920 x 1080
		700 cd/m ²
		3000 : 1
		178 degree / 178 degree
		9.5 ms
		18hrs x 7days

		30,000 hrs
System	OS DDR Memory(eMMC) CPU/GPU	Android 9.0
		2GB
		16GB
		NA
	Input Output OPS Support	HDMI*1,USB 2.0*2,10/100Mbps RJ45*1
Connec tivity I/ O		Audio Line out*1
		NA
	Wi-Fi OPS/SDM Slot Power Manage ment Panel Orientatio n AOC Cloud CM S Built-in Speaker	YES
		NA
Feature		YES
S		Landscape
		YES
		3W x 2
	Operating Temp erature Operati ng Humidity Sto rage Temperatu re Storage Humidit y	5°C ~ 40°C
Environ mental		20% ~ 80% RH Non-Condensing
Conditi ons		-20°C ~ 60°C
0113		10% ~ 90% RH Non-Condensing
Mecha	VESA Mount Bezel Width (m m)	NA
nical		T/L/R:2.2mm ,B:15.2mm
	Power Supply Power Consum ption Typ. Powe r Consumption Max. Standby P ower Consumption	Adapter DC 12V/4A
_		30W
Power		54W
		≤ 0.5 W
	AC Power Cord Remote Control Batteries For R emote Control Mounting kit Quick Start Gui de HDMI Cable Stand	Yes
		Yes
Bundle		Yes
d Acce ssories		No
3301165		Yes
		Yes
		Yes

www.aoc.com © 2024 AOC Commercial Display.

All rights reserved.

AOC is a registered trademark.

All other trademarks are the property of their respective owners. Design and Specifications are subject to change without notice.

Documents / Resources



AOC SPX24V2 24 Digital Menu Board Monitor [pdf] Instructions

SPX24V2 24 Digital Menu Board Monitor, 24 Digital Menu Board Monitor, Menu Board Monitor, Board Monitor

References

• User Manual

Manuals+, Privacy Policy

This website is an independent publication and is neither affiliated with nor endorsed by any of the trademark owners. The "Bluetooth®" word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The "Wi-Fi®" word mark and logos are registered trademarks owned by the Wi-Fi Alliance. Any use of these marks on this website does not imply any affiliation with or endorsement.